

www.phoronix-test-suite.com

phenomx4-840-cray

AMD Phenom II X4 840 testing with a MSI 870-G45 (MS-7599) v2.0 under SUSE LINUX 11.4 via the Phoronix Test Suite.

Test Systems:

Phenom X4 840 C-Ray

Processor: AMD Phenom II X4 840 @ 3.20GHz (4 Cores), Motherboard: MSI 870-G45 (MS-7599) v2.0, Chipset: ATI RX780/RX790 + SB700/SB800, Memory: 8192MB, Disk: 500GB Seagate ST3500641AS + 2000GB Western Digital WDC WD20EARS-00M, Graphics: NVIDIA GeForce GT 430

OS: SUSE LINUX 11.4, Kernel: 2.6.37.6-0.5-desktop (x86_64), Display Driver: NVIDIA 1.0.0, Compiler: GCC 4.5, File-System: btrfs

System Notes: AMD CnQ was enabled.

linuxease.com AMD 1090T cray


phenomx4-840-cray

Processor: AMD Phenom II X6 1090T @ 3.20GHz (6 Cores), Motherboard: MSI 870S-G54 (MS-7599) v3.0, Chipset: ATI RX780/RX790, Memory: 8192MB, Disk: 1000GB Seagate ST31000528AS, Graphics: ATI Radeon HD 3450 512MB, Audio: Realtek ALC892

OS: LinuxMint 10, Kernel: 2.6.35-22-generic (x86_64), Desktop: GNOME 2.32.0, Display Server: X Server 1.9.0, Display Driver: fglrx 8.78.30, OpenGL: 3.3.10237, Compiler: GCC 4.4.5, File-System: ext4, Screen Resolution: 1024x768

System Notes: Compiz was running on this system. AMD CnQ was enabled.

	Phenom X4 840 C-Ray	linuxease.com AMD 1090T cray
C-Ray - Total Time (sec)	106.40	72.69
Normalized	68.32%	100%
Standard Deviation	0.1%	0.2%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 02:17.