

www.phoronix-test-suite.com

jkj

AMD Phenom II X4 970 testing with a ASUS M4A785-M under Ubuntu 11.10 via the Phoronix Test Suite.

Test Systems:

2012-01-18 12:55

Processor: AMD Phenom II X4 970 @ 3.50GHz (4 Cores), Motherboard: ASUS M4A785-M, Chipset: AMD RS880 + SB7x0/SB8x0/SB9x0, Memory: 4096MB, Disk: 250GB Hitachi HDT72502 + 1000GB Western Digital WDC WD10EAVS-00D + 160GB 00BEVS-07RST0, Graphics: ATI Radeon HD 5450 512MB, Audio: VIA VT1708S, Monitor: Acer A221HQV


OS: Ubuntu 11.10, Kernel: 3.0.0-14-generic (x86_64), Desktop: Unity 4.24.0, Display Server: X Server 1.10.4, Display Driver: fglrx 8.91.4, Compiler: GCC 4.6.1, File-System: ext4, Screen Resolution: 1920x1080

System Notes: Compiz was running on this system. AMD CnQ was enabled.

jkj

	2012-01-18 12:55
x11perf - C.i.8.c.a.l (Operations / Second)	1005667
Standard Deviation	2.1%

jkj



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 05:34.