

www.phoronix-test-suite.com

asusz68

Intel Core i5-2500K testing with a ASUS P8Z68-V LX and Intel Device 0112 on Ubuntu 10.04 via the Phoronix Test Suite.

Test Systems:

asusz68


Processor: Intel Core i5-2500K @ 3.30GHz (4 Cores), Motherboard: ASUS P8Z68-V LX, Chipset: Intel Device 0100, Memory: 8192MB, Disk: 320GB Seagate ST3320620AS, Graphics: Intel Device 0112, Audio: Realtek ALC887, Monitor: VX2240w, Network: Realtek RTL8111/8168B + RaLink RT2561/RT61

OS: Ubuntu 10.04, Kernel: 2.6.32-40-generic (x86_64), Desktop: GNOME 2.30.2, Display Server: X Server 1.7.6, Display Driver: intel 2.9.1, Compiler: GCC 4.4.3, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-werror --enable-checking=release --enable-clocale=gnu --enable-languages=c,c++,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-arch-32=i486 --with-tune=generic -v
Disk Notes: CFQ / barrier=1,data=ordered,relatime,rw
System Notes: Disk Scheduler: CFQ.

asusz68

	asusz68
Apache Benchmark - S.W.P.S (Reqs/sec)	24171
Standard Deviation	3.3%
C-Ray - Total Time (sec)	47.86
Standard Deviation	0.5%
RAMspeed SMP - Average - Integer (MB/s)	13062
RAMspeed SMP - Average - Floating Point (MB/s)	13094



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 15:02.