

www.phoronix-test-suite.com

test all

Intel Core i7-3632QM testing with a LENOVO 62724QG and Intel 3rd Gen Core 1024MB on LinuxMint 14 via the Phoronix Test Suite.

Test Systems:

full_test

Processor: Intel Core i7-3632QM @ 2.20GHz (8 Cores), Motherboard: LENOVO 62724QG, Chipset: Intel 3rd Gen Core DRAM, Memory: 8192MB, Disk: 750GB Western Digital WD7500BPVT-0 + 16GB SanDisk SSD U100, Graphics: Intel 3rd Gen Core 1024MB (270/405MHz), Audio: Conexant CX20590, Network: Realtek RTL8111/8168B + Intel Centrino Wireless-N 2230


OS: LinuxMint 14, Kernel: 3.5.0-17-generic (x86_64), Display Server: X Server 1.13.0, Display Driver: nouveau 1.0.2, OpenGL: 3.0 Mesa 9.0.3, Compiler: GCC 4.7, File-System: ext4, Screen Resolution: 1600x900

Compiler Notes: --build=x86_64-linux-gnu --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-languages=c,c++,go,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-arch-32=i686 --with-tune=generic -v

test all

Disk Notes: DEADLINE / data=ordered,relatime,rw
Processor Notes: Scaling Governor: ondemand
System Notes: Disk Scheduler: DEADLINE. Thunderbird was running on this system.

	full_test
PostMark - D.T.P (TPS)	4385
Standard Deviation	0%
RAMspeed SMP - Average - Integer (MB/s)	11856
RAMspeed SMP - Average - Floating Point (MB/s)	12603
C-Ray - Total Time (sec)	48.78
Standard Deviation	2.5%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 06:21.