

www.phoronix-test-suite.com

lellothemagic-M68-c-ray

Intel Core i7-4700MQ @ 2.40GHz (8 Cores), Motherboard: Notebook P17SM, Chipset: Intel Xeon E3-1200 v3/4th, Memory: 8192MB, Disk: 1000GB Seagate ST1000LM014-1EJ1 + 256GB SAMSUNG SSD 830, Graphics: AMD Radeon HD8970M 4096MB (900/1250MHz), Audio: Intel Haswell HDMI, Network: Realtek RTL8111/8168/8411 + Intel Centrino Advanced-N 6235

Test Systems:

lellothemagic-M68-c-ray

Processor: Intel Core i7-4700MQ @ 2.40GHz (8 Cores), Motherboard: Notebook P17SM, Chipset: Intel Xeon E3-1200 v3/4th, Memory: 8192MB, Disk: 1000GB Seagate ST1000LM014-1EJ1 + 256GB SAMSUNG SSD 830, Graphics: AMD Radeon HD8970M 4096MB (900/1250MHz), Audio: Intel Haswell HDMI, Network: Realtek RTL8111/8168/8411 + Intel Centrino Advanced-N 6235


OS: openSUSE 13.1, Kernel: 3.11.6-4-desktop (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3.901 (1.14.4 RC 1), Display Driver: intel 2.99.905, OpenGL: 4.3.12614, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

lellothemagic-M68-c-ray

Environment Notes: LIBGL_DRIVERS_PATH=/usr/lib/dri:/usr/lib64/dri
Compiler Notes: --build=x86_64-suse-linux --disable-libgcj --disable-libmudflap --disable-libssp --disable-libstdcxx-pch --disable-plugin --enable-__cxa_atexit --enable-checking=release --enable-languages=c,c++,objc,fortran,obj-c++,java,ada --enable-libstdcxx-allocator=new --enable-linux-futex --enable-ssp --enable-version-specific-runtime-libs --mandir=/usr/share/man --with-arch-32=i586 --with-slibdir=/lib64 --with-tune=generic --without-system-libunwind
Processor Notes: Scaling Governor: acpi-cpufreq ondemand

	lellothemagic-M68-c-ray
C-Ray - Total Time (sec)	26.86
Standard Deviation	0%

lellothemagic-M68-c-ray



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 18:26.