

www.phoronix-test-suite.com

test

AMD Athlon 4450B testing with a HP 3029h and AMD Radeon X1600/X1650 PRO 256MB on Debian 7.3 via the Phoronix Test Suite.

Test Systems:

2014-01-30 11:13

Processor: AMD Athlon 4450B @ 2.30GHz (2 Cores), Motherboard: HP 3029h, Chipset: AMD RS780 + SB7x0/SB8x0/SB9x0, Memory: 3072MB, Disk: 2 x 160GB Seagate ST3160318AS, Graphics: AMD Radeon X1600/X1650 PRO 256MB, Audio: Analog Devices AD1884, Monitor: L1734, Network: Broadcom NetXtreme BCM5754 Gigabit PCI


OS: Debian 7.3, Kernel: 3.2.0-4-686-pae (i686), Desktop: GNOME 3.4.2.1, Display Server: X Server 1.12.4, Display Driver: radeon 6.14.99, OpenGL: 2.1 Mesa 8.0.5 Gallium 0.4, Compiler: GCC 4.7, File-System: ext4, Screen Resolution: 1280x1024

Compiler Notes: --build=i486-linux-gnu --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-languages=c,c++,go,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-targets=all --enable-threads=posix

test

--host=i486-linux-gnu --target=i486-linux-gnu --with-arch-32=i586 --with-tune=generic -v
Disk Notes: CFQ / barrier=1,data=ordered,relatime,rw,user_xattr
System Notes: Disk Scheduler: CFQ.

	2014-01-30 11:13
C-Ray - Total Time (sec)	271.57
RAMspeed SMP - Average - Integer (MB/s)	3153
RAMspeed SMP - Average - Floating Point (MB/s)	3183
PostMark - D.T.P (TPS)	178



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 09:55.