

www.phoronix-test-suite.com

m4-compression-bioschange

m4-fullsize

Test Systems:

m4-compression-bioschange

Processor: 40 x Intel Xeon E312xx (Sandy Bridge) @ 2.50GHz (40 Cores), Motherboard: Red Hat OpenStack Compute, Chipset: Intel 440FX- 82441FX PMC, Memory: 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 16384 MB + 10240 MB RAM, Disk: 47GB, Graphics: Cirrus Logic GD 5446, Network: Red Hat Virtio device


OS: RedHatEnterpriseServer 7.0, Kernel: 3.10.0-123.20.1.el7.x86_64 (x86_64), Compiler: GCC 4.8.3 20140911, File-System: ext4, Screen Resolution: 1280x1024, System Layer: KVM

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcj --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-linker-hash-style=gnu --with-tune=generic
System Notes: SELinux: Enabled.

m4-compression-bioschange

	m4-compression-bioschange
7-Zip Compression - C.S.T (MIPS)	81939
Standard Deviation	0.7%
Gzip Compression - 2.F.C (sec)	15.05
Standard Deviation	1.9%
LZMA Compression - 2.F.C (sec)	144.14
Standard Deviation	1.6%

m4-compression-bioschange



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 18:44.