


**www.phoronix-test-suite.com**

# p8p67

Intel Core i7-2600K testing with a ASUS P8P67 PRO and NVIDIA GeForce GTX 560 Ti 1024MB on Debian 7.6 via the Phoronix Test Suite.

## Test Systems:

### neo

Processor: Intel Core i7-2600K @ 3.40GHz (8 Cores), Motherboard: ASUS P8P67 PRO, Chipset: Intel 2nd Generation Core Family DRAM, Memory: 4096MB, Disk: 320GB Seagate ST9320423AS + 1000GB Hitachi HDS72101 + 1000GB SH14, Graphics: NVIDIA GeForce GTX 560 Ti 1024MB (900/2100MHz), Audio: Realtek ALC892, Monitor: TOSHIBA-TV, Network: Intel 82579V Gigabit Connection


OS: Debian 7.6, Kernel: 3.2.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.4.2, Display Server: X Server 1.12.4, Display Driver: nouveau 1.0.1, Compiler: GCC 4.7, File-System: SquashFS + AuFS, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-languages=c,c++,go,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-arch-32=i586 --with-tune=generic -v

# p8p67

System Notes: BOINC was running on this system.

| | neo |
|---|---|
| **RAMspeed SMP - Average - Integer (MB/s)** | 6811 |
| **RAMspeed SMP - Average - Floating Point (MB/s)** | 10985 |




*This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 15:34.*