

www.phoronix-test-suite.com

sfe_bbbrc_iozone

ARMv7 rev 2 testing on Debian 7.4 via the Phoronix Test Suite.

Test Systems:

SFE BBBrC IOzone

Processor: ARMv7 rev 2 @ 1.00GHz (1 Core), Motherboard: Generic AM33XX (Flattened Device Tree), Memory: 497MB, Disk: 4GB MMC04G


OS: Debian 7.4, Kernel: 3.8.13-bone47 (armv7l), Desktop: LXDE, Compiler: GCC 4.6.3, File-System: ext4, Screen Resolution: 1024x768

Compiler Notes: --build=arm-linux-gnueabihf --disable-sjlj-exceptions --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-languages=c,c++,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=arm-linux-gnueabihf --target=arm-linux-gnueabihf --with-arch=armv7-a --with-float=hard --with-fpu=vfpv3-d16 --with-mode=thumb -v
Processor Notes: Scaling Governor: generic_cpu0 ondemand
Disk Mount Options Notes: data=ordered,errors=remount-ro,noatime,rw

sfe_bbbrc_iozone

	SFE BBBrC IOzone
IOzone - 1MB - 512MB - Read Performance (MB/s)	28.11
Standard Deviation	0.2%
IOzone - 1MB - 512MB - Write Performance (MB/s)	9.34
Standard Deviation	0.7%

sfe_bbbrc_iozone



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 05:53.