

www.phoronix-test-suite.com

QUICKBENCH-v9-GUI

Running pts/qgears2-1.0.1, pts/glmark2-1.0.2 via the Phoronix Test Suite.

Test Systems:

kubuntu-saucy xorg-edgers

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-12-generic (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.1 Mesa 9.2.1, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32

--with-tune=generic -v
Graphics Notes: SNA

kubuntu-saucy mesa 10 git

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-12-generic (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.0 Mesa 10.0.0-devel (git-b16b3c8 saucy-oibaf-ppa), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kubuntu-saucy mesa-10-git kernel 3.12-git

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.12.0-rc7-leomilano (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.0 Mesa 10.0.0-devel (git-b16b3c8 saucy-oibaf-ppa), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kubuntu-saucy mesa 10 git 2013.11.04

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-12-generic (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.0 Mesa 10.0.0-devel (git-2f89662 saucy-oibaf-ppa), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kubuntu-saucy mesa 10 git 2013.11.06

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-12-generic (x86_64), Desktop: KDE 4.11.2, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.0 Mesa 10.0.0-devel (git-3785fe2 saucy-oibaf-ppa), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel git pre 3.13

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.12.0-leomilano (x86_64), Desktop: KDE 4.11.3, Display Server: X Server 1.14.3, Display Driver: intel 2.99.905, OpenGL: 3.1 Mesa 9.2.1, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kubuntu-saucy xorg-edgers 2012.12.13

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-14-generic (x86_64), Desktop: KDE 4.11.3, Display Server: X Server 1.14.4.901 (1.14.5 RC 1), Display Driver: intel 2.99.906, OpenGL: 3.3 Mesa 10.0.0, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

mesa 10.1 update

Processor: Intel Core i5-4670K @ 3.40GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen

Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel Haswell Desktop, Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.11.0-15-generic (x86_64), Desktop: KDE 4.12.0, Display Server: X Server 1.14.4.901 (1.14.5 RC 1), Display Driver: intel 2.99.906, OpenGL: 3.3 Mesa 10.1.0-devel, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-ecj-jar=/usr/share/java/eclipse-ecj.jar --with-java-home=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64/jre --with-jvm-jar-dir=/usr/lib/jvm-exports/java-1.5.0-gcj-4.8-amd64 --with-jvm-root-dir=/usr/lib/jvm/java-1.5.0-gcj-4.8-amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel git 3.13rc6

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.13.0-rc6-leomilano (x86_64), Desktop: KDE 4.12.0, Display Server: X Server 1.14.4.901 (1.14.5 RC 1), Display Driver: intel 2.99.907, OpenGL: 3.3 Mesa 10.1.0-devel, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

mesa 10.1 kernel 3.13rc7

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.13.0-rc7-leomilano (x86_64), Desktop: KDE 4.12.0, Display Server: X Server 1.14.5, Display Driver: intel 2.99.907, OpenGL: 3.3 Mesa 10.1.0-devel (git-2dc35a6 saucy-oibaf-ppa+curaga), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel 3.13rc7 allocated-gpu-ram 1024

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 7168MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.13.0-rc7-leomilano (x86_64), Desktop: KDE 4.12.0, Display Server: X Server 1.14.5, Display Driver: intel 2.99.904, OpenGL: 3.1 Mesa 9.2.1, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel 3.14rc1

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.14.0-rc1-leomilano (x86_64), Desktop: KDE 4.12.1, Display Server: X Server 1.14.5, Display Driver: intel 2.99.904, OpenGL: 3.1 Mesa 9.2.1, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel 3.14rc1 mesa 10.2 git oibaf

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.14.0-rc1-leomilano (x86_64), Desktop: KDE 4.12.1, Display Server: X Server 1.14.5, Display Driver: intel 2.99.909, OpenGL: 3.3 Mesa 10.2.0-devel (git-f47e596 saucy-oibaf-ppa), Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

kernel 3.13.2 mesa 10.2 xorg-edgers

Processor: Intel Core i5-4670K @ 4.60GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Haswell HDMI, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 13.10, Kernel: 3.13.2-leomilano (x86_64), Desktop: KDE 4.12.1, Display Server: X Server 1.14.5, Display Driver: intel 2.99.909, OpenGL: 3.3 Mesa 10.1.0-devel, Compiler: GCC 4.8, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes

--enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

mesa 10.3-git

Processor: Intel Core i5-4670K @ 4.50GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: Intel HD 4600 (1200MHz), Audio: Intel Xeon E3-1200 v3/4th, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 14.04, Kernel: 3.14.0-rc8-leomilano (x86_64), Desktop: KDE 4.13.0, Display Server: X Server 1.15.1, Display Driver: intel 2.99.911, OpenGL: 3.3 Mesa 10.3.0-devel (git-5646319 trusty-oibaf-ppa), Compiler: GCC 4.8.2, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-libmudflap --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Graphics Notes: SNA

nvidia-gtx-950

Processor: Intel Core i5-4670K @ 4.50GHz (4 Cores), Motherboard: Gigabyte Z87-D3HP-CF, Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 1000GB Western Digital WD1001FALS-0 + 120GB SanDisk SDSSDX12 + 1500GB SAMSUNG HD154UI, Graphics: ASUS NVIDIA GeForce GTX 950 2048MB (135/405MHz), Audio: Realtek ALC892, Network: Intel Connection I217-V + Ralink RT2800 802.11n PCI

OS: Ubuntu 16.04, Kernel: 4.4.0-28-lowlatency (x86_64), Desktop: Unity 7.4.0, Display Server: X Server 1.18.3, Display Driver: NVIDIA 361.42, OpenGL: 4.5.0, Compiler: GCC 5.3.1 20160413, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdcxx-abi=new --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Processor Notes: Scaling Governor: intel_pstate powersave

nvidia-gtx-750

Processor: AMD A10-7850K Radeon R7 12 Compute Cores 4C+8G @ 3.70GHz (4 Cores), Motherboard: Gigabyte F2A68HM-H, Chipset: AMD Family 15h, Memory: 8192MB, Disk: 250GB Seagate ST3250620AS + 250GB Samsung SSD 850, Graphics: MSI NVIDIA GeForce GTX 750 Ti 2048MB (1019/2700MHz), Audio: Realtek ALC887-VD, Network: Realtek RTL8111/8168/8411 + Qualcomm Atheros AR9227 Wireless


OS: Ubuntu 16.04, Kernel: 4.4.0-28-lowlatency (x86_64), Desktop: Unity 7.4.0, Display Server: X Server 1.18.3, Display Driver: NVIDIA 361.42, OpenGL: 4.5.0, Compiler: GCC 5.3.1 20160413, File-System: ext4, Screen Resolution: 1920x1080


Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdcxx-abi=new --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand

QUICKBENCH-v9-GUI

	kubuntu-saucy xorg-edgers	kubuntu-saucy mesa 10 git	kubuntu-saucy mesa-10-git kernel 3.12-git	kubuntu-saucy mesa 10 git 2013.11.04	kubuntu-saucy mesa 10 git 2013.11.06	kernel git pre 3.13	kubuntu-saucy xorg-edgers 2012.12.13	mesa 10.1 update	kernel git 3.13rc6	mesa 10.1 kernel 3.13rc7	kernel 3.13rc7 allocated-gpu-ram 1024	kernel 3.14rc1	kernel 3.14rc1 mesa 10.2 git oibaf	kernel 3.13.2 mesa 10.2 xorg-edgers	mesa 10.3-git	nvidia-gtx-950	nvidia-gtx-750
QGears2 - OpenGL - Image Scaling (FPS)	1437	3508	3304	3388	3478	1326	**1257**	1278	1330	1322	1336	1317	1357	1335	1357	**8365**	
Normalized	17.18%	41.93%	39.5%	40.5%	41.58%	15.85%	15.03%	15.28%	15.9%	15.81%	15.98%	15.74%	16.22%	15.96%	16.22%	100%	
Standard Deviation	4.2%	13%	11.2%	10.8%	11.9%	2.4%	7.1%	3.7%	0.5%	0.6%	0.2%	0.7%	0.4%	0.8%	0.8%	3.5%	
GLmark2 - 1920 x 1080 (Score)	683	683	603	682	677	**588**	675	677	616	637	638	614	646	638	597	**3302**	2577
Normalized	20.68%	20.68%	18.26%	20.65%	20.5%	17.81%	20.44%	20.5%	18.66%	19.29%	19.32%	18.59%	19.56%	19.32%	18.08%	100%	78.04%

QUICKBENCH-v9-GUI





This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 14:44.