

www.phoronix-test-suite.com

1234

1234

Test Systems:

1234


Processor: Intel Xeon E5520 @ 2.27GHz (2 Cores), Motherboard: Intel 440BX, Chipset: Intel 440BX/ZX/DX, Memory: 1 x 4096 MB DRAM, Disk: 86GB Virtual disk + 215GB Virtual disk, Graphics: VMware SVGA II, Network: VMware VMXNET3

OS: RedHatEnterpriseServer 7.0, Kernel: 3.10.0-123.el7.x86_64 (x86_64), Desktop: GNOME Shell 3.8.4, Display Driver: vmware 13.0.1, Compiler: GCC 4.8.2 20140120, File-System: xfs, Screen Resolution: 1672x1254, System Layer: VMware

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcj --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-linker-hash-style=gnu --with-tune=generic
System Notes: SELinux: Enabled.

1234

1234	
TSCP - A.C.P (Nodes/s)	507730
Standard Deviation	0.4%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 03:49.