



Core i9 7980XE + Dual Xeon Gold - 8-Way Linux Distribution Comparison

Q4-2017 Linux distribution comparison on two systems. Eight Linux distros each, tested out-of-the-box performance. Linux OS benchmarks for a future article on Phoronix, by Michael Larabel.

Automated Executive Summary

i9-7980XE: Clear Linux 19110 had the most wins, coming in first place for 54% of the tests.

Based on the geometric mean of all complete results, the fastest (i9-7980XE: Clear Linux 19110) was 2.957x the speed of the slowest (i9-7980XE: CentOS 7).

The results with the greatest spread from best to worst included:

Go Benchmarks (Test: http) at 41.328x

Redis (Test: SADD) at 33.077x

Redis (Test: LPUSH) at 28.648x

Scikit-Learn at 16.111x

PostgreSQL pgbench (Scaling: Buffer Test - Test: Normal Load - Mode: Read Only) at 13.998x

R Benchmark at 6.169x

PHPBench (PHP Benchmark Suite) at 4.819x

Rodinia (Test: OpenMP LavaMD) at 4.672x

Caffe (Build: CPU AlexNet) at 4.51x

Perl Benchmarks (Test: Interpreter) at 4.317x.

Test Systems:

2 x Xeon Gold: CentOS 7

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Device 2020, Memory: 95232MB, Disk: 256GB Samsung SSD 850, Graphics: LLVMpipe, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: CentOS Linux 7, Kernel: 3.10.0-693.5.2.el7.x86_64 (x86_64), Desktop: GNOME Shell 3.22.3, Display Server: X Server 1.19.3, Display Driver: modesetting 1.19.3, OpenGL: 2.1 Mesa 17.0.1 Gallium 0.4 (LLVM 3.9 256 bits), Compiler: GCC 4.8.5 20150623, File-System: xfs, Screen Resolution: 1920x1080

Environment Notes: GJS_DEBUG_OUTPUT=stderr GJS_DEBUG_TOPICS=JS ERROR;JS LOG

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcs --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-linker-hash-style=gnu --with-tune=generic

Disk Notes: CFQ / attr2,inode64,noquota,relatime,rw,seclabel

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.5. SELinux: Enabled.

2 x Xeon Gold: Fedora 27

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 96256MB, Disk: 256GB Samsung SSD 850, Graphics: llvmpipe 95360MB, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: Fedora 27, Kernel: 4.13.9-300.fc27.x86_64 (x86_64), Desktop: GNOME Shell 3.26.1, Display Driver: modesetting 1.19.5, OpenGL: 2.1 Mesa 17.2.2 (LLVM 4.0 256 bits), Compiler: GCC 7.2.1 20170915, File-System: ext4, Screen Resolution: 1920x1080

Environment Notes: GJS_DEBUG_OUTPUT=stderr GJS_DEBUG_TOPICS=JS ERROR;JS LOG

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,fortran,ada,go,lto --enable-libmpx --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=i686 --with-gcc-major-version-only --with-isl --with-linker-hash-style=gnu --with-tune=generic --without-cuda-driver

Disk Notes: CFQ / data=ordered,relatime,rw,seclabel

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.13. SELinux: Enabled.

2 x Xeon Gold: Clear Linux 19110

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 12 x 8192 MB DDR4-2666MT/s Micron, Disk: 256GB Samsung SSD 850, Graphics: ASPEED ASPEED Family, Network: Intel I210 Gigabit Connection

OS: Clear Linux OS 19110, Kernel: 4.13.12-430.native (x86_64), Vulkan: 1.0.39, Compiler: GCC 7.2.1 20170910 + Clang 5.0.0 + LLVM 5.0.0, File-System: ext4, Screen Resolution: 800x600

Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --enable-__cxa_atexit --enable-bootstrap --enable-clocale=gnu --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdc++-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere

--with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Disk Notes: NONE / data=ordered,relatime,rw,stripe=256
Processor Notes: Scaling Governor: intel_pstate performance
System Notes: Python 2.7.12.

2 x Xeon Gold: Debian 9.2

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Device 2020, Memory: 12 x 8192 MB DDR4-2666MHz Micron, Disk: 256GB Samsung SSD 850, Graphics: LLVMpipe, Network: Intel I210 Gigabit Connection

OS: Debian 9.2, Kernel: 4.9.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.22.3, Display Server: X Server 1.19.2, OpenGL: 3.3 Mesa 13.0.6 Gallium 0.4 (LLVM 3.9 256 bits), Compiler: GCC 6.3.0 20170516, File-System: ext4, Screen Resolution: 1024x768

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdcxx-abi=new --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.13.

2 x Xeon Gold: openSUSE 42.3

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Device 2020, Memory: 96256MB, Disk: 256GB Samsung SSD 850 + 16GB Voyager 3.0, Graphics: LLVMpipe, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: openSUSE 42.3, Kernel: 4.4.76-1-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.18.3, Display Driver: modesetting 1.18.3, OpenGL: 3.3 Mesa 17.0.5 Gallium 0.4 (LLVM 3.8 256 bits), Compiler: GCC 4.8.5, File-System: xfs, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-suse-linux --disable-libgcj --disable-libmudflap --disable-libssp --disable-libstdcxx-pch --disable-plugin --enable-__cxa_atexit --enable-checking=release --enable-languages=c,c++,objc,fortran,obj-c++,java,ada --enable-libstdcxx-allocator=new --enable-linux-futex --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=i586 --with-slibdir=/lib64 --with-tune=generic --without-system-libunwind
Disk Notes: DEADLINE / attr2,inode64,noquota,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.13.

2 x Xeon Gold: Tumbleweed

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 96256MB, Disk: 256GB Samsung SSD 850 + 16GB Voyager 3.0, Graphics: ASPEED ASPEED Family, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: openSUSE Tumbleweed 20171115, Kernel: 4.13.12-1-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.19.5, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.5 (LLVM 4.0 256 bits), Compiler: GCC 7.2.1 20171020 [gcc-7-branch revision 253932], File-System: xfs, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-suse-linux --disable-libc1 --disable-libssp --disable-libstdcxx-pch --disable-libvtv --disable-werror --enable-__cxa_atexit --enable-checking=release --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go --enable-libstdcxx-allocator=new --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-plugin --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Disk Notes: DEADLINE / attr2,inode64,noquota,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.13.

2 x Xeon Gold: Ubuntu 16.04.3

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Device 2020, Memory: 96256MB, Disk: 256GB Samsung SSD 850, Graphics: LLVMpipe, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: Ubuntu 16.04, Kernel: 4.10.0-38-generic (x86_64), Desktop: Unity 7.4.0, Display Driver: modesetting 1.19.3, OpenGL: 3.3 Mesa 17.0.7 Gallium 0.4 (LLVM 4.0 256 bits), Compiler: GCC 5.4.0 20160609, File-System: ext4, Screen Resolution: 1024x768

Environment Notes: LIBGL_ALWAYS_SOFTWARE=1

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdcxx-abi=new --with-multilib-list=m32,m64,mx32 --with-tune=generic -v

Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.12.

2 x Xeon Gold: Ubuntu 18.04 11-17

Processor: 2 x Intel Xeon Gold 6138 @ 3.70GHz (40 Cores / 80 Threads), Motherboard: TYAN S7106, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 96256MB, Disk: 256GB Samsung SSD 850, Graphics: ASPEED ASPEED Family, Monitor: VE228, Network: Intel I210 Gigabit Connection

OS: Ubuntu 18.04, Kernel: 4.13.0-16-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.2 (LLVM 5.0 256 bits), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.14.

i9-7980XE: CentOS 7

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Device 2020, Memory: 16384MB, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: AMD Radeon RX 470/480/580 8192MB, Audio: Realtek Generic, Monitor: Acer B286HK, Network: Intel Connection

OS: CentOS Linux 7, Kernel: 3.10.0-693.5.2.el7.x86_64 (x86_64), Desktop: GNOME Shell 3.22.3, Display Server: X Server 1.19.3, Display Driver: radeon 7.7.99, OpenGL: 4.5 Mesa 17.0.1 Gallium 0.4 (LLVM 3.9.1), Compiler: GCC 4.8.5 20150623, File-System: xfs, Screen Resolution: 3840x2160

Environment Notes: GJS_DEBUG_OUTPUT=stderr GJS_DEBUG_TOPICS=JS ERROR;JS LOG

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcj --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86_64 --with-linker-hash-style=gnu --with-tune=generic

Disk Notes: none / attr2,inode64,noquota,relatime,rw,seclabel

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.5. SELinux: Enabled.

i9-7980XE: Fedora 27

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset:

Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: AMD Radeon 8192MB, Audio: Realtek ALC1220, Monitor: Acer B286HK, Network: Intel Connection

OS: Fedora 27, Kernel: 4.13.9-300.fc27.x86_64 (x86_64), Desktop: GNOME Shell 3.26.1, Display Server: Wayland, OpenGL: 4.5 Mesa 17.2.2 (LLVM 4.0.1), Compiler: GCC 7.2.1 20170915, File-System: ext4, Screen Resolution: 3840x2160

Environment Notes: GJS_DEBUG_OUTPUT=stderr GJS_DEBUG_TOPICS=JS ERROR;JS LOG

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,fortran,ada,go,lto --enable-libmpx --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=i686 --with-gcc-major-version-only --with-isl --with-linker-hash-style=gnu --with-tune=generic --without-cuda-driver

Disk Notes: NONE / data=ordered,relatime,rw,seclabel

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.13. SELinux: Enabled.

i9-7980XE: Clear Linux 19110

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 4 x 4096 MB DDR4-3200MT/s Corsair CMK16GX4M4C3200C16, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: AMD Radeon RX 470/480/570/580, Audio: Realtek ALC1220, Network: Intel Connection

OS: Clear Linux OS 19110, Kernel: 4.13.12-430.native (x86_64), Vulkan: 1.0.39, Compiler: GCC 7.2.1 20170910 + Clang 5.0.0 + LLVM 5.0.0, File-System: ext4, Screen Resolution: 1024x768

Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --enable-__cxa_atexit --enable-bootstrap --enable-clocale=gnu --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-lld=default --enable-libstdc++-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell

Disk Notes: NONE / data=ordered,relatime,rw,stripe=256

Processor Notes: Scaling Governor: intel_pstate performance

System Notes: Python 2.7.12.

i9-7980XE: Debian 9.2

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Device 2020, Memory: 4 x 4096 MB DDR4-3200MHz Corsair CMK16GX4M4C3200C16, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: LLVMpipe, Audio: Realtek Generic, Monitor: Acer B286HK, Network: Intel Connection

OS: Debian 9.2, Kernel: 4.9.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.22.3, Display Server: X Server 1.19.2, Display Driver: modesetting 1.19.2, OpenGL: 3.3 Mesa 13.0.6 Gallium 0.4 (LLVM 3.9 256 bits), Compiler: GCC 6.3.0 20170516, File-System: ext4, Screen Resolution: 1280x1024

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdc++-debug --enable-libstdc++-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdc++-abi=new --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic -v

Disk Notes: none / data=ordered,errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

System Notes: Python 2.7.13.

i9-7980XE: openSUSE 42.3

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Device 2020, Memory: 16384MB, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: AMD Ellesmere [Polaris10] 8192MB, Audio: Realtek Generic, Monitor: Acer B286HK, Network: Intel Connection

OS: openSUSE 42.3, Kernel: 4.4.76-1-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.18.3, Display Driver: modesetting 1.18.3, OpenGL: 4.1 Mesa 17.0.5 Gallium 0.4 (LLVM 3.8.0), Compiler: GCC 4.8.5, File-System: xfs, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-suse-linux --disable-libgcj --disable-libmudflap --disable-libssp --disable-libstdc++-pch --disable-plugin --enable-__cxa_atexit --enable-checking=release --enable-languages=c,c++,objc,fortran,obj-c++,java,ada --enable-libstdc++-allocator=new --enable-linux-futex --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=i586 --with-slibdir=/lib64 --with-tune=generic --without-system-libunwind
Disk Notes: none / attr2,inode64,noquota,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.13.

i9-7980XE: Tumbleweed

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 16GB Voyager 3.0 + 120GB Force MP500, Graphics: AMD Radeon RX 470/480/570/580 8192MB, Audio: Realtek ALC1220, Monitor: Acer B286HK, Network: Intel Connection

OS: openSUSE Tumbleweed 20171115, Kernel: 4.13.12-1-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.19.5, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.5 (LLVM 4.0.1), Compiler: GCC 7.2.1 20171020 [gcc-7-branch revision 253932], File-System: xfs, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-suse-linux --disable-libc1 --disable-libssp --disable-libstdc++-pch --disable-libvtv --disable-werror --enable-__cxa_atexit --enable-checking=release --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go --enable-libstdc++-allocator=new --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-plugin --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Disk Notes: NONE / attr2,inode64,noquota,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.13.

i9-7980XE: Ubuntu 16.04.3

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Device 2020, Memory: 16384MB, Disk: 120GB Force MP500, Graphics: amdgpudrmfb, Audio: Realtek Generic, Monitor: Acer B286HK, Network: Intel Connection

OS: Ubuntu 16.04, Kernel: 4.10.0-38-generic (x86_64), Desktop: Unity 7.4.0, Display Driver: modesetting 1.19.3, OpenGL: 4.5 Mesa 17.0.7 Gallium 0.4 (LLVM 4.0.0), Compiler: GCC 5.4.0 20160609, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,ada,c++,java,go,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdc++-debug --enable-libstdc++-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-arch-directory=amd64 --with-default-libstdc++-abi=new --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: none / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.12.

i9-7980XE: Ubuntu 18.04 11-17

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A, Chipset: Intel Device 2020, Memory: 16384MB, Disk: 120GB Force MP500, Graphics: AMD Radeon RX 470/480 8192MB, Audio: Realtek ALC1220, Monitor: Acer B286HK, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.13.0-16-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, OpenGL: 4.5 Mesa 17.2.2 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 3840x2160

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
System Notes: Python 2.7.14.

	2 x	2 x	2 x	2 x	2 x	2 x	2 x	2 x	i9-79	i9-79	i9-79	i9-79	i9-79	i9-79	i9-79	i9-79
	Xeon	Xeon	Xeon	Xeon	Xeon	Xeon	Xeon	Xeon	80XE:	80XE:	80XE:	80XE:	80XE:	80XE:	80XE:	80XE:
	Gold:	Gold:	Gold:	Gold:	Gold:	Gold:	Gold:	Gold:	Cent	Fedor	Clear	Debia	open	Tumb	Ubun	Ubun
	Cent	Fedor	Clear	Debia	open	Tumb	Ubun	Ubun	OS 7	a 27	Linux	n 9.2	SUSE	lewee	tu	tu
	OS 7	a 27	Linux	n 9.2	SUSE	lewee	tu	tu			19110		42.3	d	16.04.	18.04
			19110		42.3	d	16.04.	18.04							3	11-17
PHPBench -	14978		60911	47447			42047	49454	18416		72185	37080			53526	60824
P.B.S	2		3	4			2	6	8		9	0			9	5
Normalized	20.75%		84.38%	65.73%			58.25%	68.51%	25.51%		100%	51.37%			74.15%	84.26%
Standard	0.3%		0.7%	1.9%			4.3%	8.3%	0.5%		3.4%	0%			6.9%	3.7%
Deviation																
Perl	0.133		0.117	0.127	0.126	0.119	0.143	0.130	0.122		0.102	0.111	0.114	0.097	0.125	0.108
Benchmarks	14010		98569	68341	57259	45799	60606	13227	46423		38272	66438	38051	83656	81576	87619
- Pod2html																
(seconds)																
Normalized	73.48%		82.92%	76.62%	77.3%	81.9%	68.13%	75.18%	79.89%		95.56%	87.62%	85.54%	100%	77.76%	89.86%
Standard	1.3%		3.3%	4.7%	0.9%	0.7%	2.4%	1.8%	0.4%		0.5%	7%	0.6%	0.3%	1.6%	1.3%
Deviation																
Perl	0.001		0.000	0.002	0.002	0.002	0.001	0.002	0.001		0.000	0.001	0.001	0.001	0.001	0.001
Benchmarks	71675		70586	19998	02319	68488	93758	61938	31081		62195	48945	55796	94090	44761	95614
- Interpreter																
(seconds)																
Normalized	36.23%		88.11%	28.27%	30.74%	23.16%	32.1%	23.74%	47.45%		100%	41.76%	39.92%	32.04%	42.96%	31.79%
Standard	4.2%		0.3%	1.2%	0.3%	1.9%	0%	0.2%	4%		1.2%	9.5%	0.2%	0.6%	1.9%	1.3%
Deviation																
PyBench -	1652	1475	1220	1430	1465	1472	1415	1308	1511	1258	981	1262	1308	1199	1167	1058
T.F.A.T.T																
(Millisecond																
Normalized	59.38%	66.51%	80.41%	68.6%	66.96%	66.64%	69.33%	75%	64.92%	77.98%	100%	77.73%	75%	81.82%	84.06%	92.72%
Standard		0.3%	0.6%	0.1%			0.1%	0.1%	0.3%	2.5%	0.3%	0.2%	2.4%	0.1%	0.2%	0.3%
Deviation																
Numpy	12680	59486	51806	57366	10977	57898	61796	57510	11443	50606	45675	50359	98862	47063	52299	45671
Benchmark	199	20	62	18	241	86	04	58	829	37	93	16	83	89	62	63
(Nanosecon																
ds)																
Normalized	36.02%	76.78%	88.16%	79.61%	41.61%	78.88%	73.91%	79.41%	39.91%	90.25%	99.99%	90.69%	46.2%	97.04%	87.33%	100%
R	0.349	0.345	0.302	0.467	0.897	0.811	0.689	0.833	0.316	0.295	0.145	0.396	0.794	0.651	0.542	0.393
Benchmark	0	4	4	4	0	6	8	7	7	6	4	1	9	4	6	6
Normalized	41.66%	42.1%	48.08%	31.11%	16.21%	17.92%	21.08%	17.44%	45.91%	49.19%	100%	36.71%	18.29%	22.32%	26.8%	36.94%

Core i9 7980XE + Dual Xeon Gold - 8-Way Linux Distribution Comparison

	Standard	1.4%	0.7%	6.9%	2.1%	0.4%	0.3%	5.1%	7.3%	0.5%	1.4%	0.9%	1.6%	0.7%	0.6%	3.6%	4.3%
	Deviation																
Benchmarks	Go	23464	18825	19116	8002	8042	18728	8074	19138	13902	8141	7979	8684	67981	7863	3364	8068
	- http									7							
	(Nanosecon																
	ds)																
	Normalized	14.34%	17.87%	17.6%	42.04%	41.83%	17.96%	41.66%	17.58%	2.42%	41.32%	42.16%	38.74%	4.95%	42.78%	100%	41.7%
	Standard	2%	1.1%	1.3%	1.5%	3.9%	3%	2.2%	0.9%	0.3%	0.4%	1.7%	0.1%	0%	0.8%	1.1%	0.9%
	Deviation																
Benchmarks	Go	31218	27807	26904	26281	26932	27062	92611	29777	38228	33190	31686	34281	35603	31669	60505	33662
	- json				26	48	57	20	58	04	09	39	90	01	03	65	23
	(Nanosecon																
	ds)																
	Normalized	84.18%	94.51%	97.68%	100%	97.58%	97.11%	28.38%	88.26%	68.75%	79.18%	82.94%	76.66%	73.82%	82.99%	43.44%	78.07%
	Standard	1.1%	2.4%	1.3%	0.9%	1.9%	1.8%	3.1%	0.7%	0.2%	0.1%	0.1%	0.1%	0.3%	0.1%	0.1%	0.1%
	Deviation																
Benchmarks	Go	11092	10036	10004	11494	11262	10071	10659	10459	12537	77659	74125	96472	12696	74636	86106	73399
	- garbage													04	9	5	0
	(Nanosecon																
	ds)																
	Normalized	66.17%	73.13%	73.37%	63.86%	65.17%	72.88%	68.86%	70.17%	58.54%	94.51%	99.02%	76.08%	57.81%	98.34%	85.24%	100%
	Standard	3.1%	1.1%	1%	0.7%	1.6%	0.6%	1.3%	2.9%	0.3%	0.1%	0.2%	0.3%	0.3%	0.2%	0.7%	0.3%
	Deviation																
Tensorflow -				29.63	37.27			37.37				25.49	34.73			34.72	
Cifar10 (sec)																	
	Normalized			86.03%	68.39%			68.21%				100%	73.39%			73.42%	
	Standard			1%	0.9%			0.4%				3.5%	0.2%			0.1%	
	Deviation																
Caffe - CPU				14828	36355			43089				95543	31007			34933	
AlexNet (ms)				8	8			6					8			0	
	Normalized			64.43%	26.28%			22.17%				100%	30.81%			27.35%	
	Standard			0.7%	1.9%			0.7%				0.4%	0.1%			0.7%	
	Deviation																
Caffe - CPU				39510	81095			85032				21833	70314			68732	
Googlenet				4	2			3				0	1			1	
(ms)																	
	Normalized			55.26%	26.92%			25.68%				100%	31.05%			31.77%	
	Standard			0.5%	0.5%			0.4%				0.5%	0.2%			0.3%	
	Deviation																
Scikit-Learn				16.17	39.71			41.56	188.8			11.72	35.20			33.24	29.48
(sec)								2									
	Normalized			72.48%	29.51%			28.2%	6.21%			100%	33.3%			35.26%	39.76%
	Standard			2.5%	0.1%			0.9%	0.8%			5.9%	0.7%			0.4%	0.2%
	Deviation																
x264 -		393.0	311.0	405.0	365.0	377.9	315.5	368.8	312.1	359.8	319.2	474.8	340.1	353.1	330.8	369.5	308.6
H.2.V.E		8	7	4	5	8	3	3	8	3	6	4	8	0	2	7	9
(FPS)																	
	Normalized	82.78%	65.51%	85.3%	76.88%	79.6%	66.45%	77.67%	65.74%	75.78%	67.24%	100%	71.64%	74.36%	69.67%	77.83%	65.01%


Core i9 7980XE + Dual Xeon Gold - 8-Way Linux Distribution Comparison


	Standard	2.9%	1.3%	0.5%	2.5%	1.9%	0.6%	0.7%	1.5%	0.6%	1.2%	24.1%	1.4%	0.6%	2.4%	1.6%	18.9%
Deviation																	
FFmpeg -										11.02	12.97		10.73	10.75	12.37	10.32	13.52
H.2.H.T.N.D																	
(sec)																	
Normalized										93.65%	79.57%		96.18%	96%	83.43%	100%	76.33%
Standard										0.7%	0.6%		0.2%	0.7%	0.6%	7.5%	5.3%
Deviation																	
Redis - SET	13507	15925	21836	15668	15756	16315	13522	15991	91061	21204	26810	10874	98470	21516	13095	22146	
(Reqs/sec)	43	36	21	58	71	05	16	28		80	04	3		36	81	05	
Normalized	50.38%	59.4%	81.45%	58.44%	58.77%	60.85%	50.44%	59.65%	3.4%	79.09%	100%	4.06%	3.67%	80.25%	48.85%	82.6%	
Standard	0.1%	6.4%	1.2%	8%	7.5%	1.3%	18.2%	11.3%	1%	3.2%	0.5%	0.1%	1.2%	5.4%	53.3%	7.9%	
Deviation																	
Redis - GET	15708	19621	28106	22592	19498	21841	16911	18093	90679	26330	35545	10876	99201	28000	22415	27205	
(Reqs/sec)	01	78	99	30	37	28	97	65		10	12	7		11	32	80	
Normalized	44.19%	55.2%	79.07%	63.56%	54.86%	61.45%	47.58%	50.9%	2.55%	74.08%	100%	3.06%	2.79%	78.77%	63.06%	76.54%	
Standard	1.1%	11.7%	3%	1.1%	11.3%	13.2%	16.1%	2.9%	0.7%	4%	0.2%	0.1%	0.8%	2.8%	5.4%	8.1%	
Deviation																	
Redis -	13248	16110	20562	16633	15555	16777	13088	14866	91076	21076	26091	10873	98305	22562	17308	21569	
LPUSH	39	53	86	24	81	08	25	52		41	27	9		63	14	58	
(Reqs/sec)																	
Normalized	50.78%	61.75%	78.81%	63.75%	59.62%	64.3%	50.16%	56.98%	3.49%	80.78%	100%	4.17%	3.77%	86.48%	66.34%	82.67%	
Standard	1.9%	7.1%	0.8%	3.5%	7.2%	6%	16.5%	5.4%	0.5%	2.5%	1.6%	0.1%	1.4%	2%	4.9%	5.5%	
Deviation																	
Redis -	14158	17575	24331	19265	17373	18727	14282	15737	90513	22613	30030	10871	97550	27037	19153	24513	
LPOP	20	50	28	24	09	52	44	62		67	21	6		54	47	89	
Normalized	47.15%	58.53%	81.02%	64.15%	57.85%	62.36%	47.56%	52.41%	3.01%	75.3%	100%	3.62%	3.25%	90.03%	63.78%	81.63%	
Standard	0.8%	12.8%	0.5%	2.8%	7.4%	12.9%	15.8%	4.1%	0.9%	2%	0.3%	0.2%	1.5%	13.1%	5.9%	4.5%	
Deviation																	
Redis -	14041	16596	24351	17348	15804	19366	13253	16516	90879	23791	30060	10883	98964	24736	18447	24875	
SADD	16	80	26	88	14	57	64	06		03	18	4		47	07	81	
Normalized	46.71%	55.21%	81.01%	57.71%	52.57%	64.43%	44.09%	54.94%	3.02%	79.14%	100%	3.62%	3.29%	82.29%	61.37%	82.75%	
Standard	1.7%	5%	0.6%	8.1%	5.7%	12.7%	13.2%	6.5%	0.7%	0.5%	0.2%	0.2%	0.6%	4.6%	2.6%	4.5%	
Deviation																	
Gzip	11.15	11.03	4.95	10.79	8.77	8.12	12.25	11.62	10.08	9.08		9.56	8.20	6.57	10.69	9.50	
Compression - 2.F.C																	
Normalized	44.39%	44.88%	100%	45.88%	56.44%	60.96%	40.41%	42.6%	49.11%	54.52%		51.78%	60.37%	75.34%	46.3%	52.11%	
Standard	0.5%	3.3%	1.9%	4.9%	0.7%	1.4%	10.5%	8.4%	2%	0.5%		2.6%	6.1%	1.2%	7.7%	10.6%	
Deviation																	
Compile	256.5	413.7	628.6	536.1	394.9	433.2	465.6	548.9	283.6	520.8	830.5	672.8	451.3	519.7	652.0	740.0	
Bench -	6	7	0	6	1	1	1	8	6	1	7	5	6	1	2	3	
Initial Create																	
Normalized	30.89%	49.82%	75.68%	64.55%	47.55%	52.16%	56.06%	66.1%	34.15%	62.71%	100%	81.01%	54.34%	62.57%	78.5%	89.1%	
Standard	0.6%	4.1%	2.1%	1.7%	1%	0.5%	9.9%	2.4%	1.6%	2.3%	2.6%	0.6%	1.4%	1.9%	2.5%	6.2%	
Deviation																	
Compile	1537	1717	1939	1795	1931	2070	1819	1739	1413	1569	2537	1676	1689	1545	1598	1735	
Bench -																	
Compile																	
(MB/s)																	
Normalized	60.59%	67.69%	76.44%	70.74%	76.1%	81.59%	71.72%	68.57%	55.71%	61.85%	100%	66.07%	66.58%	60.9%	62.99%	68.39%	
Standard	0.9%	0.9%	1.6%	2.1%	1.3%	1.7%	0.2%	10.3%	1.9%	2.4%	3.9%	3%	1.7%	7.1%	8.5%	2.5%	
Deviation																	


PostgreSQL	8985	8634	8326	9051	9609		9100	8775	7425	9058	16446	9196	7984		9172	9064
pgbench -																
Buffer Test -																
Normal Load																
- Read Write																
(TPS)																
Normalized	54.63%	52.5%	50.63%	55.04%	58.43%		55.33%	53.35%	45.15%	55.07%	100%	55.92%	48.55%		55.77%	55.11%
Standard	3.5%	2%	1.7%	1.3%	0.1%		0.3%	0.6%	2.4%	49.6%	51.2%	40.7%	0.8%		35.9%	36.6%
Deviation																
PostgreSQL	62359	59391	50675	67590	66838		59608	59829	48286	54195	56309	49168	52413		51236	56596
pgbench -	4	0	2	7	6		4	6		0	4	2			3	5
Buffer Test -																
Normal Load																
- Read Only																
(TPS)																
Normalized	92.26%	87.87%	74.97%	100%	98.89%		88.19%	88.52%	7.14%	80.18%	83.31%	72.74%	7.75%		75.8%	83.73%
Standard	1.4%	0.8%	0.4%	1.8%	0.9%		0.7%	0.3%	0.2%	0.9%	0.8%	0.4%	0.2%		0.3%	0.7%
Deviation																
Rodinia -	12.56	10.09	8.63	9.16	12.94	13.48	24.06	13.13	16.52	11.83	12.38	12.42	17.26	11.79	26.71	12.09
OpenMP																
CFD Solver																
Normalized	68.71%	85.53%	100%	94.21%	66.69%	64.02%	35.87%	65.73%	52.24%	72.95%	69.71%	69.48%	50%	73.2%	32.31%	71.38%
Standard	3.6%	3.1%	3.3%	1.4%	11.1%	31.6%	9.8%	17.8%	3.3%	0.3%	5.3%	1.7%	1.9%	3.5%	2.4%	6%
Deviation																
Rodinia -	34.48	28.79	12.28	26.44	26.73	27.32	27.18	28.90	57.37	47.09	19.73	44.34	43.87	43.74	44.67	46.17
OpenMP																
LavaMD																
Normalized	35.61%	42.65%	100%	46.44%	45.94%	44.95%	45.18%	42.49%	21.4%	26.08%	62.24%	27.7%	27.99%	28.07%	27.49%	26.6%
Standard	0.3%	0.9%	0.4%	0.7%	1%	0.5%	0.2%	0.5%	0.1%	0.4%	3.5%	0.4%	0.2%	0.4%	1.8%	2%
Deviation																
Rodinia - O.S	15.74	14.21	15.56	16.27	15.39	16.66	19.81	16.26	14.20	14.48	14.24	16.15	14.55	13.80	15.17	14.37
(sec)																
Normalized	87.67%	97.11%	88.69%	84.82%	89.67%	82.83%	69.66%	84.87%	97.18%	95.3%	96.91%	85.45%	94.85%	100%	90.97%	96.03%
Standard	2.5%	5.9%	0.4%	0.9%	4.3%	7.7%	9.2%	10.2%	0.9%	3.4%	3.7%	1.8%	8.9%	3.3%	1.6%	4.7%
Deviation																
Parboil -	2.49	2.36	1.89	2.40	2.51	2.32	4.24	2.41	3.68	3.28	2.48	3.32	3.63	3.14	5.93	3.16
OpenMP																
CUTCP (sec)																
Normalized	75.9%	80.08%	100%	78.75%	75.3%	81.47%	44.58%	78.42%	51.36%	57.62%	76.21%	56.93%	52.07%	60.19%	31.87%	59.81%
Standard	0.7%	1.2%	0.7%	2%	1%	1.2%	0.5%	1.4%	1.4%	0.4%	0.8%	0.1%	0.7%	0.4%	0.1%	0.4%
Deviation																
Parboil -	488.5	501.4	463.4	396.2	472.7	391.9	486.2	444.2	161.7	148.3	143.7	142.8	155.2	131.1	160.3	141.5
O.M.G (sec)	3	2	2	8	0	6	2	2	7	3	8	7	2	3	0	4
Normalized	26.84%	26.15%	28.3%	33.09%	27.74%	33.45%	26.97%	29.52%	81.06%	88.4%	91.2%	91.78%	84.48%	100%	81.8%	92.65%
Standard	5.7%	3.3%	4.5%	4.6%	1.1%	4%	2.7%	5.2%	1.4%	0.7%	1.3%	0.4%	3.1%	1.1%	1.9%	0.8%
Deviation																
Parboil -	6.37	7.13	3.85	6.47	6.90	8.32	6.32	7.69	11.15	7.76	7.42	8.75	9.59	8.47	9.55	7.30
OpenMP																
Stencil (sec)																
Normalized	60.44%	54%	100%	59.51%	55.8%	46.27%	60.92%	50.07%	34.53%	49.61%	51.89%	44%	40.15%	45.45%	40.31%	52.74%
Standard	7.4%	6.3%	1.7%	6.8%	1.2%	4.6%	0.9%	3.4%	3.4%	0.2%	0.2%	1.2%	6%	0.8%	7.2%	1.4%
Deviation																


Parboil - OpenMP LBM (sec)	42.43	31.89	32.19	31.70	45.87	37.42	53.86	35.09	79.61	73.05	70.97	74.53	73.39	71.59	74.64	73.12
Normalized	74.71%	99.4%	98.48%	100%	69.11%	84.71%	58.86%	90.34%	39.82%	43.39%	44.67%	42.53%	43.19%	44.28%	42.47%	43.35%
Standard	14.2%	2.7%	9.5%	8.9%	25.7%	6.1%	14.7%	9.3%	2.6%	0.1%	0.3%	0.5%	1.3%	0.5%	0.3%	1.2%
Deviation																
John The Ripper - Blowfish (Real C/S)	50740	50450	48427	52509	50420	51515	51537	51613	29557	30127	29811	28311	28832	31305	31623	31335
Normalized	96.63%	96.08%	92.23%	100%	96.02%	98.11%	98.15%	98.29%	56.29%	57.37%	56.77%	53.92%	54.91%	59.62%	60.22%	59.68%
Standard	2.2%	2.1%	2.3%	2.2%	2.6%	0.5%	2.4%	0.4%	0.1%	0.1%	0.1%	2.9%	3.3%	0.1%	0.1%	0.2%
Deviation																
LAME MP3 Encoding - WAV To MP3 (sec)	13.19	10.62	9.73	11.25	12.91	10.07	13.91	11.79	13.49	9.81	9.06	10.94	12.68	9.45	12.61	10.26
Normalized	68.69%	85.31%	93.11%	80.53%	70.18%	89.97%	65.13%	76.84%	67.16%	92.35%	100%	82.82%	71.45%	95.87%	71.85%	88.3%
Standard	1.6%	2.9%	0.1%	7.4%	0.1%	0.1%	14.6%	12.1%	45.2%	0.2%	0.1%	3.4%	0.3%	0.1%	9.9%	10.7%
Deviation																
FLAC Audio Encoding - WAV To FLAC (sec)	6.89	6.02	5.50	5.86	6.62	5.87	6.78	6.57	6.02	5.69	5.41	5.69	5.95	5.50	5.68	5.90
Normalized	78.52%	89.87%	98.36%	92.32%	81.72%	92.16%	79.79%	82.34%	89.87%	95.08%	100%	95.08%	90.92%	98.36%	95.25%	91.69%
Standard	1.2%	5%	1.2%	7%	0.8%	0.4%	11.5%	12.9%	0.3%	0.4%	10.7%	2.7%	1%	0.2%	12.3%	11.8%
Deviation																
SQLite - D.T.D (sec)	46.10	39.09	34.86	39.21	36.07	37.20	38.87	38.78	41.32	15.71	12.99	15.92	17.68	14.24	29.42	15.00
Normalized	28.18%	33.23%	37.26%	33.13%	36.01%	34.92%	33.42%	33.5%	31.44%	82.69%	100%	81.6%	73.47%	91.22%	44.15%	86.6%
Standard	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.5%	0.3%	0.9%	1.4%	33.7%	0.9%	0.1%	0.1%	0.7%	4.9%
Deviation																
FS-Mark - 1.F.1.S (Files/s)			169.2	152.8			151.1	139.8	207.0		284.3	256.1			167.4	344.1
			0	0			0	0	5		2	0			0	7
Normalized			49.16%	44.4%			43.9%	40.62%	60.16%		82.61%	74.41%			48.64%	100%
Standard			1%	1.1%			1.1%	0.2%	30.3%		25.9%	0.8%			24.1%	16.4%
Deviation																
FS-Mark - 5.F.1.S.4.T (Files/s)			320.2	289.3			288.8	280.0	457.3		1049	764.5			634.0	670.2
			7	3			7	0	3			8			0	2
Normalized			30.54%	27.59%			27.54%	26.7%	43.61%		100%	72.9%			60.45%	63.9%
Standard			0.9%	1.6%			4.9%	0.1%	17.7%		17.2%	14.7%			13.1%	33.1%
Deviation																
FS-Mark - 4.F.3.S.D.1.S (Files/s)			166.5	145.7			150.1	139.5	223.5		562.1	308.7			409.9	285.6
			3	3			3	7	2		8	5			0	8
Normalized			29.62%	25.92%			26.7%	24.83%	39.76%		100%	54.92%			72.91%	50.82%
Standard			0.3%	0.5%			0.3%	0.6%	21.1%		10.6%	4.9%			8.1%	5.4%
Deviation																

Stockfish -	3296	3347	3178	3572	3186	3244	3752	3874	2983	2798	2610	3259	2909	2632	3121	2792
Total Time																
(ms)																
Normalized	79.19%	77.98%	82.13%	73.07%	81.92%	80.46%	69.56%	67.37%	87.5%	93.28%	100%	80.09%	89.72%	99.16%	83.63%	93.48%
Standard	2.3%	3.6%	0.2%	3.4%	0.9%	3.3%	9.7%	9.9%	0.9%	1.6%	2.2%	0.6%	2.2%	0.3%	8%	2.6%
Deviation																
asmFish -	84461	79447	81749	82017	81724	82695	84670	82661	53682	53750	55871	53269	55521	58411	57650	56422
1.H.M.2.D	353	669	221	810	688	290	158	684	320	894	631	673	874	426	419	424
(Nodes/s)																
Normalized	99.75%	93.83%	96.55%	96.87%	96.52%	97.67%	100%	97.63%	63.4%	63.48%	65.99%	62.91%	65.57%	68.99%	68.09%	66.64%
Standard	3.2%	2.6%	2.5%	1.7%	3.3%	1.1%	1.1%	1.4%	0.9%	2.5%	1.7%	1.1%	1%	1.6%	1%	1.2%
Deviation																
Primesieve -		10.34	10.42	10.33	10.12	10.18	10.06	10.46								
1.P.N.G (sec)																
Normalized		97.29%	96.55%	97.39%	99.41%	98.82%	100%	96.18%								
Standard		0.5%	1.3%	1.9%	0.4%	1.1%	0.4%	0.7%								
Deviation																












Numpy Benchmark





R Benchmark





1. CentOS 7: R scripting front-end version 3.4.2 (2017-09-28)
 2. Fedora 27: R scripting front-end version 3.4.2 (2017-09-28)
 3. Clear Linux 19110: R scripting front-end version 3.4.2 (2017-09-28)
 4. Debian 9.2: R scripting front-end version 3.3.3 (2017-03-06)
 5. openSUSE 42.3: R scripting front-end version 3.3.3 (2016-06-21)






















Redis 3.0.1

Test: SET




Redis 3.0.1

Test: GET




Redis 3.0.1

Test: LPUSH




Redis 3.0.1


Test: LPOP




Redis 3.0.1

Test: SADD










Compile Bench 0.6

Test: Compile








Rodinia 2.4

Test: OpenMP CFD Solver


2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better



Rodinia 2.4

Test: OpenMP LavaMD


2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better



Rodinia 2.4

Test: OpenMP Streamcluster


2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better



Parboil 2.5

Test: OpenMP CUTCP


2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better



Parboil 2.5


Test: OpenMP MRI Gridding

2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better




Parboil 2.5

Test: OpenMP Stencil



Parboil 2.5


Test: OpenMP LBM



John The Ripper 1.8.0

Test: Blowfish


2 x Xeon Gold i9-7980XE
Real C/S, More Is Better



FLAC Audio Encoding 1.3.1


WAV To FLAC


2 x Xeon Gold i9-7980XE
Seconds, Fewer Is Better





SQLite 3.8.10.2

Test Target: Default Test Directory











Stockfish 2014-11-26

Total Time

2 x Xeon Gold i9-7980XE
ms, Fewer Is Better






Primesieve 6.2


1e12 Prime Number Generation

Seconds, Fewer Is Better




1. (CXX) g++ options: -rdynamic -lpthread


These geometric means are based upon test groupings / test suites for this result file.




Geometric mean based upon tests: pts/encode-mp3 and pts/encode-flac




Geometric mean based upon tests: pts/stockfish and pts/asmfish




Geometric mean based upon tests: pts/stockfish, pts/encode-mp3, pts/encode-flac, pts/pgbench, pts/john-the-ripper and pts/x264




Geometric mean based upon tests: pts/asmfish, pts/compilebench, pts/x264, pts/encode-flac, pts/encode-mp3, pts/go-benchmark, pts/john-the-ripper, pts/numpy, pts/parboil, pts/pgbench, pts/phpbench, pts/primesieve, pts/rbenchmark, pts/redis, pts/rodinia, pts/scikit-learn, pts/stockfish and pts/tensorflow




Geometric mean based upon tests: pts/x264, pts/ffmpeg, pts/encode-mp3 and pts/encode-flac




Geometric mean based upon tests: pts/sqlite, pts/redis and pts/pgbench




Geometric mean based upon tests: pts/sqlite, pts/fs-mark and pts/compilebench




Geometric mean based upon tests: pts/encode-mp3, pts/encode-flac, pts/x264 and pts/ffmpeg




Geometric mean based upon tests: pts/rodinia, pts/parboil, pts/caffe, pts/rbenchmark, pts/numpy, pts/scikit-learn and pts/tensorflow




Geometric mean based upon tests: pts/caffe, pts/rbenchmark, pts/numpy, pts/scikit-learn and pts/tensorflow




Geometric mean based upon tests: pts/stockfish, pts/x264, pts/ffmpeg, pts/primesieve, pts/rodinia, pts/parboil, pts/john-the-ripper, pts/asmfish and pts/pgbench




Geometric mean based upon tests: pts/rodinia and pts/caffe




Geometric mean based upon tests: pts/rodinia and pts/parboil




Geometric mean based upon tests: pts/pybench, pts/numpy and pts/scikit-learn




Geometric mean based upon tests: pts/pgbench, pts/redis, pts/phpbench, pts/perl-benchmark and pts/sqlite



Geometric mean based upon tests: pts/rodinia, pts/john-the-ripper, pts/x264, pts/stockfish, pts/asmfish, pts/redis, pts/pybench, pts/numpy, pts/phpbench and pts/scikit-learn



Geometric mean based upon tests: pts/numpy, pts/compress-gzip, pts/encode-flac, pts/encode-mp3, pts/perl-benchmark, pts/rbenchmark, pts/redis, pts/pybench and pts/phpbench



Geometric mean based upon tests: pts/rodinia and pts/parboil

This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 24 January 2025 14:40.