

www.phoronix-test-suite.com

T1

1

Test Systems:

R610a

R610A

Processor: 2 x Intel Xeon X5670 @ 2.93GHz (12 Cores / 24 Threads), Motherboard: Dell 0F0XJ6, Chipset: Intel 5500 I/O + ICH9, Memory: 24576MB, Disk: 240GB CT240BX300SSD1, Graphics: LLVMpipe, Monitor: ASUS VW161, Network: Broadcom NetXtreme II BCM5709 Gigabit

OS: Debian 8.10, Kernel: 3.16.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.14.4, Display Server: X Server 1.16.4, Display Driver: modesetting 0.9.0, OpenGL: 3.0 Mesa 10.3.2 Gallium 0.4 (LLVM 3.5 128 bits), Compiler: GCC 4.9.2, File-System: ext4, Screen Resolution: 1024x768

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object

--enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i586 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw

R610B

Processor: 2 x Intel Xeon X5670 @ 2.93GHz (12 Cores / 24 Threads), Motherboard: Dell 0F0XJ6, Chipset: Intel 5500 I/O + ICH9, Memory: 121856MB, Disk: 240GB CT240BX300SSD1, Graphics: LLVMpipe, Monitor: ASUS VW161, Network: Broadcom NetXtreme II BCM5709 Gigabit

OS: Debian 8.10, Kernel: 3.16.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.14.4, Display Server: X Server 1.16.4, Display Driver: modesetting 0.9.0, OpenGL: 3.0 Mesa 10.3.2 Gallium 0.4 (LLVM 3.5 128 bits), Compiler: GCC 4.9.2, File-System: ext4, Screen Resolution: 1280x720

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i586 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw

R620A

Processor: 2 x Intel Xeon X5670 @ 2.93GHz (12 Cores / 24 Threads), Motherboard: Dell 0F0XJ6, Chipset: Intel 5500 I/O + ICH9, Memory: 121856MB, Disk: 240GB CT240BX300SSD1, Graphics: LLVMpipe, Monitor: ASUS VW161, Network: Broadcom NetXtreme II BCM5709 Gigabit

OS: Debian 8.10, Kernel: 3.16.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.14.4, Display Server: X Server 1.16.4, Display Driver: modesetting 0.9.0, OpenGL: 3.0 Mesa 10.3.2 Gallium 0.4 (LLVM 3.5 256 bits), Compiler: GCC 4.9.2, File-System: ext4, Screen Resolution: 1360x768

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i586 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave

Pve50

Processor: Intel Xeon X5570 @ 2.93GHz (4 Cores / 8 Threads), Motherboard: Dell 0HYPX2, Chipset: Intel 5520 I/O + ICH9, Memory: 4096MB, Disk: 240GB CT240BX300SSD1, Graphics: LLVMpipe, Monitor: ASUS VW161, Network: Broadcom NetXtreme II BCM5709 Gigabit

OS: Debian 8.10, Kernel: 3.16.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.14.4, Display Server: X Server 1.16.4, Display Driver: modesetting 0.9.0, OpenGL: 3.0 Mesa 10.3.2 Gallium 0.4 (LLVM 3.5 128 bits), Compiler: GCC 4.9.2, File-System: ext4, Screen Resolution: 1280x720

Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i586 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw

PVE60


T1


Processor: 2 x Intel Xeon E5520 @ 2.26GHz (8 Cores / 16 Threads), Chipset: Intel 5520 I/O + ICH9, Memory: 97280MB, Disk: 240GB CT240BX300SSD1, Graphics: LLVMpipe, Monitor: ASUS VW161, Network: Broadcom NetXtreme II BCM5709 Gigabit

OS: Debian 8.10, Kernel: 3.16.0-4-amd64 (x86_64), Desktop: GNOME Shell 3.14.4, Display Server: X Server 1.16.4, Display Driver: modesetting 0.9.0, OpenGL: 3.0 Mesa 10.3.2 Gallium 0.4 (LLVM 3.5 128 bits), Compiler: GCC 4.9.2, File-System: ext4, Screen Resolution: 1280x720


Environment Notes: GJS_DEBUG_TOPICS=JS ERROR;JS LOG GJS_DEBUG_OUTPUT=stderr
Compiler Notes: --build=x86_64-linux-gnu --disable-browser-plugin --disable-vtable-verify --enable-checking=release --enable-clocale=gnu --enable-gnu-unique-object --enable-gtk-cairo --enable-java-awt=gtk --enable-java-home --enable-languages=c,c++,java,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i586 --with-arch-directory=amd64 --with-multilib-list=m32,m64,mx32 --with-tune=generic -v
Disk Notes: CFQ / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: acpi-cpufreq ondemand

	R610a	R610A	R610B	R620A	Pve50	PVE60
RAMspeed SMP - Copy - Integer (MB/s)	**18354**	17218	18207	16387	**5345**	15127
Normalized	100%	93.81%	99.2%	89.28%	29.12%	82.42%
SciMark - Composite	**359.16**	357.19	357.39	335.39	354.36	**271.45**
Normalized	100%	99.45%	99.51%	93.38%	98.66%	75.58%
Standard Deviation	0.2%	0.1%	0.5%	0.6%	0%	0.7%
7-Zip Compression - C.S.T (MIPS)	**42171**	41328	42049	34516	**15363**	21295
Normalized	100%	98%	99.71%	81.85%	36.43%	50.5%
Standard Deviation	1.1%	1.2%	0.2%	0.6%	1.5%	0.3%
Timed PHP Compilation - Time To Compile (sec)	**70.77**	70.80	71.78	89.03	**135.78**	108.19
Normalized	100%	99.96%	98.59%	79.49%	52.12%	65.41%
Standard Deviation	1.1%	1.3%	1.4%	1.7%	3.6%	0.8%



RAMspeed SMP 3.5.0
Type: Copy - Benchmark: Integer
MB/s, More Is Better
R610a
R610A
R610B
R620A
Pve50
PVE60
18353.52
17217.79
18206.54
16386.80
5345.43
15126.99
4K
8K
12K
16K
20K
1. (CC) gcc options: -O3 -march=native
SciMark 2.0
Computational Test: Composite
Mflops, More Is Better
R610a
SE +/- 0.42, N = 4
R610A
SE +/- 0.23, N = 4
R610B
SE +/- 0.85, N = 4
R620A
SE +/- 0.94, N = 4
Pve50
SE +/- 0.05, N = 4
PVE60
SE +/- 0.96, N = 4
359.16
357.19
357.39
335.39
354.36
271.45
80
160
240
320
400
1. (CC) gcc options: -lm


7-Zip Compression 9.20.1
Compress Speed Test
MIPS, More Is Better
R610a
SE +/- 262.40, N = 3
42171
R610A
SE +/- 278.45, N = 3
41328
R610B
SE +/- 50.36, N = 3
42049
R620A
SE +/- 57.89, N = 3
35195
Pve50
SE +/- 130.82, N = 3
15363
PVE60
SE +/- 41.34, N = 3
21295
9K
18K
27K
36K
45K
1. (CXX) g++ options: -pipe -lpthread
Timed PHP Compilation 7.1.9
Time To Compile
Seconds, Fewer Is Better
R610a
SE +/- 0.44, N = 3
70.77
R610A
SE +/- 0.53, N = 3
70.80
R610B
SE +/- 0.60, N = 3
71.78
R620A
SE +/- 0.12, N = 3
90.13
Pve50
SE +/- 1.99, N = 6
135.78
PVE60
SE +/- 0.52, N = 3
108.19
30
60
90
120
150
1. (CC) gcc options: -O2 -pedantic -ldl -lz -lm


These geometric means are based upon test groupings / test suites for this result file.




Geometric mean based upon tests: pts/scimark2, pts/build-php and pts/compress-7zip



Geometric mean based upon tests: pts/build-php, pts/compress-7zip and pts/ramspeed



Geometric mean based upon tests: pts/compress-7zip and pts/build-php



Geometric mean based upon tests: pts/compress-7zip, pts/build-php and pts/ramspeed

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 08:09.