

www.phoronix-test-suite.com

ram

ram

Test Systems:

ram

Processor: Intel Core i7-3820 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS P9X79 (2104 BIOS), Chipset: Intel Xeon E5/Core, Memory: 16384MB, Disk: 120GB SanDisk SDSSDX12 + 2000GB TOSHIBA DT01ACA2, Graphics: ASUS NVIDIA GeForce GT 640 2048MB (901/891MHz), Audio: Realtek ALC892, Monitor: DELL P2414H, Network: Intel 82579V Gigabit Connection

OS: Ubuntu 17.10, Kernel: 4.13.0-36-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: NVIDIA 384.111, OpenGL: 4.5.0, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 4480x1080


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

ram

Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + OSB (observable speculation barrier Intel v6) + Full generic retpoline Protection

	ram
Stream - Copy (MB/s)	33274
Standard Deviation	0.2%

ram



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 11:04.