

www.phoronix-test-suite.com

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

Threadripper 1920

Automated Executive Summary

THreadripper 1920 had the most wins, coming in first place for 65% of the tests.

The results with the greatest spread from best to worst included:

Rodinia (Test: OpenMP LavaMD) at 14.954x
NAS Parallel Benchmarks (Test / Class: EP.C) at 12.499x
John The Ripper (Test: Blowfish) at 12.16x
POV-Ray (Trace Time) at 12.16x
C-Ray (Total Time) at 11.624x
OpenSSL (RSA 4096-bit Performance) at 10.254x
Parboil (Test: OpenMP CUTCP) at 9.881x
Hackbench (Count: 8 - Type: Process) at 9.671x
asmFish (1024 Hash Memory, 26 Depth) at 9.211x
x264 (H.264 Video Encoding) at 8.75x.

Test Systems:

A10-7800

Processor: AMD A10-7800 Radeon R7 12 Compute Cores 4C+8G @ 3.50GHz (2 Cores / 4 Threads), Motherboard: MSI A78M-E35 (MS-7721) v6.0 (V30.1 BIOS), Chipset: AMD Family 15h, Memory: 7168MB, Disk: 500GB Western Digital WD5000AZRX-0 + 525GB SABRENT, Graphics: MSI AMD Radeon R7 1024MB, Audio: AMD Kaveri HDMI/DP, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

A10-7870K

Processor: AMD A10-7870K Radeon R7 12 Compute Cores 4C+8G @ 3.90GHz (2 Cores / 4 Threads), Motherboard: ASUS A88XM-E (2001 BIOS), Chipset: AMD Family 15h, Memory: 15360MB, Disk: 250GB Samsung SSD 850 + 525GB SABRENT, Graphics: ASUS AMD Radeon R7 1024MB, Audio: AMD Kaveri HDMI/DP, Monitor: VE228, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

FX-8350

Processor: AMD FX-8350 Eight-Core @ 4.00GHz (4 Cores / 8 Threads), Motherboard: Gigabyte 970A-D3P (FB BIOS), Chipset: AMD RD9x0/RX980, Memory: 16384MB, Disk: 250GB Samsung SSD 850 + 525GB SABRENT, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC892, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

Ryzen 3 1200

Processor: AMD Ryzen 3 1200 @ 3.10GHz (4 Cores), Motherboard: MSI B350M GAMING PRO (MS-7A39) v1.0 (2.90 BIOS), Chipset: AMD Device 1450, Memory: 8192MB, Disk: 525GB SABRENT + 120GB ADATA SU700, Graphics: AMD FirePro V3800 512MB, Audio: AMD Redwood HDMI Audio, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

Ryzen 3 1300X

Processor: AMD Ryzen 3 1300X @ 3.50GHz (4 Cores), Motherboard: ASRock AB350 Pro4 (P3.20 BIOS), Chipset: AMD Device 1450, Memory: 8192MB, Disk: 525GB SABRENT + 128GB ADATA SU800, Graphics: Sapphire AMD Radeon R7 260X/360 2048MB, Audio: AMD Tobago HDMI Audio, Monitor: VE228, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

Ryzen 3 2200G

Processor: AMD Ryzen 3 2200G @ 3.50GHz (4 Cores), Motherboard: MSI X370 XPOWER GAMING TITANIUM (MS-7A31) v1.0 (1.C0 BIOS), Chipset: AMD Device 15d0, Memory: 14336MB, Disk: 525GB SABRENT + 525GB Crucial_CT525MX3 + 120GB Force MP500, Graphics: llvmpipe 14080MB, Audio: AMD Device 15de, Network: Intel I211 Gigabit Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 18.1.0-devel- padoka PPA (LLVM 7.0 128 bits), Vulkan: 1.0.61, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new

--with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline IBPB Protection

Ryzen 5 2400G

Processor: AMD Ryzen 5 2400G @ 3.60GHz (4 Cores / 8 Threads), Motherboard: MSI X370 XPOWER GAMING TITANIUM (MS-7A31) v1.0 (1.C0 BIOS), Chipset: AMD Device 15d0, Memory: 14336MB, Disk: 525GB SABRENT + 525GB Crucial_CT525MX3 + 120GB Force MP500, Graphics: llvmpipe 14080MB, Audio: AMD Device 15de, Network: Intel I211 Gigabit Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 18.1.0-devel- padoka PPA (LLVM 7.0 128 bits), Vulkan: 1.0.61, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline IBPB Protection

Ryzen 7 1700

Processor: AMD Ryzen 7 1700 Eight-Core @ 3.00GHz (8 Cores / 16 Threads), Motherboard: MSI B350 TOMAHAWK (MS-7A34) v1.0 (1.90 BIOS), Chipset: AMD Device 1450, Memory: 16384MB, Disk: 525GB SABRENT + 120GB Samsung SSD 840, Graphics: llvmpipe 16128MB, Audio: AMD Cape Verde/Pitcairn, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.4 (LLVM 5.0 128 bits), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1280x1024

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

Ryzen 7 1800X

Processor: AMD Ryzen 7 1800X Eight-Core @ 3.60GHz (8 Cores / 16 Threads), Motherboard: MSI X370 XPOWER GAMING TITANIUM (MS-7A31) v1.0 (1.90 BIOS), Chipset: AMD Device 1450, Memory: 16384MB, Disk: 525GB SABRENT, Graphics: NV134 8192MB, Audio: NVIDIA GP104 HD Audio, Monitor: DELL P2415Q, Network: Intel I211 Gigabit Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.3 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix

--host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

Core i3 4130

Processor: Intel Core i3-4130 @ 3.40GHz (2 Cores / 4 Threads), Motherboard: Intel DH87RL (RLH8710H.86A.0317.2013.0426.1724 BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 1536MB, Disk: 128GB TOSHIBA THNSNH12 + 525GB SABRENT, Graphics: Intel Haswell 1536MB (1150MHz), Audio: Intel Xeon E3-1200 v3/4th, Monitor: DELL S2409W, Network: Intel Connection I217-V

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i3 7100

Processor: Intel Core i3-7100 @ 3.90GHz (2 Cores / 4 Threads), Motherboard: Gigabyte B250M-DS3H-CF (F1 BIOS), Chipset: Intel Xeon E3-1200 v6/7th + B250, Memory: 8192MB, Disk: 250GB Western Digital WDS250G1B0A- + 525GB SABRENT, Graphics: Intel HD 630 3072MB (1100MHz), Audio: Realtek ALC887-VD, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i3 8100

Processor: Intel Core i3-8100 @ 3.60GHz (4 Cores), Motherboard: ASRock Z370M-ITX/ac (P1.20 BIOS), Chipset: Intel Device 3e1f, Memory: 8192MB, Disk: 525GB SABRENT + 60GB DREVO X1 SSD, Graphics: Intel HD 3072MB (1100MHz), Audio: Realtek ALC892, Monitor: DELL S2409W, Network: Intel Connection + Intel Device 24fb

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new

--with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 3470

Processor: Intel Core i5-3470 @ 3.60GHz (4 Cores), Motherboard: ECS H61H2-I3 v1.0 (4.6.5 BIOS), Chipset: Intel Xeon E3-1200 v2/3rd, Memory: 4096MB, Disk: 120GB Samsung SSD 850 + 525GB SABRENT, Graphics: Intel Ivybridge Desktop 1536MB (1100MHz), Audio: VIA VT1705, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.2 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 4670

Processor: Intel Core i5-4670 @ 3.80GHz (4 Cores), Motherboard: MSI B85M-P33 (MS-7817) v1.0 (V4.5 BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 63GB SanDisk SDSSDP06 + 525GB SABRENT, Graphics: Intel Haswell Desktop 1536MB (1200MHz), Audio: Intel Xeon E3-1200 v3/4th, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 6500

Processor: Intel Core i5-6500 @ 3.60GHz (4 Cores), Motherboard: Gigabyte Z170M-D3H-CF (F3 BIOS), Chipset: Intel Skylake, Memory: 8192MB, Disk: 250GB Samsung SSD 850 + 525GB SABRENT, Graphics: Intel HD 530 3072MB (1050MHz), Audio: Realtek ALC892, Monitor: DELL S2409W, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 6600K

Processor: Intel Core i5-6600K @ 3.90GHz (4 Cores), Motherboard: MSI Z170A GAMING PRO (MS-7984) v1.0 (1.00 BIOS), Chipset: Intel Skylake, Memory: 15360MB, Disk: 525GB SABRENT + 256GB TS256GSSD370S, Graphics: Intel HD 530 3072MB (1150MHz), Audio: Realtek ALC1150, Monitor: Acer B286HK, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 18.1.0-devel- padoka PPA, Vulkan: 1.0.61, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 7600K

Processor: Intel Core i5-7600K @ 4.20GHz (4 Cores), Motherboard: Gigabyte Z270M-D3H-CF (F1 BIOS), Chipset: Intel Device 591f + Z270, Memory: 8192MB, Disk: 250GB Samsung SSD 850 + 525GB SABRENT, Graphics: Intel HD 630 3072MB (1150MHz), Audio: Realtek ALC892, Monitor: DELL S2409W, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i5 8400

Processor: Intel Core i5-8400 @ 4.00GHz (6 Cores), Motherboard: MSI Z370M MORTAR (MS-7B54) v1.0 (1.10 BIOS), Chipset: Intel Device 3ec2, Memory: 8192MB, Disk: 525GB SABRENT + 128GB ADATA SX6000NP, Graphics: Intel HD 3072MB (1050MHz), Audio: Realtek ALC892, Monitor: DELL S2409W, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i7 4770K

Processor: Intel Core i7-4770K @ 3.90GHz (4 Cores / 8 Threads), Motherboard: Gigabyte Z97-HD3 (F10c BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 128GB Crucial_CT128MX1 + 525GB SABRENT, Graphics: Intel Haswell Desktop 1536MB (1250MHz), Audio: Intel Xeon E3-1200 v3/4th, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 4.5 Mesa 17.2.4, Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i7 7740X

Processor: Intel Core i7-7740K @ 4.50GHz (4 Cores / 8 Threads), Motherboard: Gigabyte X299 AORUS Gaming-CF (F2d BIOS), Chipset: Intel Device 591f, Memory: 8192MB, Disk: 525GB SABRENT + 120GB Force MP500, Graphics: llvmpipe 7936MB, Audio: Realtek ALC1220, Monitor: VE228, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, Display Driver: modesetting 1.19.5, OpenGL: 3.3 Mesa 17.2.4 (LLVM 5.0 256 bits), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Core i7 8700K

Processor: Intel Core i7-8700K @ 4.70GHz (6 Cores / 12 Threads), Motherboard: ASUS PRIME Z370-A (0606 BIOS), Chipset: Intel Device 3ec2, Memory: 16384MB, Disk: 525GB SABRENT + 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: MSI AMD Radeon RX 580 8192MB, Audio: Realtek ALC1220, Monitor: DELL P2415Q, Network: Intel Connection

OS: Ubuntu 17.10, Kernel: 4.15.2-041502-generic (x86_64), Desktop: GNOME Shell 3.26.2, Display Server: Wayland, OpenGL: 4.5 Mesa 17.2.4 (LLVM 5.0.0), Compiler: GCC 7.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Python Notes: Python 2.7.14 + Python 3.6.3
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Athlon II 630

Processor: AMD Athlon II X4 630 @ 2.80GHz (4 Cores), Motherboard: MSI MS-7388 v1.0, Chipset: AMD RD780 + SB600, Memory: 3072MB, Disk: 320GB Seagate ST3320613AS + 250GB Seagate ST3250310AS, Graphics: AMD RV770 (DRM 2.50.0 / 4.15.10-1-default LLVM 5.0.1) 512MB, Audio: Realtek ALC888, Monitor: W1943, Network: Realtek RTL8111/8168/8411

OS: openSUSE 20180320, Kernel: 4.15.10-1-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.19.6, Display Driver: radeon 18.0.0, OpenGL: 3.3 Mesa 18.0.0-rc4, File-System: ext4, Screen Resolution: 1360x768

Compiler Notes: --build=x86_64-suse-linux --disable-libcc1 --disable-libssp --disable-libstdcxx-pch --disable-libvtv --disable-werror --enable-__cxa_atexit --enable-checking=release --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go --enable-libstdcxx-allocator=new --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-plugin --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
System Notes: Python 2.7.14.

Intel Core i5-2320

Optiplex-390-i5-2320-ARCH

Processor: Intel Core i5-2320 @ 3.00GHz (4 Cores), Motherboard: Dell 0F6X5P (A11 BIOS), Chipset: Intel 2nd Generation Core Family DRAM, Memory: 12288MB, Disk: 320GB Seagate ST3320620AS + 500GB nal USB 3.0, Graphics: Gigabyte NVIDIA GeForce GT 1030 2048MB (1227/3003MHz), Audio: Conexant CX20641, Monitor: KA251Q, Network: Realtek RTL8111/8168/8411

OS: Antergos Linux 18.4-Minimal-ISO-Rolling, Kernel: 4.15.15-1-ARCH (x86_64), Desktop: GNOME Shell 3.28.1, Display Driver: NVIDIA 390.48, OpenGL: 4.6.0, Compiler: GCC 7.3.1 20180312, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --disable-libssp --disable-libstdcxx-pch --disable-libunwind-exceptions --disable-werror --enable-__cxa_atexit --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-default-ssp --enable-gnu-indirect-function --enable-gnu-unique-object --enable-install-libiberty --enable-languages=c,c++,ada,fortran,go,lto,objc,obj-c++ --enable-libmpx --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-isl --with-linker-hash-style=gnu
Processor Notes: Scaling Governor: intel_pstate powersave
OpenCL Notes: GPU Compute Cores: 384
Python Notes: Python 3.6.4
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW Protection

Johns Ryzen 5 2400G

Processor: AMD Ryzen 5 2400G @ 3.85GHz (4 Cores / 8 Threads), Motherboard: MSI B350M GAMING PRO (MS-7A39) v1.0 (2.F0 BIOS), Chipset: AMD Device 15d0, Memory: 6144MB, Disk: Samsung SSD 960 EVO 250GB, Graphics: MSI AMD Radeon Vega / Radeon Vega Mobile 2048MB, Audio: AMD Device 15de, Monitor: DX-22L150A11, Network: Realtek RTL8111/8168/8411

OS: ManjaroLinux 17.1.8, Kernel: 4.17.0-1-MANJARO (x86_64), Desktop: KDE Plasma 5.12.4, Display Driver: modesetting 1.19.6, OpenGL: 4.5 Mesa 18.0.1 (LLVM 6.0.0), Compiler: GCC 7.3.1 20180312, File-System: ext4, Screen Resolution: 1360x768

Compiler Notes: --disable-libssp --disable-libstdcxx-pch --disable-libunwind-exceptions --disable-werror --enable-__cxa_atexit --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-default-ssp --enable-gnu-indirect-function --enable-gnu-unique-object --enable-install-libiberty --enable-languages=c,c++,ada,fortran,go,lto,objc,obj-c++ --enable-libmpx --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-isl --with-linker-hash-style=gnu
Processor Notes: Scaling Governor: acpi-cpufreq schedutil
Python Notes: Python 3.6.5
Security Notes: __user pointer sanitization + Full AMD retpoline IBPB Protection

Pentium G3220T

Pentium G3220T /w Performance Scaling

Processor: Intel Pentium G3220T @ 2.60GHz (2 Cores), Motherboard: LENOVO SHARKBAY (FHKT73AUS BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 128GB Samsung SSD 840, Graphics: Intel Haswell Desktop 1536MB (1100MHz), Audio: Intel Xeon E3-1200 v3/4th, Monitor: HP P221, Network: Intel Connection I217-V

OS: Ubuntu 18.04, Kernel: 4.15.0-15-generic (x86_64), Desktop: GNOME Shell 3.28.1, Display Driver: modesetting 1.19.6, OpenGL: 4.5 Mesa 18.0.0-rc5, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-as=/usr/bin/x86_64-linux-gnu-as --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-ld=/usr/bin/x86_64-linux-gnu-ld --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance
Python Notes: Python 2.7.15rc1 + Python 3.6.5
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

Xeon E3-1275L v3 /w Performance Scaling

Processor: Intel Xeon E3-1275L v3 @ 3.90GHz (4 Cores / 8 Threads), Motherboard: LENOVO SHARKBAY (FHKT73AUS BIOS), Chipset: Intel Xeon E3-1200 v3 DRAM, Memory: 8192MB, Disk: 128GB Samsung SSD 840, Graphics: Intel Haswell Server 1536MB (1200MHz), Audio: Intel Xeon E3-1200 v3/4th, Monitor: HP P221, Network: Intel Connection I217-V

OS: Ubuntu 18.04, Kernel: 4.15.0-15-generic (x86_64), Desktop: GNOME Shell 3.28.1, Display Driver: modesetting 1.19.6, OpenGL: 4.5 Mesa 18.0.0-rc5, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-as=/usr/bin/x86_64-linux-gnu-as --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-ld=/usr/bin/x86_64-linux-gnu-ld --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance
Python Notes: Python 2.7.15rc1 + Python 3.6.5
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline Protection

THreadripper 1920

Processor: AMD Ryzen Threadripper 1920X 12-Core @ 3.50GHz (12 Cores / 24 Threads), Motherboard: ASRock X399 Professional Gaming (P2.00 BIOS), Chipset: AMD Family 17h, Memory: 64512MB, Disk: 4001GB Western Digital WD40EFRX-68W + PM951 NVMe SAMSUNG 256GB + 1000GB Samsung SSD 960 EVO 1TB + Samsung SSD 960 EVO 500GB, Graphics: ASUS NVIDIA GeForce GTX 1080 Ti 11264MB (1480/5508MHz), Audio: Realtek ALC1220, Monitor: DELL P2715Q, Network: Aquantia AQC107 NBase-T/IEEE + Intel Device 24fb

OS: Ubuntu 18.04, Kernel: 4.15.0-20-generic (x86_64), Desktop: GNOME Shell 3.28.1, Display Driver: NVIDIA 390.48, OpenGL: 4.6.0, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 7680x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-as=/usr/bin/x86_64-linux-gnu-as --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-ld=/usr/bin/x86_64-linux-gnu-ld --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand
OpenCL Notes: GPU Compute Cores: 3584
Python Notes: Python 2.7.15rc1 + Python 3.6.5
Security Notes: __user pointer sanitization + Full AMD retpoline Protection

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

	A10-7800	A10-7870K	FX-8350	Ryzen 3 1200	Ryzen 3 1300X	Ryzen 3 2200G	Ryzen 5 2400G	Ryzen 7 1700	Ryzen 7 1800X	Core i3 4130	Core i3 7100	Core i3 8100	Core i5 3470	Core i5 4670	Core i5 6500	Core i5 6600K	Core i5 7600K	Core i5 8400	Core i7 4770K	Core i7 7400X	Core i7 8700K	Athlon II 630	Intel Core i5-2320	Optiplex-390-i5-2320-ARCH	Johns Ryzen 5 2400G	Pentium G3220T	Pentium G3220T /w Performance Scaling	Xeon E3-1275Lv3 /w Performance Scaling	Threadripper 1920
Parboil - OpenMP CUTCP (sec)	35.73	31.60	16.90	17.36	15.03	15.64	11.34	6.49	5.58	30.51	22.87	14.95	17.82	15.80	16.21	13.82	13.46	9.47	12.99	10.13	7.08	49.70				41.80	41.82	17.06	5.03
Normalized Standard Deviation	14.08%	15.92%	29.76%	28.97%	33.47%	32.16%	44.36%	77.5%	90.14%	16.49%	21.99%	33.65%	28.23%	31.84%	31.03%	36.4%	37.12%	53.12%	38.72%	49.65%	71.05%	10.12%				12.03%	12.03%	29.48%	10.0%
Standard Deviation	0.1%	0.3%	0.4%	0.4%	0.1%	0.7%	0.6%	0.7%	0.4%	0.4%	1.1%	0%	0.2%	0.2%	0.1%	0.1%	0.2%	0.1%	1%	1.7%	0.3%	0.7%				0.2%	0.1%	3.3%	1.5%
Hackbench - 8 - Process	97.81	84.26	50.73		63.63	50.24	33.29	20.07	17.96	119.94	72.50	62.18	81.17	65.19	67.41	58.19	57.63	39.66	37.72	30.45	22.50	115.61		96.49	48.47	173.69	173.66	51.06	30.26
Normalized Standard Deviation	18.36%	21.31%	35.4%		28.23%	35.75%	53.95%	89.49%	10.0%	14.97%	24.77%	28.88%	22.13%	27.55%	26.64%	30.86%	31.16%	45.28%	47.61%	58.98%	79.82%	15.53%		18.61%	37.05%	10.34%	10.34%	35.17%	59.35%
Standard Deviation	0.4%	0.1%	0.1%		2%	1.1%	1.6%	2.5%	3.3%	0.6%	0.3%	2.4%	2.7%	1.9%	1.4%	1.8%	1.2%	1.6%	0.2%	0.8%	5.3%	1%		3.4%	14.8%	0.5%	0.5%	2.6%	2.9%

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

asmFish - 1.H.M. 2.D (Nodes/s)	54 33 89 3	62 14 00 6	11 70 53 26	73 23 74 9	82 86 13 4	85 79 59 7	12 35 67 82	20 10 16 05	22 67 84 79	49 07 45 8	67 83 02 8	98 41 58 6	73 66 18 2	95 72 74 4	89 67 52 3	10 05 11 65	10 26 93 51	15 91 35 82	12 32 10 19	15 89 58 69	23 43 77 31	48 68 59 3	72 27 97 9	12 42 04 13	32 91 55 2	**32 61 49 0**	97 75 62 9	**30 04 18 14**
Normalized	18.09%	20.68%	38.96%	24.38%	27.58%	28.56%	41.13%	66.91%	75.49%	16.34%	22.58%	32.76%	24.52%	31.86%	29.85%	33.46%	34.18%	52.97%	41.01%	52.91%	78.02%	16.21%	24.06%	41.34%	10.96%	10.86%	32.54%	10%
Standard Deviation	0.9%	2.2%	0.6%	0.8%	1.5%	1.2%	1.2%	1.2%	1.4%	0.1%	1.1%	1.6%	3.3%	2.2%	0.9%	0.3%	0.7%	1.6%	2%	1.2%	0.7%	1.2%	0.9%	0.8%	1.4%	0.1%	2.1%	1.7%
x264 - H.2.V.E (FPS)	15.6 17 1	17.5 8	30.5 8	23.4 7	27.3 3	27.6 0	34.7 5	60.9 0	71.4 6	15.4 7	23.8 9	30.4 2	19.8 3	28.1 6	28.4 7	33.1 1	33.4 9	56.1 1	37.6 4	49.9 5	72.6		17.6 4	39.5 0	**12.1 8**	12.2 4	30.2 3	**10 6.57**
Normalized	14.65%	16.5%	28.69%	22.02%	25.65%	25.9%	32.61%	57.15%	67.05%	14.52%	22.42%	28.54%	18.61%	26.42%	26.71%	31.07%	31.43%	52.65%	35.32%	46.87%	68.46%		16.55%	37.06%	11.43%	11.49%	28.37%	10%
Standard Deviation	0.1%	0%	0.2%	3.4%	0.2%	0.1%	3.3%	3.3%	0.5%	0.3%	0.2%	3.3%	18.4%	3.4%	0.4%	0.2%	0.1%	0.2%	0.1%	0.6%	0.5%		0.9%	2%	1.6%	0.2%	1.2%	0.3%
7-Zip Compression - C.S.T (MIPS)	99 83	11 43 1	22 09 7	12 60 1	15 88 0	15 74 4	17 72 9	30 62 7	33 02 2	89 92	12 89 6	17 22 1	14 10 0	16 59 5	15 11 6	18 07 9	17 72 7	27 02 8	21 66 7	28 95 2	39 03 9	81 57	11 87 4	18 91 8	61 10	**61 08**	18 38 6	**51 42 8**
Normalized	19.41%	22.23%	42.97%	24.5%	30.88%	30.61%	34.47%	59.55%	64.21%	17.48%	25.08%	33.49%	27.42%	32.27%	29.39%	35.15%	34.47%	52.56%	42.13%	56.3%	75.91%	15.86%	23.09%	36.79%	11.88%	11.88%	35.75%	10%
Standard Deviation	1.5%	1.4%	0.3%		1.8%	0.5%	3.3%	0.6%	1.5%	1.2%	0.1%	0.2%	3.1%	0.9%	0.1%	0.1%	0.3%	0.2%	1.3%	2.9%	1%	0.5%	0.1%	1%	0.9%	2.2%	1.8%	0.8%

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

Timed Linux Kernel Compilation - Time To Compile	34 2. 81	30 0. 92	16 7. 85	48 4. 57	45 8. 00	20 1. 48	15 3. 49	95 .1 7	85 .2 2	42 6. 59	24 6. 44	16 7. 81	26 4. 97	18 0. 98	18 1. 66	15 8. 43	15 7. 58	10 8. 02	15 0. 12	10 6. 97	79 .1 0	40 1. 51	28 6. 83	16 3. 41	50 0. 66	50 0. 01	18 4. 59	59 .5 5
Normalized	17.37%	19.79%	35.48%	12.29%	13%	29.56%	38.8%	62.57%	69.88%	13.96%	24.16%	35.49%	22.47%	32.9%	32.78%	37.59%	37.79%	55.13%	39.67%	55.67%	75.28%	14.83%	20.76%	36.44%	11.89%	11.91%	32.26%	10.0%
Standard Deviation	0.8%	1.1%	1.5%	0.2%	0.3%	1%	1.2%	2.2%	2%	0.5%	0.8%	1%	1.1%	1.2%	1.1%	1%	1%	1.7%	1%	1%	7%	3.2%	1.1%	2.9%	0.5%	0.4%	0.9%	2.6%
Java JMH - Throughput (Ops/s)	34 87 05 99 08	38 94 12 39 75	80 56 29 69 46	61 74 07 80 43	71 69 11 09 74	73 85 10 71 72	74 05 45 34 45	12 78 36 88 16 7	14 78 08 54 84 1	67 39 70 82 81	77 90 12 93 36	14 38 23 33 76 5	12 39 11 66 25 2	14 33 72 75 79 5	13 18 76 79 15 0	15 58 20 92 81 1	15 98 35 91 76 4	22 77 54 63 20 1	15 49 91 95 57 9	17 92 08 02 34 4	25 75 62 00 60 8	11 94 16 42 50 2	75 40 79 18 06	32 90 43 55 18	33 08 62 30 91	76 16 48 31 10	22 09 14 49 04 1
Normalized	13.54%	15.12%	31.28%	23.97%	27.83%	28.67%	28.75%	49.63%	57.39%	26.17%	30.25%	55.84%	48.11%	55.67%	51.2%	60.5%	62.06%	88.43%	60.18%	69.58%	10 0%	46.36%	29.28%	12.78%	12.85%	29.57%	85.77%	
OpenFMM Nero2D - Total Time (sec)	28 0. 43	25 1. 40	11 9. 89	10 9. 59	94 .3 9	92 .0 9	90 .5 6	57 .4 8	50 .1 5	20 9. 51	16 5. 73	92 .6 1	14 1. 12	10 2. 83	10 0. 83	85 .7 1	83 .9 8	61 .0 4	98 .2 1	76 .3 6	54 .9 8	15 3. 93	87 .4 1	27 4. 45	27 6. 71	12 7. 92	35 .8 5
Normalized	12.78%	14.26%	29.9%	32.71%	37.98%	38.93%	39.59%	62.37%	71.49%	17.11%	21.63%	38.71%	25.4%	34.86%	35.55%	41.83%	42.69%	58.73%	36.5%	46.95%	65.21%	23.29%	41.01%	13.06%	12.96%	28.03%	10 0%	
Standard Deviation	0.5%	0.5%	1.8%	0.3%	0.1%	0.3%	1%	0.5%	1.1%	0.9%	0.4%	0.7%	2.2%	1.1%	0.2%	0.4%	0.7%	1.2%	0.6%	0.5%	1%	1%	0.1%	0.8%	2.9%	0.7%	0.2%	

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

TTSIOD 3D Renderer - P.R.W.S.S.M (FPS)	67.42	82.93	14.75	12.95	13.97	17.17	21.60	27.64	31.22	73.5	12.69	16.27	12.90	15.77	15.22	18.72	18.90	26.63	20.31	27.43	39.67	52.5		11.85	23.68	56.1	56.5	16.89	32.34
Normalized	17.21%	21.17%	36.45%	31.39%	34.46%	45.49%	54.03%	70.12%	79.72%	18.78%	31.07%	42.96%	33.17%	39.77%	40.4%	47.16%	47.97%	67.31%	52.16%	70.83%	10.0%	13.31%		30.09%	60.94%	14.43%	14.44%	41.59%	83.83%
Standard Deviation	0.3%	0.2%	1%	0.7%	0.2%	0.8%	1.4%	0.1%	0.2%	0.9%	0.3%	0.6%	2%	0.4%	0.1%	1.2%	0.2%	0.1%	1.7%	1.8%	0.3%	4.3%		0.2%	0.4%	0.9%	0.9%	1.4%	0.2%
Timed MAFFT Alignment - M.S.A (sec)	11.96	10.40	5.92	7.25	5.99	6.27	5.73	4.26	3.65	10.45	7.85	5.71	6.93	5.85	6.32	5.36	5.42	3.68	4.88	3.97		13.84		9.11	4.39	14.76	14.78	5.64	3.10
Normalized	25.92%	29.81%	52.36%	42.76%	51.75%	49.44%	54.1%	72.77%	84.93%	29.67%	39.49%	54.29%	44.73%	52.99%	49.05%	57.84%	57.2%	84.24%	63.52%	78.09%		22.4%		34.03%	70.62%	21%	20.97%	54.96%	10%
Standard Deviation	2%	7.5%	1.3%	0.4%	4.8%	5%	4.3%	3.1%	0.9%	3.7%	0.2%	6.4%	0.8%	6.8%	3.4%	3.9%	1%	4.7%	4.4%	8.7%		5.8%		2.2%	1.7%	0.4%	0.3%	5.3%	7.4%
PyBench - T.F.A.T.T (Milliseconds)	22.64	20.28	20.48	16.55	14.98	15.47	14.58	15.18	13.95	15.65	12.37	13.40	17.23	13.90	13.42	12.39	11.49	12.09	13.56	10.75	10.31	45.38				20.52	20.50	13.58	13.80
Normalized	45.54%	50.84%	50.34%	62.3%	68.83%	66.65%	70.71%	67.92%	73.91%	65.88%	83.35%	76.94%	59.84%	74.17%	76.83%	83.21%	89.73%	85.28%	76.03%	95.91%	10.0%	22.72%				50.24%	50.29%	75.92%	74.71%
Standard Deviation	0.3%	0.4%	0.1%	0.1%	0.3%	0.9%	0.2%	0.2%	0.4%	0.3%	0.2%	0.1%	0.4%		0.1%	0.1%		0.4%	0.2%	0.1%	0.2%	1.6%					0.2%	0.4%	1%

PHPBench - Performance / Cost - P.B.S (Score /Dollar)	34 80	32 43	30 24	21 90	13 69	**12 35**	**44 67**	31 15	18 90
Normalized	77. 91 %	72. 61 %	67. 7%	49. 02 %	30. 64 %	27. 65 %	10 0%	69. 73 %	42. 31 %
NGINX Benchmark - Performance / Cost - S.W.P.S (Reqs/sec/Dollar)	27 7. 57	26 1. 07	26 0. 63	17 6. 98	10 3. 18	**94 .4 5**	**30 5. 13**	21 4. 46	12 5. 11
Normalized	90. 97 %	85. 56 %	85. 42 %	58 %	33. 82 %	30. 95 %	10 0%	70. 28 %	41 %

Java JMH - Performance / Cost - Throughput (Ops/s/Dollar)				58	57	57	**39**	44	42			**12**						12			71								
				80	35	24	**18**	23	35			**08**						05			74								
				07	28	88	**22**	42	20			**59**						05			42								
				43	88	93	**93**	15	20			**94**						09			91								
												8						6											
Normalized				48.65%	47.45%	47.37%	32.42%	36.6%	35.04%			10 0%						99.71%			59.36%								
LAME MP3 Encoding - WAV To MP3 (sec)	54.7	48.7	47.3	39.6	35.7	37.1	35.9	36.5	33.5	38.9	31.0	33.3	37.3	33.2	33.5	30.9	28.7	30.0	32.5	27.5	**26.0**	**80.2**	47.2	35.9	48.1	48.1	33.4	34.6
Normalized	48.13	53.9%	55.43	65.7%	72.86	70.21	74.08	71.25	77.82	66.95	83.88	78.29	69.78	78.41	77.8%	84.23	90.62	86.87	80.12	94.8%	10 0%	32.51	55.19	72.48	54.12	54.14	77.87	75.26
Standard Deviation	0.2%	0.1%	0.2%	0.1%	0.3%	0.2%	0.1%	0%	0.8%	3%	0.1%	0%	0.2%	0%	0%	0%	0.1%	0%	0.4%	0.8%	1.3%	0.2%	0.1%	0.3%	0.1%	0.1%	2.5%	0.6%
PHPBench - P.B.S (Score)	30	33	34	36	40	39	41	39	43	42	56	53	36	51	52	57	61	58	50	64	**67**	**23**	34	47	38	38	57	50
	37	68	55	54	54	01	38	56	11	92	15	15	28	27	69	18	62	87	61	42	**84**	**96**	38	47	84	78	20	09
	43	31	60	19	18	05	82	09	08	58	62	84	07	18	13	80	81	30	77	93	**65**	**68**	98	11	82	23	92	63
Normalized	44.77	49.65	50.93	53.86	59.76	57.5%	61 %	58.31	63.54	63.27	82.77	78.35	53.47	75.57	77.66	84.29	90.83	86.77	74.61	94.96	10 0%	35.33	50.69	69.97	57.26	57.16	84.32	73.84
Standard Deviation	1.7%	1.6%	0.9%	0.7%	1%	2.4%	1.5%	1%	3.2%	4.9%	1.3%	0.1%	1.6%	0.2%	0.5%	0.3%	0.2%	0.1%	3.1%	1.7%	1.2%	0.5%	0.6%	0.3%	0.5%	0.2%	0.7%	1.3%

| | | |

AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G

NAS Parallel Benchmarks - EP.C (Mop/s)	83.1	92.05	22.13	12.00	14.62	14.02	29.90	48.65	57.10	14.51	17.07	20.48	18.13	19.48	18.67	21.61	22.62	32.50	33.54	39.63	57.05		10.06.00		72.26	72.13	27.85	90.52			
Normalized	9.2%	10.21%	24.53%	13.53%	15.71%	15.98%	32.6%	54.31%	63.35%	15.92%	19.42%	22.46%	19.98%	22.02%	20.6%	24.36%	25.03%	35.66%	36.78%	43.77%	64.01%		11.76%		8.02%	8%	30.6%	10%			
Standard Deviation	1.8%	0.3%	1.6%	0.5%	0.1%	0.3%	1%	2.5%	0.4%	1.1%	0.8%	0.3%	0.4%	0.2%	0.1%	0.1%	0.2%	0.1%	1%	1.1%	0.6%		0.4%		0.4%	0.3%	1.3%	0.4%			
John The Ripper - Blowfish (Real C/S)	33.73	37.75	68.26	37.11	43.93	45.40	60.22	10.43.1	12.44.5	30.08	38.59	44.11	29.92	40.80	40.46	47.85	49.10	69.98	68.00	88.80	12.75.8	21.85	27.64	63.57	14.71	14.69	50.43	17.86.3			
Normalized	18.88%	21.13%	38.21%	20.77%	24.59%	25.42%	33.71%	58.39%	69.67%	16.84%	21.6%	24.69%	16.75%	22.84%	22.65%	26.79%	27.49%	39.18%	38.07%	49.71%	71.42%	12.23%	15.47%	35.59%	8.23%	8.2%	28.23%	10%			
Standard Deviation	0.3%	0.1%	0.6%	0.8%	0.3%	0.2%	3.9%	0.8%	0.1%			0.2%	2.7%	0.2%	0.1%	0.1%			3.2%			1.3%		0.5%		0.1%	2.6%	1.2%			
POV-Ray - Trace Time (sec)	27.86	24.07	13.01	18.19	15.29	15.63	10.39	64.40	56.21	26.70	20.73	13.02	22.83	14.13	14.84	12.84	12.90	87.4	13.09	87.4	60.6		22.08	10.18	43.57	43.09	16.12	36.5			
Normalized	13.35%	14.93%	26.98%	19.95%	23.13%	23.53%	33.66%	56.13%	64.31%	13.5%	18.01%	26%	15.8%	24.57%	24.13%	28.5%	28.71%	41.11%	27.58%	41.11%	59.3%		15.85%	33.42%	8.2%	8.2%	21.76%	10%			
Standard Deviation	0.2%	0.1%	0.3%	0.1%	0.2%	0.4%	0.3%	0%	0.1%	0.2%	0.1%	0.1%	2.5%	0.1%	0.1%	0.1%	0.9%	0.1%	0.2%	0.1%	0.2%		0.9%	1.6%	0%	0.1%	0.1%	0.1%			
C-Ray - Total Time (sec)	61.75	55.09	28.01	24.95	21.50	21.07	19.48	11.23	9.70	54.28	41.97	24.65	39.00	27.40	26.97	22.83	22.25	15.57	24.51	18.69	12.78	58.80	44.69	19.18	76.02	76.01	31.46	6.54			
Normalized	10.59%	11.87%	23.35%	26.21%	30.42%	31.04%	33.57%	58.24%	67.42%	12.05%	15.58%	26.53%	16.77%	23.87%	24.25%	28.65%	29.39%	42%	26.68%	34.99%	51.17%	11.12%	14.63%	34.1%	8.6%	8.6%	20.79%	10%			


AMD Ryzen 3 2200G Linux CPU Benchmarks With Ryzen 5 2400G


Standard Deviation	0%	0.1%	0%	0.1%	0%	0.7%	1.4%	0%	0.1%	0.2%	0.1%	0.1%	1.4%	0.1%	0.1%	0.2%	0.1%	0.1%	0.1%	1.5%	0.1%	0.1%	0.1%	1.9%	0%	0%	1.6%	0.2%
OpenSSL - R.4.b.P (Signs/sec)	29	33	70		71	73	79	13	15	30	59	10	49	64	94	11	11	16	68	13	19	31	41	82	**23**	23	53	**23**
	9.73	9.70	5.20		0.53	4.20	3.80	80	93	8.97	7.13	43	9.23	5.10	2.73	43	48	71	9.30	13	80	7.37	3.27	6.33	**2.93**	2.97	4.63	**88**
Normalized	12.55%	14.22%	29.53%		29.75%	30.74%	33.24%	57.78%	66.69%	12.94%	25%	43.66%	20.9%	27.01%	39.47%	47.87%	48.05%	69.97%	28.86%	54.97%	82.88%	13.29%	17.3%	34.6%	9.75%	9.75%	22.38%	10%
Standard Deviation	1%	0.5%	0.1%		6.4%	1.1%	2.1%	0.1%	0.1%	0%	0.3%	2.2%	4%	0.2%	2.3%	0%	2.8%	0%	0.1%	2.7%	0.1%	0.3%	0%	0.4%	0.2%	0%	2.6%	0%
x264 - Performance / Cost - H.2.V.E (FPS/Dollar				0.22	0.22	0.21	**0.18**	0.21	0.20			0.26						**0.30**			0.20								
Normalized				73.33%	73.33%	70%	60%	70%	66.67%			86.67%						100%			66.67%								


TTSIOD 3D Renderer - Performance / Cost - P.R.W.S.S.M (FPS/Dollar	1.17	1.08	1.38	1.12	0.95	**0.89**	**1.41**	1.39	1.09
Normalized	82.98%	76.6%	97.87%	79.43%	67.38%	63.12%	100%	98.58%	77.3%
7-Zip Compression - Performance / Cost - C.S.T (MIPS/Dollar	120.01	127.04	122.05	**93.80**	105.98	94.2	**144.71**	143.01	108.74
Normalized	82.93%	87.79%	84.34%	64.82%	73.24%	65.39%	100%	98.83%	75.14%


NAS Parallel Benchmarks - Performance / Cost - EP.C (Mop/s/Doll	1.16	1.13	**1.12**	1.56	1.69	1.64	**1.70**	**1.70**	1.61
Normalized	68.24%	66.47%	65.88%	91.76%	99.41%	96.47%	100%	100%	94.71%
asmFish - Performance / Cost - 1.H.M. 2.D (Nodes/s/Dollar)	6975090	6628509	6650991	6538006	6955061	**6498981**	8270222	**8419099**	6528306
Normalized	82.84%	78.73%	78.99%	77.65%	82.61%	77.18%	98.22%	100%	77.54%


John The Ripper - Performance / Cost - Blowfish (Real C/S/Dollar)	35.34	35.14	35.19	**31.86**	36.09	35.66	**37.07**	37.03	35.54
Normalized	95.33%	94.79%	94.93%	85.95%	97.36%	96.2%	100%	99.89%	95.87%



Parboil 2.5
Test: OpenMP CUTCP
Seconds, Fewer Is Better
A10-7800
SE +/- 0.02, N = 3
35.73
A10-7870K
SE +/- 0.06, N = 3
31.60
FX-8350
SE +/- 0.04, N = 3
16.90
Ryzen 3 1200
SE +/- 0.04, N = 3
17.36
Ryzen 3 1300X
SE +/- 0.01, N = 3
15.03
Ryzen 3 2200G
SE +/- 0.06, N = 3
15.64
Ryzen 5 2400G
SE +/- 0.04, N = 3
11.34
Ryzen 7 1700
SE +/- 0.03, N = 3
6.49
Ryzen 7 1800X
SE +/- 0.01, N = 3
5.58
Core i3 4130
SE +/- 0.07, N = 3
30.51
Core i3 7100
SE +/- 0.15, N = 3
22.87
Core i3 8100
SE +/- 0.00, N = 3
14.95
Core i5 3470
SE +/- 0.02, N = 3
17.82
Core i5 4670
SE +/- 0.02, N = 3
15.80
Core i5 6500
SE +/- 0.01, N = 3
16.21
Core i5 6600K
SE +/- 0.00, N = 3
13.82
Core i5 7600K
SE +/- 0.02, N = 3
13.46
Core i5 8400
SE +/- 0.00, N = 3
9.47
Core i7 4770K
SE +/- 0.07, N = 3
12.99
Core i7 7740X
SE +/- 0.10, N = 3
10.13
Core i7 8700K
SE +/- 0.01, N = 3
7.08
Athlon II 630
SE +/- 0.20, N = 3
49.70
Pentium G3220T
SE +/- 0.04, N = 3
41.80
Pentium G3220T /w Performance Scaling
SE +/- 0.01, N = 3
41.82
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.25, N = 5
17.06
THreadripper 1920
SE +/- 0.04, N = 3
5.03
11
22
33
44
55
1. (CXX) g++ options: -lm -lpthread -lgomp -ffast-math -fopenmp



Hackbench
Count: 8 - Type: Process
Seconds, Fewer Is Better
A10-7800
SE +/- 0.21, N = 3
97.81
A10-7870K
SE +/- 0.07, N = 3
84.26
FX-8350
SE +/- 0.02, N = 3
50.73
Ryzen 3 1300X
SE +/- 0.74, N = 3
63.63
Ryzen 3 2200G
SE +/- 0.33, N = 3
50.24
Ryzen 5 2400G
SE +/- 0.30, N = 3
33.29
Ryzen 7 1700
SE +/- 0.29, N = 3
20.07
Ryzen 7 1800X
SE +/- 0.30, N = 4
17.96
Core i3 4130
SE +/- 0.41, N = 3
119.94
Core i3 7100
SE +/- 0.12, N = 3
72.50
Core i3 8100
SE +/- 0.86, N = 3
62.18
Core i5 3470
SE +/- 1.28, N = 3
81.17
Core i5 4670
SE +/- 0.70, N = 3
65.19
Core i5 6500
SE +/- 0.54, N = 3
67.41
Core i5 6600K
SE +/- 0.61, N = 3
58.19
Core i5 7600K
SE +/- 0.40, N = 3
57.63
Core i5 8400
SE +/- 0.36, N = 3
39.66
Core i7 4770K
SE +/- 0.05, N = 3
37.72
Core i7 7740X
SE +/- 0.14, N = 3
30.45
Core i7 8700K
SE +/- 0.49, N = 6
22.50
Athlon II 630
SE +/- 0.64, N = 3
115.61
Optiplex-390-i5-2320-ARCH
SE +/- 1.89, N = 3
96.49
Johns Ryzen 5 2400G
SE +/- 2.94, N = 6
48.47
Pentium G3220T
SE +/- 0.48, N = 3
173.69
Pentium G3220T /w Performance Scaling
SE +/- 0.49, N = 3
173.66
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.78, N = 3
51.06
THreadripper 1920
SE +/- 0.51, N = 3
30.26
40
80
120
160
200
1. (CC) gcc options: -lpthread



asmFish 2017-09-19
1024 Hash Memory, 26 Depth
Nodes/second, More Is Better
A10-7800
SE +/- 29142.75, N = 3
5433893
A10-7870K
SE +/- 79805.69, N = 3
6214006
FX-8350
SE +/- 41301.48, N = 3
11705326
Ryzen 3 1200
SE +/- 32851.54, N = 3
7323749
Ryzen 3 1300X
SE +/- 71539.42, N = 3
8286134
Ryzen 3 2200G
SE +/- 58465.70, N = 3
8579597
Ryzen 5 2400G
SE +/- 86758.86, N = 3
12356782
Ryzen 7 1700
SE +/- 134030.97, N = 3
20101605
Ryzen 7 1800X
SE +/- 185935.11, N = 3
22678479
Core i3 4130
SE +/- 1939.68, N = 3
4907458
Core i3 7100
SE +/- 43759.67, N = 3
6783028
Core i3 8100
SE +/- 92419.13, N = 3
9841586
Core i5 3470
SE +/- 121836.68, N = 4
7366182
Core i5 4670
SE +/- 120113.78, N = 3
9572744
Core i5 6500
SE +/- 48564.45, N = 3
8967523
Core i5 6600K
SE +/- 15680.79, N = 3
10051165
Core i5 7600K
SE +/- 40922.10, N = 3
10269351
Core i5 8400
SE +/- 151218.80, N = 3
15913582
Core i7 4770K
SE +/- 144340.27, N = 3
12321019
Core i7 7740X
SE +/- 107030.57, N = 3
15895869
Core i7 8700K
SE +/- 98474.23, N = 3
23437731
Athlon II 630
SE +/- 34422.88, N = 3
4868593
Optiplex-390-i5-2320-ARCH
SE +/- 37853.57, N = 3
7227979
Johns Ryzen 5 2400G
SE +/- 58907.95, N = 3
12420413
Pentium G3220T
SE +/- 27035.13, N = 3
3291552
Pentium G3220T /w Performance Scaling
SE +/- 1210.24, N = 3
3261490
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 119029.54, N = 3
9775629
THreadripper 1920
SE +/- 291179.90, N = 3
30041814
6M
12M
18M
24M
30M



x264 2018-02-05
H.264 Video Encoding
Frames Per Second, More Is Better
A10-7800
SE +/- 0.01, N = 3
15.61
A10-7870K
SE +/- 0.00, N = 3
17.58
FX-8350
SE +/- 0.03, N = 3
30.58
Ryzen 3 1200
SE +/- 0.33, N = 6
23.47
Ryzen 3 1300X
SE +/- 0.03, N = 3
27.33
Ryzen 3 2200G
SE +/- 0.02, N = 3
27.60
Ryzen 5 2400G
SE +/- 0.58, N = 4
34.75
Ryzen 7 1700
SE +/- 1.01, N = 4
60.90
Ryzen 7 1800X
SE +/- 0.22, N = 3
71.46
Core i3 4130
SE +/- 0.02, N = 3
15.47
Core i3 7100
SE +/- 0.02, N = 3
23.89
Core i3 8100
SE +/- 0.41, N = 6
30.42
Core i5 3470
SE +/- 1.49, N = 6
19.83
Core i5 4670
SE +/- 0.48, N = 4
28.16
Core i5 6500
SE +/- 0.06, N = 3
28.47
Core i5 6600K
SE +/- 0.03, N = 3
33.11
Core i5 7600K
SE +/- 0.01, N = 3
33.49
Core i5 8400
SE +/- 0.06, N = 3
56.11
Core i7 4770K
SE +/- 0.02, N = 3
37.64
Core i7 7740X
SE +/- 0.17, N = 3
49.95
Core i7 8700K
SE +/- 0.22, N = 3
72.96
Optiplex-390-i5-2320-ARCH
SE +/- 0.09, N = 3
17.64
Johns Ryzen 5 2400G
SE +/- 0.45, N = 3
39.50
Pentium G3220T
SE +/- 0.11, N = 3
12.18
Pentium G3220T /w Performance Scaling
SE +/- 0.01, N = 3
12.24
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.21, N = 3
30.23
THreadripper 1920
SE +/- 0.18, N = 3
106.57
20
40
60
80
100
1. (CC) gcc options: -ldl -m64 -lm -lpthread -O3 -ffast-math -std=gnu99 -fPIC -fomit-frame-pointer -fno-tree-vectorize



7-Zip Compression 9.20.1
Compress Speed Test
MIPS, More Is Better
A10-7800
SE +/- 88.29, N = 3
9983
A10-7870K
SE +/- 91.54, N = 3
11431
FX-8350
SE +/- 34.71, N = 3
22097
Ryzen 3 1200
12601
Ryzen 3 1300X
SE +/- 169.00, N = 3
15880
Ryzen 3 2200G
SE +/- 45.83, N = 3
15744
Ryzen 5 2400G
SE +/- 290.74, N = 4
17729
Ryzen 7 1700
SE +/- 101.52, N = 3
30627
Ryzen 7 1800X
SE +/- 276.94, N = 3
33022
Core i3 4130
SE +/- 63.52, N = 3
8992
Core i3 7100
SE +/- 6.03, N = 3
12896
Core i3 8100
SE +/- 21.39, N = 3
17221
Core i5 3470
SE +/- 216.64, N = 4
14100
Core i5 4670
SE +/- 81.66, N = 3
16595
Core i5 6500
SE +/- 7.62, N = 3
15116
Core i5 6600K
SE +/- 11.02, N = 3
18079
Core i5 7600K
SE +/- 31.22, N = 3
17727
Core i5 8400
SE +/- 36.34, N = 3
27028
Core i7 4770K
SE +/- 165.84, N = 3
21667
Core i7 7740X
SE +/- 483.48, N = 3
28952
Core i7 8700K
SE +/- 232.19, N = 3
39039
Athlon II 630
SE +/- 25.85, N = 3
8157
Optiplex-390-i5-2320-ARCH
SE +/- 9.29, N = 3
11874
Johns Ryzen 5 2400G
SE +/- 104.74, N = 3
18918
Pentium G3220T
SE +/- 30.77, N = 3
6110
Pentium G3220T /w Performance Scaling
SE +/- 79.25, N = 3
6108
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 190.62, N = 3
18386
THreadripper 1920
SE +/- 224.04, N = 3
51428
11K
22K
33K
44K
55K
1. (CXX) g++ options: -pipe -lpthread



Timed Linux Kernel Compilation 4.13
Time To Compile
Seconds, Fewer Is Better
A10-7800
SE +/- 1.55, N = 3
342.81
A10-7870K
SE +/- 1.88, N = 3
300.92
FX-8350
SE +/- 1.44, N = 3
167.85
Ryzen 3 1200
SE +/- 0.61, N = 3
484.57
Ryzen 3 1300X
SE +/- 0.68, N = 3
458.00
Ryzen 3 2200G
SE +/- 1.16, N = 3
201.48
Ryzen 5 2400G
SE +/- 1.10, N = 3
153.49
Ryzen 7 1700
SE +/- 1.22, N = 3
95.17
Ryzen 7 1800X
SE +/- 0.96, N = 3
85.22
Core i3 4130
SE +/- 1.26, N = 3
426.59
Core i3 7100
SE +/- 1.14, N = 3
246.44
Core i3 8100
SE +/- 0.96, N = 3
167.81
Core i5 3470
SE +/- 1.70, N = 3
264.97
Core i5 4670
SE +/- 1.24, N = 3
180.98
Core i5 6500
SE +/- 1.11, N = 3
181.66
Core i5 6600K
SE +/- 0.93, N = 3
158.43
Core i5 7600K
SE +/- 0.87, N = 3
157.58
Core i5 8400
SE +/- 1.06, N = 3
108.02
Core i7 4770K
SE +/- 0.91, N = 3
150.12
Core i7 7740X
SE +/- 0.59, N = 3
106.97
Core i7 8700K
SE +/- 2.28, N = 6
79.10
Athlon II 630
SE +/- 7.35, N = 3
401.51
Optiplex-390-i5-2320-ARCH
SE +/- 1.79, N = 3
286.83
Johns Ryzen 5 2400G
SE +/- 2.78, N = 3
163.41
Pentium G3220T
SE +/- 1.47, N = 3
500.66
Pentium G3220T /w Performance Scaling
SE +/- 1.13, N = 3
500.01
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.93, N = 3
184.59
THreadripper 1920
SE +/- 0.90, N = 3
59.55
110
220
330
440
550



Java JMH
Throughput
Ops/s, More Is Better
A10-7800 3487059908.24
A10-7870K 3894123975.29
FX-8350 8056296946.04
Ryzen 3 1200 6174078042.82
Ryzen 3 1300X 7169110974.22
Ryzen 3 2200G 7385107172.34
Ryzen 5 2400G 7405453444.91
Ryzen 7 1700 12783688167.02
Ryzen 7 1800X 14780854841.43
Core i3 4130 6739708280.86
Core i3 7100 7790129336.23
Core i3 8100 14382333764.73
Core i5 3470 12391166252.28
Core i5 4670 14337275794.99
Core i5 6500 13187679149.72
Core i5 6600K 15582092811.13
Core i5 7600K 15983591764.18
Core i5 8400 22775463201.25
Core i7 4770K 15499195578.84
Core i7 7740X 17920802344.24
Core i7 8700K 25756200607.80
Optiplex-390-i5-2320-ARCH 11941642502.18
Johns Ryzen 5 2400G 7540791805.64
Pentium G3220T 3290435517.97
Pentium G3220T /w Performance Scaling 3308623091.18
Xeon E3-1275L v3 /w Performance Scaling 7616483109.85
THreadripper 1920 22091449040.73
6000M
12000M
18000M
24000M
30000M



Open FMM Nero2D 2.0.2
Total Time
Seconds, Fewer Is Better
A10-7800
SE +/- 0.89, N = 3
280.43
A10-7870K
SE +/- 0.79, N = 3
251.40
FX-8350
SE +/- 1.23, N = 3
119.89
Ryzen 3 1200
SE +/- 0.20, N = 3
109.59
Ryzen 3 1300X
SE +/- 0.07, N = 3
94.39
Ryzen 3 2200G
SE +/- 0.18, N = 3
92.09
Ryzen 5 2400G
SE +/- 0.52, N = 3
90.56
Ryzen 7 1700
SE +/- 0.16, N = 3
57.48
Ryzen 7 1800X
SE +/- 0.31, N = 3
50.15
Core i3 4130
SE +/- 1.14, N = 3
209.51
Core i3 7100
SE +/- 0.34, N = 3
165.73
Core i3 8100
SE +/- 0.36, N = 3
92.61
Core i5 3470
SE +/- 1.82, N = 3
141.12
Core i5 4670
SE +/- 0.63, N = 3
102.83
Core i5 6500
SE +/- 0.09, N = 3
100.83
Core i5 6600K
SE +/- 0.21, N = 3
85.71
Core i5 7600K
SE +/- 0.33, N = 3
83.98
Core i5 8400
SE +/- 0.41, N = 3
61.04
Core i7 4770K
SE +/- 0.35, N = 3
98.21
Core i7 7740X
SE +/- 0.24, N = 3
76.36
Core i7 8700K
SE +/- 0.32, N = 3
54.98
Optiplex-390-i5-2320-ARCH
SE +/- 0.85, N = 3
153.93
Johns Ryzen 5 2400G
SE +/- 0.04, N = 3
87.41
Pentium G3220T
SE +/- 1.24, N = 3
274.45
Pentium G3220T /w Performance Scaling
SE +/- 4.64, N = 3
276.71
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.53, N = 3
127.92
THreadripper 1920
SE +/- 0.03, N = 3
35.85
60
120
180
240
300
1. (CXX) g++ options: -O2 -lfftw3 -llapack -lgfortran -lquadmath -lm -pthread -lmpi_cxx -lmpi



TTSIOD 3D Renderer 2.3a
Phong Rendering With Soft-Shadow Mapping
FPS, More Is Better
A10-7800
SE +/- 0.10, N = 3
67.42
A10-7870K
SE +/- 0.08, N = 3
82.93
FX-8350
SE +/- 0.85, N = 3
142.75
Ryzen 3 1200
SE +/- 0.49, N = 3
122.95
Ryzen 3 1300X
SE +/- 0.16, N = 3
134.97
Ryzen 3 2200G
SE +/- 0.83, N = 3
178.17
Ryzen 5 2400G
SE +/- 1.74, N = 3
211.60
Ryzen 7 1700
SE +/- 0.12, N = 3
274.64
Ryzen 7 1800X
SE +/- 0.35, N = 3
312.22
Core i3 4130
SE +/- 0.38, N = 3
73.55
Core i3 7100
SE +/- 0.20, N = 3
121.69
Core i3 8100
SE +/- 0.55, N = 3
168.27
Core i5 3470
SE +/- 1.47, N = 3
129.90
Core i5 4670
SE +/- 0.39, N = 3
155.77
Core i5 6500
SE +/- 0.11, N = 3
158.22
Core i5 6600K
SE +/- 1.24, N = 3
184.72
Core i5 7600K
SE +/- 0.22, N = 3
187.90
Core i5 8400
SE +/- 0.18, N = 3
263.63
Core i7 4770K
SE +/- 2.03, N = 3
204.31
Core i7 7740X
SE +/- 2.82, N = 3
277.43
Core i7 8700K
SE +/- 0.60, N = 3
391.67
Athlon II 630
SE +/- 0.91, N = 6
52.15
Optiplex-390-i5-2320-ARCH
SE +/- 0.16, N = 3
117.85
Johns Ryzen 5 2400G
SE +/- 0.50, N = 3
238.68
Pentium G3220T
SE +/- 0.30, N = 3
56.51
Pentium G3220T /w Performance Scaling
SE +/- 0.29, N = 3
56.55
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 1.33, N = 3
162.89
THreadripper 1920
SE +/- 0.34, N = 3
328.34
80
160
240
320
400
1. (CXX) g++ options: -O3 -fomit-frame-pointer -ffast-math -mtune=native -flto -msse -mrecip -mfpmath=sse -msse2 -lSDL -lstdc++



Timed MAFFT Alignment 6.864
Multiple Sequence Alignment
Seconds, Fewer Is Better
A10-7800
SE +/- 0.14, N = 3
11.96
A10-7870K
SE +/- 0.32, N = 6
10.40
FX-8350
SE +/- 0.05, N = 3
5.92
Ryzen 3 1200
SE +/- 0.01, N = 3
7.25
Ryzen 3 1300X
SE +/- 0.12, N = 6
5.99
Ryzen 3 2200G
SE +/- 0.13, N = 6
6.27
Ryzen 5 2400G
SE +/- 0.10, N = 6
5.73
Ryzen 7 1700
SE +/- 0.05, N = 6
4.26
Ryzen 7 1800X
SE +/- 0.02, N = 3
3.65
Core i3 4130
SE +/- 0.16, N = 6
10.45
Core i3 7100
SE +/- 0.01, N = 3
7.85
Core i3 8100
SE +/- 0.15, N = 6
5.71
Core i5 3470
SE +/- 0.03, N = 3
6.93
Core i5 4670
SE +/- 0.16, N = 6
5.85
Core i5 6500
SE +/- 0.12, N = 3
6.32
Core i5 6600K
SE +/- 0.08, N = 6
5.36
Core i5 7600K
SE +/- 0.03, N = 3
5.42
Core i5 8400
SE +/- 0.07, N = 6
3.68
Core i7 4770K
SE +/- 0.09, N = 6
4.88
Core i7 7740X
SE +/- 0.14, N = 6
3.97
Athlon II 630
SE +/- 0.33, N = 6
13.84
Optiplex-390-i5-2320-ARCH
SE +/- 0.12, N = 3
9.11
Johns Ryzen 5 2400G
SE +/- 0.04, N = 3
4.39
Pentium G3220T
SE +/- 0.04, N = 3
14.76
Pentium G3220T /w Performance Scaling
SE +/- 0.03, N = 3
14.78
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.12, N = 6
5.64
THreadripper 1920
SE +/- 0.09, N = 6
3.10
4
8
12
16
20
1. (CC) gcc options: -O3 -lm -lpthread



PyBench 2008-08-14
Total For Average Test Times
Milliseconds, Fewer Is Better
A10-7800
SE +/- 3.53, N = 3
2264
A10-7870K
SE +/- 5.00, N = 3
2028
FX-8350
SE +/- 1.53, N = 3
2048
Ryzen 3 1200
SE +/- 0.58, N = 3
1655
Ryzen 3 1300X
SE +/- 2.91, N = 3
1498
Ryzen 3 2200G
SE +/- 7.64, N = 3
1547
Ryzen 5 2400G
SE +/- 2.03, N = 3
1458
Ryzen 7 1700
SE +/- 1.45, N = 3
1518
Ryzen 7 1800X
SE +/- 3.21, N = 3
1395
Core i3 4130
SE +/- 2.73, N = 3
1565
Core i3 7100
SE +/- 1.15, N = 3
1237
Core i3 8100
SE +/- 1.00, N = 3
1340
Core i5 3470
SE +/- 4.04, N = 3
1723
Core i5 4670
1390
Core i5 6500
SE +/- 1.15, N = 3
1342
Core i5 6600K
SE +/- 0.88, N = 3
1239
Core i5 7600K
1149
Core i5 8400
SE +/- 2.73, N = 3
1209
Core i7 4770K
SE +/- 1.53, N = 3
1356
Core i7 7740X
SE +/- 0.58, N = 3
1075
Core i7 8700K
SE +/- 1.00, N = 3
1031
Athlon II 630
SE +/- 42.23, N = 3
4538
Pentium G3220T
2052
Pentium G3220T /w Performance Scaling
SE +/- 2.33, N = 3
2050
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 3.06, N = 3
1358
THreadripper 1920
SE +/- 8.01, N = 3
1380
1000
2000
3000
4000
5000



PHPBench 0.8.1
Performance / Cost - PHP Benchmark Suite
Score Per Dollar, More Is Better
Ryzen 3 1200
3480.18
Ryzen 3 1300X
3243.34
Ryzen 3 2200G
3024.07
Ryzen 5 2400G
2189.85
Ryzen 7 1700
1368.89
Ryzen 7 1800X
1235.27
Core i3 8100
4467.09
Core i5 8400
3114.97
Core i7 8700K
1889.87
1000
2000
3000
4000
5000
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.



NGINX Benchmark 1.9.9
Performance / Cost - Static Web Page Serving
Requests Per Second Per Dollar, More Is Better
Ryzen 3 1200
277.57
Ryzen 3 1300X
261.07
Ryzen 3 2200G
260.63
Ryzen 5 2400G
176.98
Ryzen 7 1700
103.18
Ryzen 7 1800X
94.45
Core i3 8100
305.13
Core i5 8400
214.46
Core i7 8700K
125.11
70
140
210
280
350
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.



Java JMH
Performance / Cost - Throughput
Ops/s Per Dollar, More Is Better
Ryzen 3 1200
58800743.26
Ryzen 3 1300X
57352887.79
Ryzen 3 2200G
57248892.81
Ryzen 5 2400G
39182293.36
Ryzen 7 1700
44234215.11
Ryzen 7 1800X
42352019.60
Core i3 8100
120859947.60
Core i5 8400
120505096.30
Core i7 8700K
71744291.39
30M
60M
90M
120M
150M
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.



LAME MP3 Encoding 3.100
WAV To MP3
Seconds, Fewer Is Better
A10-7800
SE +/- 0.06, N = 3
54.17
A10-7870K
SE +/- 0.03, N = 3
48.37
FX-8350
SE +/- 0.07, N = 3
47.03
Ryzen 3 1200
SE +/- 0.03, N = 3
39.68
Ryzen 3 1300X
SE +/- 0.06, N = 3
35.78
Ryzen 3 2200G
SE +/- 0.03, N = 3
37.13
Ryzen 5 2400G
SE +/- 0.02, N = 3
35.19
Ryzen 7 1700
SE +/- 0.00, N = 3
36.59
Ryzen 7 1800X
SE +/- 0.15, N = 3
33.50
Core i3 4130
SE +/- 0.68, N = 3
38.94
Core i3 7100
SE +/- 0.01, N = 3
31.08
Core i3 8100
SE +/- 0.01, N = 3
33.30
Core i5 3470
SE +/- 0.04, N = 3
37.36
Core i5 4670
SE +/- 0.01, N = 3
33.25
Core i5 6500
SE +/- 0.01, N = 3
33.51
Core i5 6600K
SE +/- 0.00, N = 3
30.95
Core i5 7600K
SE +/- 0.02, N = 3
28.77
Core i5 8400
SE +/- 0.00, N = 3
30.01
Core i7 4770K
SE +/- 0.08, N = 3
32.54
Core i7 7740X
SE +/- 0.13, N = 3
27.50
Core i7 8700K
SE +/- 0.20, N = 3
26.07
Athlon II 630
SE +/- 0.07, N = 3
80.20
Optiplex-390-i5-2320-ARCH
SE +/- 0.02, N = 3
47.24
Johns Ryzen 5 2400G
SE +/- 0.07, N = 3
35.97
Pentium G3220T
SE +/- 0.02, N = 3
48.17
Pentium G3220T /w Performance Scaling
SE +/- 0.02, N = 3
48.15
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.48, N = 3
33.48
THreadripper 1920
SE +/- 0.11, N = 3
34.64
20
40
60
80
100
1. (CC) gcc options: -lm



PHPBench 0.8.1
PHP Benchmark Suite
Score, More Is Better
A10-7800
SE +/- 3008.27, N = 3
303743
A10-7870K
SE +/- 3177.90, N = 3
336831
FX-8350
SE +/- 1729.48, N = 3
345560
Ryzen 3 1200
SE +/- 1430.99, N = 3
365419
Ryzen 3 1300X
SE +/- 2301.94, N = 3
405418
Ryzen 3 2200G
SE +/- 5439.02, N = 3
390105
Ryzen 5 2400G
SE +/- 3626.25, N = 3
413882
Ryzen 7 1700
SE +/- 2259.34, N = 3
395609
Ryzen 7 1800X
SE +/- 6930.39, N = 4
431108
Core i3 4130
SE +/- 8590.92, N = 6
429258
Core i3 7100
SE +/- 4297.10, N = 3
561562
Core i3 8100
SE +/- 417.97, N = 3
531584
Core i5 3470
SE +/- 3311.57, N = 3
362807
Core i5 4670
SE +/- 737.38, N = 3
512718
Core i5 6500
SE +/- 1590.98, N = 3
526913
Core i5 6600K
SE +/- 1124.12, N = 3
571880
Core i5 7600K
SE +/- 555.65, N = 3
616281
Core i5 8400
SE +/- 297.41, N = 3
588730
Core i7 4770K
SE +/- 9204.28, N = 3
506177
Core i7 7740X
SE +/- 6473.88, N = 3
644293
Core i7 8700K
SE +/- 4525.01, N = 3
678465
Athlon II 630
SE +/- 633.92, N = 3
239668
Optiplex-390-i5-2320-ARCH
SE +/- 1257.80, N = 3
343898
Johns Ryzen 5 2400G
SE +/- 940.16, N = 3
474711
Pentium G3220T
SE +/- 1065.99, N = 3
388482
Pentium G3220T /w Performance Scaling
SE +/- 368.09, N = 3
387823
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 2392.15, N = 3
572092
THreadripper 1920
SE +/- 3846.03, N = 3
500963
150K
300K
450K
600K
750K



NGINX Benchmark 1.9.9
Static Web Page Serving
Requests Per Second, More Is Better
A10-7800
SE +/- 77.47, N = 3
19113.27
A10-7870K
SE +/- 140.71, N = 3
21358.86
FX-8350
SE +/- 61.06, N = 3
19627.76
Ryzen 3 1200
SE +/- 277.67, N = 3
29144.73
Ryzen 3 1300X
SE +/- 37.17, N = 3
32633.19
Ryzen 3 2200G
33621.45
Ryzen 5 2400G
33449.57
Ryzen 7 1700
SE +/- 208.54, N = 3
29819.82
Ryzen 7 1800X
SE +/- 25.31, N = 3
32963.72
Core i3 4130
SE +/- 355.83, N = 3
20655.28
Core i3 7100
SE +/- 78.04, N = 3
36757.07
Core i3 8100
SE +/- 120.15, N = 3
36311.06
Core i5 3470
SE +/- 28.82, N = 3
20761.85
Core i5 4670
SE +/- 35.71, N = 3
35671.68
Core i5 6500
SE +/- 92.35, N = 3
34799.80
Core i5 6600K
SE +/- 170.41, N = 3
39233.65
Core i5 7600K
SE +/- 373.36, N = 3
40483.44
Core i5 8400
SE +/- 126.58, N = 3
40533.40
Core i7 4770K
SE +/- 83.02, N = 3
36373.84
Core i7 7740X
SE +/- 298.62, N = 3
45475.85
Core i7 8700K
SE +/- 745.48, N = 4
44915.57
Pentium G3220T
SE +/- 98.06, N = 3
22343.83
Pentium G3220T /w Performance Scaling
SE +/- 87.23, N = 3
22446.83
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 301.24, N = 3
33018.58
THreadripper 1920
SE +/- 69.24, N = 3
20709.21
10K
20K
30K
40K
50K
1. (CC) gcc options: -lpthread -lcrypt -lcrypto -lz -O3 -march=native



OpenSSL 1.1.0f
Performance / Cost - RSA 4096-bit Performance
Signs Per Second Per Dollar, More Is Better
Ryzen 3 1300X
5.68
Ryzen 3 2200G
5.69
Ryzen 5 2400G
4.20
Ryzen 7 1700
4.78
Ryzen 7 1800X
4.56
Core i3 8100
8.76
Core i5 8400
8.84
Core i7 8700K
5.51
2
4
6
8
10
1. Ryzen 3 1300X: $125 reported cost.
2. Ryzen 3 2200G: $129 reported cost.
3. Ryzen 5 2400G: $189 reported cost.
4. Ryzen 7 1700: $289 reported cost.
5. Ryzen 7 1800X: $349 reported cost.
6. Core i3 8100: $119 reported cost.
7. Core i5 8400: $189 reported cost.
8. Core i7 8700K: $359 reported cost.



Rodinia 2.4
Test: OpenMP LavaMD
Seconds, Fewer Is Better
A10-7800
SE +/- 0.20, N = 3
446.42
A10-7870K
SE +/- 0.86, N = 3
397.52
FX-8350
SE +/- 0.09, N = 3
211.52
Ryzen 3 1200
SE +/- 0.25, N = 3
258.67
Ryzen 3 1300X
SE +/- 0.22, N = 3
223.34
Ryzen 3 2200G
SE +/- 0.29, N = 3
217.13
Ryzen 5 2400G
SE +/- 0.14, N = 3
160.28
Ryzen 7 1700
SE +/- 0.08, N = 3
95.15
Ryzen 7 1800X
SE +/- 0.05, N = 3
82.39
Core i3 4130
SE +/- 0.30, N = 3
440.27
Core i3 7100
SE +/- 0.57, N = 3
354.52
Core i3 8100
SE +/- 0.03, N = 3
226.21
Core i5 3470
SE +/- 1.93, N = 3
400.13
Core i5 4670
SE +/- 0.13, N = 3
322.61
Core i5 6500
SE +/- 0.08, N = 3
246.20
Core i5 6600K
SE +/- 0.04, N = 3
208.84
Core i5 7600K
SE +/- 0.07, N = 3
203.35
Core i5 8400
SE +/- 0.05, N = 3
143.15
Core i7 4770K
SE +/- 0.03, N = 3
199.36
Core i7 7740X
SE +/- 0.78, N = 3
154.42
Core i7 8700K
SE +/- 0.08, N = 3
107.19
Athlon II 630
SE +/- 5.32, N = 3
633.77
Optiplex-390-i5-2320-ARCH
SE +/- 0.12, N = 3
442.10
Johns Ryzen 5 2400G
SE +/- 0.59, N = 3
162.36
Pentium G3220T
SE +/- 1.31, N = 3
892.29
Pentium G3220T /w Performance Scaling
SE +/- 0.36, N = 3
890.38
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.21, N = 3
245.35
THreadripper 1920
SE +/- 0.11, N = 3
59.67
200
400
600
800
1000
1. (CXX) g++ options:



NAS Parallel Benchmarks 3.3
Test / Class: EP.C
Total Mop/s, More Is Better
A10-7800
SE +/- 0.84, N = 3
83.11
A10-7870K
SE +/- 0.17, N = 3
92.05
FX-8350
SE +/- 2.04, N = 3
221.13
Ryzen 3 1200
SE +/- 0.38, N = 3
122.00
Ryzen 3 1300X
SE +/- 0.05, N = 3
141.62
Ryzen 3 2200G
SE +/- 0.24, N = 3
144.02
Ryzen 5 2400G
SE +/- 1.66, N = 3
293.90
Ryzen 7 1700
SE +/- 7.05, N = 3
489.65
Ryzen 7 1800X
SE +/- 1.24, N = 3
571.10
Core i3 4130
SE +/- 0.91, N = 3
143.51
Core i3 7100
SE +/- 0.83, N = 3
175.07
Core i3 8100
SE +/- 0.32, N = 3
202.48
Core i5 3470
SE +/- 0.41, N = 3
180.13
Core i5 4670
SE +/- 0.29, N = 3
198.48
Core i5 6500
SE +/- 0.12, N = 3
185.67
Core i5 6600K
SE +/- 0.16, N = 3
219.61
Core i5 7600K
SE +/- 0.23, N = 3
225.62
Core i5 8400
SE +/- 0.16, N = 3
321.50
Core i7 4770K
SE +/- 1.89, N = 3
331.54
Core i7 7740X
SE +/- 2.53, N = 3
394.63
Core i7 8700K
SE +/- 1.92, N = 3
577.05
Optiplex-390-i5-2320-ARCH
SE +/- 0.25, N = 3
106.00
Pentium G3220T
SE +/- 0.15, N = 3
72.26
Pentium G3220T /w Performance Scaling
SE +/- 0.14, N = 3
72.13
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 2.08, N = 3
275.85
THreadripper 1920
SE +/- 2.30, N = 3
901.52
200
400
600
800
1000
1. Open MPI 2.1.1



John The Ripper 1.8.0
Test: Blowfish
Real C/S, More Is Better
A10-7800
SE +/- 5.67, N = 3
3373
A10-7870K
SE +/- 1.67, N = 3
3775
FX-8350
SE +/- 21.71, N = 3
6826
Ryzen 3 1200
SE +/- 17.29, N = 3
3711
Ryzen 3 1300X
SE +/- 8.50, N = 3
4393
Ryzen 3 2200G
SE +/- 4.67, N = 3
4540
Ryzen 5 2400G
SE +/- 96.59, N = 6
6022
Ryzen 7 1700
SE +/- 50.04, N = 3
10431
Ryzen 7 1800X
SE +/- 7.54, N = 3
12445
Core i3 4130
3008
Core i3 7100
3859
Core i3 8100
SE +/- 5.20, N = 3
4411
Core i5 3470
SE +/- 47.17, N = 3
2992
Core i5 4670
SE +/- 4.33, N = 3
4080
Core i5 6500
SE +/- 2.67, N = 3
4046
Core i5 6600K
SE +/- 2.89, N = 3
4785
Core i5 7600K
4910
Core i5 8400
6998
Core i7 4770K
SE +/- 126.37, N = 3
6800
Core i7 7740X
8880
Core i7 8700K
12758
Athlon II 630
SE +/- 16.76, N = 3
2185
Optiplex-390-i5-2320-ARCH
2764
Johns Ryzen 5 2400G
SE +/- 18.55, N = 3
6357
Pentium G3220T
1471
Pentium G3220T /w Performance Scaling
SE +/- 1.00, N = 3
1469
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 75.64, N = 3
5043
THreadripper 1920
SE +/- 126.01, N = 3
17863
4K
8K
12K
16K
20K
1. (CC) gcc options: -fopenmp -lcrypt



POV-Ray 3.7.0.7
Trace Time
Seconds, Fewer Is Better
A10-7800
SE +/- 0.26, N = 3
270.86
A10-7870K
SE +/- 0.19, N = 3
242.07
FX-8350
SE +/- 0.24, N = 3
134.01
Ryzen 3 1200
SE +/- 0.13, N = 3
181.19
Ryzen 3 1300X
SE +/- 0.16, N = 3
156.29
Ryzen 3 2200G
SE +/- 0.35, N = 3
153.63
Ryzen 5 2400G
SE +/- 0.17, N = 3
107.39
Ryzen 7 1700
SE +/- 0.02, N = 3
64.40
Ryzen 7 1800X
SE +/- 0.05, N = 3
56.21
Core i3 4130
SE +/- 0.24, N = 3
267.70
Core i3 7100
SE +/- 0.09, N = 3
200.73
Core i3 8100
SE +/- 0.07, N = 3
139.02
Core i5 3470
SE +/- 3.30, N = 3
228.83
Core i5 4670
SE +/- 0.08, N = 3
147.13
Core i5 6500
SE +/- 0.07, N = 3
149.84
Core i5 6600K
SE +/- 0.06, N = 3
126.84
Core i5 7600K
SE +/- 0.67, N = 3
125.90
Core i5 8400
SE +/- 0.04, N = 3
87.94
Core i7 4770K
SE +/- 0.17, N = 3
131.09
Core i7 7740X
SE +/- 0.06, N = 3
87.94
Core i7 8700K
SE +/- 0.06, N = 3
60.96
Optiplex-390-i5-2320-ARCH
SE +/- 1.18, N = 3
228.08
Johns Ryzen 5 2400G
SE +/- 0.98, N = 3
108.18
Pentium G3220T
SE +/- 0.09, N = 3
439.57
Pentium G3220T /w Performance Scaling
SE +/- 0.27, N = 3
439.09
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.10, N = 3
166.12
THreadripper 1920
SE +/- 0.03, N = 3
36.15
100
200
300
400
500
1. (CXX) g++ options: -pipe -O3 -ffast-math -march=native -pthread -lSDL -lSM -lICE -lX11 -ltiff -ljpeg -lpng -lz -lrt -lm -lboost_thread -lboost_system



C-Ray 1.1
Total Time
Seconds, Fewer Is Better
A10-7800
SE +/- 0.02, N = 3
61.75
A10-7870K
SE +/- 0.03, N = 3
55.09
FX-8350
SE +/- 0.01, N = 3
28.01
Ryzen 3 1200
SE +/- 0.01, N = 3
24.95
Ryzen 3 1300X
SE +/- 0.00, N = 3
21.50
Ryzen 3 2200G
SE +/- 0.08, N = 3
21.07
Ryzen 5 2400G
SE +/- 0.16, N = 3
19.48
Ryzen 7 1700
SE +/- 0.00, N = 3
11.23
Ryzen 7 1800X
SE +/- 0.01, N = 3
9.70
Core i3 4130
SE +/- 0.06, N = 3
54.28
Core i3 7100
SE +/- 0.02, N = 3
41.97
Core i3 8100
SE +/- 0.02, N = 3
24.65
Core i5 3470
SE +/- 0.31, N = 3
39.00
Core i5 4670
SE +/- 0.01, N = 3
27.40
Core i5 6500
SE +/- 0.02, N = 3
26.97
Core i5 6600K
SE +/- 0.02, N = 3
22.83
Core i5 7600K
SE +/- 0.01, N = 3
22.25
Core i5 8400
SE +/- 0.01, N = 3
15.57
Core i7 4770K
SE +/- 0.01, N = 3
24.51
Core i7 7740X
SE +/- 0.16, N = 3
18.69
Core i7 8700K
SE +/- 0.01, N = 3
12.78
Athlon II 630
SE +/- 0.04, N = 3
58.80
Optiplex-390-i5-2320-ARCH
SE +/- 0.03, N = 3
44.69
Johns Ryzen 5 2400G
SE +/- 0.21, N = 3
19.18
Pentium G3220T
SE +/- 0.01, N = 3
76.02
Pentium G3220T /w Performance Scaling
SE +/- 0.01, N = 3
76.01
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 0.29, N = 3
31.46
THreadripper 1920
SE +/- 0.01, N = 3
6.54
20
40
60
80
100
1. (CC) gcc options: -lm -lpthread -O3



OpenSSL 1.1.0f
RSA 4096-bit Performance
Signs Per Second, More Is Better
A10-7800
SE +/- 1.70, N = 3
299.73
A10-7870K
SE +/- 1.05, N = 3
339.70
FX-8350
SE +/- 0.56, N = 3
705.20
Ryzen 3 1300X
SE +/- 18.43, N = 6
710.53
Ryzen 3 2200G
SE +/- 4.62, N = 3
734.20
Ryzen 5 2400G
SE +/- 9.70, N = 3
793.80
Ryzen 7 1700
SE +/- 0.78, N = 3
1380.13
Ryzen 7 1800X
SE +/- 1.09, N = 3
1592.87
Core i3 4130
SE +/- 0.03, N = 3
308.97
Core i3 7100
SE +/- 1.07, N = 3
597.13
Core i3 8100
SE +/- 12.97, N = 3
1042.83
Core i5 3470
SE +/- 8.23, N = 6
499.23
Core i5 4670
SE +/- 0.83, N = 3
645.10
Core i5 6500
SE +/- 12.36, N = 3
942.73
Core i5 6600K
SE +/- 0.03, N = 3
1143.33
Core i5 7600K
SE +/- 18.27, N = 3
1147.73
Core i5 8400
SE +/- 0.36, N = 3
1671.20
Core i7 4770K
SE +/- 0.20, N = 3
689.30
Core i7 7740X
SE +/- 20.41, N = 3
1312.90
Core i7 8700K
SE +/- 1.48, N = 3
1979.57
Athlon II 630
SE +/- 0.59, N = 3
317.37
Optiplex-390-i5-2320-ARCH
SE +/- 0.03, N = 3
413.27
Johns Ryzen 5 2400G
SE +/- 1.76, N = 3
826.33
Pentium G3220T
SE +/- 0.22, N = 3
232.93
Pentium G3220T /w Performance Scaling
SE +/- 0.07, N = 3
232.97
Xeon E3-1275L v3 /w Performance Scaling
SE +/- 8.05, N = 3
534.63
THreadripper 1920
SE +/- 0.60, N = 3
2388.40
500
1000
1500
2000
2500
1. (CC) gcc options: -O3 -pthread -m64 -lssl -lcrypto -ldl



x264 2018-02-05
Performance / Cost - H.264 Video Encoding
Frames Per Second Per Dollar, More Is Better
Ryzen 3 1200
0.22
Ryzen 3 1300X
0.22
Ryzen 3 2200G
0.21
Ryzen 5 2400G
0.18
Ryzen 7 1700
0.21
Ryzen 7 1800X
0.20
Core i3 8100
0.26
Core i5 8400
0.30
Core i7 8700K
0.20
0.0675
0.135
0.2025
0.27
0.3375
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.


TTSIOD 3D Renderer 2.3a
Performance / Cost - Phong Rendering With Soft-Shadow Mapping
FPS Per Dollar, More Is Better
Ryzen 3 1200
1.17
Ryzen 3 1300X
1.08
Ryzen 3 2200G
1.38
Ryzen 5 2400G
1.12
Ryzen 7 1700
0.95
Ryzen 7 1800X
0.89
Core i3 8100
1.41
Core i5 8400
1.39
Core i7 8700K
1.09
0.3173
0.6346
0.9519
1.2692
1.5865
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.


7-Zip Compression 9.20.1
Performance / Cost - Compress Speed Test
MIPS Per Dollar, More Is Better
Ryzen 3 1200
120.01
Ryzen 3 1300X
127.04
Ryzen 3 2200G
122.05
Ryzen 5 2400G
93.80
Ryzen 7 1700
105.98
Ryzen 7 1800X
94.62
Core i3 8100
144.71
Core i5 8400
143.01
Core i7 8700K
108.74
30
60
90
120
150
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.


NAS Parallel Benchmarks 3.3
Performance / Cost - Test / Class: EP.C
Total Mop/s Per Dollar, More Is Better
Ryzen 3 1200
1.16
Ryzen 3 1300X
1.13
Ryzen 3 2200G
1.12
Ryzen 5 2400G
1.56
Ryzen 7 1700
1.69
Ryzen 7 1800X
1.64
Core i3 8100
1.70
Core i5 8400
1.70
Core i7 8700K
1.61
0.3825
0.765
1.1475
1.53
1.9125
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.


asmFish 2017-09-19
Performance / Cost - 1024 Hash Memory, 26 Depth
Nodes/second Per Dollar, More Is Better
Ryzen 3 1200
69749.99
Ryzen 3 1300X
66289.07
Ryzen 3 2200G
66508.50
Ryzen 5 2400G
65379.80
Ryzen 7 1700
69555.73
Ryzen 7 1800X
64981.32
Core i3 8100
82702.40
Core i5 8400
84198.85
Core i7 8700K
65286.16
20K
40K
60K
80K
100K
1. Ryzen 3 1200: $105 reported cost.
2. Ryzen 3 1300X: $125 reported cost.
3. Ryzen 3 2200G: $129 reported cost.
4. Ryzen 5 2400G: $189 reported cost.
5. Ryzen 7 1700: $289 reported cost.
6. Ryzen 7 1800X: $349 reported cost.
7. Core i3 8100: $119 reported cost.
8. Core i5 8400: $189 reported cost.
9. Core i7 8700K: $359 reported cost.



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 07:54.