

www.phoronix-test-suite.com

lol

Intel Core i7-4790 testing with a Gigabyte P85-D3 (FD BIOS) and Sapphire AMD Radeon R7 370 / R9 270/370 OEM 2048MB on CentOS Linux 7 via the Phoronix Test Suite.

Test Systems:

lol

Processor: Intel Core i7-4790 @ 4.00GHz (4 Cores / 8 Threads), Motherboard: Gigabyte P85-D3 (FD BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 2 x 8192 MB DDR3-1600MHz, Disk: 120GB OCZ VERTEX460, Graphics: Sapphire AMD Radeon R7 370 / R9 270/370 OEM 2048MB (300/150MHz), Audio: Creative Labs CA0106/CA0111, Monitor: 919, Network: Intel 82574L Gigabit Connection

OS: CentOS Linux 7, Kernel: 3.10.0-693.21.1.el7.x86_64 (x86_64), Display Server: X Server 1.19.3, Display Driver: radeon 7.7.99, OpenGL: 4.5 Mesa 17.0.1 Gallium 0.4 (LLVM 3.9.1), Compiler: GCC 4.8.5 20150623, File-System: xfs, Screen Resolution: 1280x1024


Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR

lol

Security Notes: SELinux + KPTI + Load fences + Retpoline without IBPB Protection

	lol
Xonotic - 1280 x 1024 - Low (FPS)	243.79
Standard Deviation	0.9%

lol



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 13:55.