

www.phoronix-test-suite.com

1

1

Test Systems:

1


Processor: AMD Phenom II X6 1100T @ 3.30GHz (6 Cores), Motherboard: ASUS Crosshair III Formula (2003 BIOS), Chipset: AMD RD790 + SB7x0/SB8x0/SB9x0, Memory: 32768MB, Disk: 120GB Samsung SSD 750 + 4001GB Hitachi HDS5C404 + 1000GB Seagate ST1000VN000-1HJ1 + 2 x 1000GB Seagate ST1000NC000-1CX1, Graphics: Sapphire AMD Radeon RX 580 8192MB, Audio: Analog Devices AD1989B, Monitor: SyncMaster, Network: Realtek RTL8111/8168/8411

OS: ManjaroLinux 17.1.11, Kernel: 4.14.52-1-MANJARO (x86_64), Desktop: KDE Plasma 5.13.2, Display Server: X Server 1.19.6, Display Driver: modesetting 1.19.6, OpenGL: 4.5 Mesa 18.2.0-devel (git-99c6cae227) (LLVM 7.0.0), Compiler: GCC 8.1.1 20180531 + LLVM 7.0.0svn, File-System: f2fs, Screen Resolution: 1680x1050

Processor Notes: Scaling Governor: acpi-cpufreq schedutil
Graphics Notes: GLAMOR

Security Notes: __user pointer sanitization + Full AMD retpoline Protection

	1
GpuTest - Furmark - 1680 x 1050 - Fullscreen (Points)	7015
x11perf - 5.P.S (Operations / Second)	902
Standard Deviation	2.5%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 02:24.