

www.phoronix-test-suite.com

iozone

iozone

Test Systems:

iozone

Processor: Intel Core i5-4210U @ 2.70GHz (2 Cores / 4 Threads), Motherboard: HP 2212 v86.26 (F.16 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 4096MB, Disk: 240GB TOSHIBA-TL100, Graphics: NVIDIA GeForce 820M 2048MB (719/1001MHz), Audio: Intel Haswell-ULT HD Audio, Network: Realtek RTL8101/2/6E + Realtek RTL8188EE Wireless

OS: Ubuntu 18.04, Kernel: 4.17.0-041700-generic (x86_64), Desktop: Budgie, Display Server: X Server 1.19.6, Display Driver: NVIDIA 390.67, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 1366x768


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-as=/usr/bin/x86_64-linux-gnu-as --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-ld=/usr/bin/x86_64-linux-gnu-ld --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: CFQ / errors=remount-ro,relatime,rw

iozone

Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW Protection

	iozone
IOzone - 4Kb - 512MB - Write Performance (MB/s)	420.08
Standard Deviation	2.8%

iozone



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 07:02.