

www.phoronix-test-suite.com

MintOpenArena

Intel Core i7-2600K testing with a ASRock Z68 Extreme4 Gen3 (P1.00 BIOS) and MSI NVIDIA GeForce GTX 1070 8192MB on LinuxMint 19 via the Phoronix Test Suite.

Test Systems:

Linux Mint Open Arena


Processor: Intel Core i7-2600K @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASRock Z68 Extreme4 Gen3 (P1.00 BIOS), Chipset: Intel 2nd Generation Core Family DRAM, Memory: 16384MB, Disk: 500GB Samsung SSD 850 + 250GB Samsung SSD 840 + 320GB Western Digital WD3200YS-01P + 2000GB Western Digital WD20EADS-00S + 1000GB Elements 10A8 + 1000GB Western Digital WD1000FYPS-0 + 1500GB Western Digital WD15EADS-00R, Graphics: MSI NVIDIA GeForce GTX 1070 8192MB (1632/4050MHz), Audio: Realtek ALC892, Monitor: PL2776HD, Network: Broadcom Limited NetLink BCM57781 Gigabit PCIe

OS: LinuxMint 19, Kernel: 4.15.0-24-generic (x86_64), Desktop: Cinnamon 3.8.7, Display Server: X Server 1.19.6, Display Driver: NVIDIA 396.24.02, OpenGL: 4.6.0, Compiler: GCC 7.3.0 + Clang 6.0.0-1ubuntu2 + CUDA 9.0, File-System: ext4, Screen Resolution: 1920x1080

MintOpenArena

Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW Protection

	Linux Mint Open Arena
OpenArena - 1920 x 1080 (FPS)	249.63
Standard Deviation	1.4%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 09:49.