



Core i9 7960X Linux 5.0 Kernel Benchmarks

Linux 4.12 to Linux 5.0 kernel benchmarks on an Intel Core i9 7960X. Benchmarks by Michael Larabel.

Automated Executive Summary

Linux 4.12 had the most wins, coming in first place for 30% of the tests.

Based on the geometric mean of all complete results, the fastest (Linux 4.13) was 1.07x the speed of the slowest (Linux 4.19). Linux 4.14 was 0.991x the speed of Linux 4.13, Linux 4.12 was 0.981x the speed of Linux 4.14, Linux 5.0 Git was 0.971x the speed of Linux 4.12, Linux 4.20 was 0.998x the speed of Linux 5.0 Git, Linux 4.16 was 0.999x the speed of Linux 4.20, Linux 4.17 was 0.995x the speed of Linux 4.16, Linux 4.15 was 1x the speed of Linux 4.17, Linux 4.18 was 0.999x the speed of Linux 4.15, Linux 4.19 was 1x the speed of Linux 4.18.

The results with the greatest spread from best to worst included:

*Stress-NG (Test: Context Switching) at 8.331x
ctx_clock (Context Switch Time) at 4.29x
Systemd Total Boot Time (Test: Kernel) at 3.287x
Stress-NG (Test: System V Message Passing) at 1.875x
Sockperf (Test: Throughput) at 1.697x
OSBench (Test: Create Threads) at 1.646x
Stress-NG (Test: Socket Activity) at 1.576x*

Hackbench (Count: 32 - Type: Process) at 1.469x

GNU Octave Benchmark at 1.461x

OSBench (Test: Create Processes) at 1.306x.

Test Systems:

Linux 4.12

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.12.0-041200-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch=32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system=zlib --with-tune=generic --without-cuda-driver -v

Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

Graphics Notes: GLAMOR

Python Notes: Python 2.7.15+ + Python 3.6.7

Linux 4.13

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.13.0-041300-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch=32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system=zlib --with-tune=generic --without-cuda-driver -v

Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

Graphics Notes: GLAMOR

Python Notes: Python 2.7.15+ + Python 3.6.7

Linux 4.14

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS

VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.14.0-041400-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR
Python Notes: Python 2.7.15+ + Python 3.6.7

Linux 4.15

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.15.0-041500-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR
Python Notes: Python 2.7.15+ + Python 3.6.7
Security Notes: KPTI + Full generic retpoline

Linux 4.16

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.16.0-041600-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / data=ordered,errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR
Python Notes: Python 2.7.15+ + Python 3.6.7
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW

Linux 4.17

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.17.0-041700-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR
Python Notes: Python 2.7.15+ + Python 3.6.7
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW + SSB disabled via prctl and seccomp

Linux 4.18

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.18.0-041800-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR
Python Notes: Python 2.7.15+ + Python 3.6.7
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW + SSB disabled via prctl and seccomp

Linux 4.19

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.19.0-041900-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / errors=remount-ro,relatime,rw
Processor Notes: Scaling Governor: intel_pstate powersave
Graphics Notes: GLAMOR

Python Notes: Python 2.7.15+ + Python 3.6.7

Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT vulnerable

Linux 4.20

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 4.20.0-042000-generic (x86_64), Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch=32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Disk Notes: NONE / errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

Graphics Notes: GLAMOR

Python Notes: Python 2.7.15+ + Python 3.6.7

Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT vulnerable

Linux 5.0 Git

Processor: Intel Core i9-7960X @ 4.40GHz (16 Cores / 32 Threads), Motherboard: MSI X299 SLI PLUS (MS-7A93) v1.0 (1.A0 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: Gigabyte AMD Radeon RX 550/550X 2GB (1206/1750MHz), Audio: Realtek ALC1220, Monitor: ASUS VP28U, Network: Intel I219-V + Intel I211

OS: Ubuntu 18.10, Kernel: 5.0.0-999-generic (x86_64) 20190217, Desktop: GNOME Shell 3.30.1, Display Server: X Server 1.20.1, Display Driver: modesetting 1.20.1, OpenGL: 4.5 Mesa 18.2.2 (LLVM 7.0.0), Compiler: GCC 8.2.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch=32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Disk Notes: NONE / errors=remount-ro,relatime,rw

Processor Notes: Scaling Governor: intel_pstate powersave

Graphics Notes: GLAMOR

Python Notes: Python 2.7.15+ + Python 3.6.7

Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT vulnerable

	Linux 4.12	Linux 4.13	Linux 4.14	Linux 4.15	Linux 4.16	Linux 4.17	Linux 4.18	Linux 4.19	Linux 4.20	Linux 5.0 Git
Stress-NG - Forking	96634	103143	96693	92400	91597	91170	90244	97350	93872	92840
(Bogo Ops/s)										
Normalized	93.69%	100%	93.75%	89.58%	88.81%	88.39%	87.49%	94.38%	91.01%	90.01%

Core i9 7960X Linux 5.0 Kernel Benchmarks

Standard Deviation	0.3%	0.3%	1.5%	1%	1.2%	0.7%	1.7%	0.4%	0.5%	0.4%
Stress-NG - Semaphores (Bogo Ops/s)	3544177	3021911	3149801	3170972	3125260	3029755	3124404	3124139	2965774	3116617
Normalized	100%	85.26%	88.87%	89.47%	88.18%	85.49%	88.16%	88.15%	83.68%	87.94%
Standard Deviation	1.6%	1.9%	1.2%	0.3%	0.3%	2.4%	2.5%	1.7%	1.7%	1.8%
Stress-NG - Socket Activity (Bogo Ops/s)	16352	15660	14206	10375	10957	10984	10849	10545	15252	15636
Normalized	100%	95.77%	86.88%	63.45%	67.01%	67.17%	66.35%	64.49%	93.27%	95.62%
Standard Deviation	5.4%	2.5%	3.3%	2.3%	2.3%	2.2%	2.8%	1.7%	10.3%	8%
Stress-NG - Context Switching (Bogo Ops/s)	2313307	1504818	9280054	1370403	1362400	1510955	1514364	1552505	1901069	1927273
Normalized	12%	78.08%	48.15%	71.11%	70.69%	78.4%	78.58%	80.55%	98.64%	100%
Standard Deviation	0.6%	23%	14.4%	1.8%	1.6%	0.9%	0.5%	0.8%	0.3%	0.2%
Stress-NG - S.V.M.P (Bogo Ops/s)	8222695	1461829	9809250	8120291	1005583	7989215	8224598	8250516	8158439	7796583
Normalized	56.25%	100%	67.1%	55.55%	68.79%	54.65%	56.26%	56.44%	55.81%	53.33%
Standard Deviation	0.2%	0.3%	0.4%	0.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%
FS-Mark - 5.F.1.S.4.T (Files/s)	111	118	121	116	116	115	109	101	109	120
Normalized	91.74%	97.52%	100%	95.87%	95.87%	95.04%	90.08%	83.47%	90.08%	99.17%
Standard Deviation	2.5%	7.2%	8.2%	7.5%	7.5%	10.9%	10.9%	7.8%	13.3%	4.8%
FS-Mark - 4.F.3.S.D.1.S (Files/s)	68.56	68.84	68.49	68.88	70.25	66.93	68.77	66.62	68.24	67.65
Normalized	97.59%	97.99%	97.49%	98.05%	100%	95.27%	97.89%	94.83%	97.14%	96.3%
Standard Deviation	15.7%	13%	10.9%	12.3%	16.3%	5.7%	10.6%	4.7%	16%	15.5%
BlogBench - Read (Final Score)	1441338	1277929	1435431	1433530	1368724	1281157	1413307	1380708	1239923	1335880
Normalized	100%	88.66%	99.59%	99.46%	94.96%	88.89%	98.06%	95.79%	86.03%	92.68%
Standard Deviation	6.5%	10.9%	12.1%	14.9%	12.4%	12.2%	6.8%	11.7%	9.6%	12%
BlogBench - Write (Final Score)	7450	8340	8076	7848	7357	7772	7614	7531	7716	7437
Normalized	89.33%	100%	96.83%	94.1%	88.21%	93.19%	91.29%	90.3%	92.52%	89.17%
Standard Deviation	3.6%	3.1%	3.8%	2.5%	2.6%	3.2%	2%	2.5%	1.6%	3.8%
TTSIOD 3D Renderer - P.R.W.S.S.M (FPS)	672	663	660	661	660	661	660	660	661	658
Normalized	100%	98.66%	98.21%	98.36%	98.21%	98.36%	98.21%	98.21%	98.36%	97.92%
Standard Deviation	4.6%	4.5%	4.5%	0.1%	0.4%	0.5%	0.7%	0.4%	0.1%	0.2%
Optcarrot - O.B (FPS)	135	134	136	129	131	137	138	136	137	136
Normalized	97.83%	97.1%	98.55%	93.48%	94.93%	99.28%	100%	98.55%	99.28%	98.55%
Standard Deviation	4.4%	2.2%	0.4%	1.4%	0.4%	0.2%	0.5%	0.8%	0.9%	1.7%
Tesseract - 3840 x 2160 (FPS)	72.31	72.16	72.42	70.37	70.97	71.35	71.10	71.23	71.22	70.92
Normalized	99.85%	99.64%	100%	97.17%	98%	98.52%	98.18%	98.36%	98.34%	97.93%
Standard Deviation	0.3%	0.3%	0.5%	0.2%	0.3%	0.4%	0.2%	1%	1.7%	0.3%

Core i9 7960X Linux 5.0 Kernel Benchmarks

Xonotic - 3840 x 2160 - Ultimate (FPS)	66.51	66.54	66.80	64.08	64.44	64.52	64.47	64.88	64.69	64.59
Normalized	99.57%	99.61%	100%	95.93%	96.47%	96.59%	96.51%	97.13%	96.84%	96.69%
Standard Deviation	0.1%	0.3%	0.2%	0.3%	0.5%	0.2%	0.3%	0.5%	0.2%	0.4%
SVT-HEVC - 1.8.b.Y.T.H.V.E (FPS)	299	306	307	296	294	295	296	296	295	295
Normalized	97.39%	99.67%	100%	96.42%	95.77%	96.09%	96.42%	96.42%	96.09%	96.09%
Standard Deviation	12.8%	1.9%	2.2%	1.9%	2%	1.4%	1.6%	2.1%	2.2%	1.9%
SVT-VP9 - 1.8.b.Y.T.V.V.E (FPS)	317	295	313	298	299	300	297	299	299	299
Normalized	100%	93.06%	98.74%	94.01%	94.32%	94.64%	93.69%	94.32%	94.32%	94.32%
Standard Deviation	3.4%	17.4%	3.4%	3.4%	3.2%	3.3%	3.4%	3.2%	3%	3.2%
x264 - H.2.V.E (FPS)	137	137	138	132	132	133	133	133	134	135
Normalized	99.28%	99.28%	100%	95.65%	95.65%	96.38%	96.38%	96.38%	97.1%	97.83%
Standard Deviation	4%	3.9%	3.7%	3.2%	3.4%	2.2%	1.5%	3.4%	1.1%	0.1%
x265 - H.2.1.V.E (FPS)	51.49	50.90	50.84	50.81	51.04	51.15	51.31	51.33	51.23	51.51
Normalized	99.96%	98.82%	98.7%	98.64%	99.09%	99.3%	99.61%	99.65%	99.46%	100%
Standard Deviation	5.5%	5.9%	5.7%	0.1%	0.5%	0.6%	0.3%	0.1%	0.2%	0.7%
Cryptsetup - PBKDF2-sha512 (Iterations/sec)	1609799	1581770	1578102	1587255	1593588	1679542	1686718	1668836	1681349	1677741
Normalized	95.44%	93.78%	93.56%	94.1%	94.48%	99.57%	100%	98.94%	99.68%	99.47%
Standard Deviation	4.5%	6.5%	6.4%	1%	0.3%	0.5%	0.1%	0.4%	0.6%	0.4%
Cryptsetup - PBKDF2-whirlpool (Iterations/sec)	951646	957561	965007	938463	952595	983045	983042	984270	982426	983042
Normalized	96.69%	97.29%	98.04%	95.35%	96.78%	99.88%	99.88%	100%	99.81%	99.88%
Standard Deviation	3.3%	3.6%	3.5%	0.1%	2.8%	0.3%	0.2%	0.1%	0.1%	0.2%
Cryptsetup - PBKDF2-whirlpool (Iterations/sec)	960188	930854	936410	939024	937905	981821	984270	979372	982426	
Normalized	97.55%	94.57%	95.14%	95.4%	95.29%	99.75%	100%	99.5%	99.81%	
Standard Deviation	2.7%	6.1%	5.9%	0.1%	0.2%	0.4%	0.1%	0.3%	0.1%	
IndigoBench - Bedroom (M samples/s)	2.33	2.31	2.31	2.31	2.31	2.30	2.30	2.30	2.30	2.30
Normalized	100%	99.14%	99.14%	99.14%	99.14%	98.71%	98.71%	98.71%	98.71%	98.71%
Standard Deviation	0.1%	1.3%	1.3%	0.1%	0.2%	0.2%	0.1%	0%	0%	0.1%
IndigoBench - Supercar (M samples/s)	5.72	5.45	5.45	5.50	5.50	5.50	5.49	5.50	5.48	5.51
Normalized	100%	95.28%	95.28%	96.15%	96.15%	96.15%	95.98%	96.15%	95.8%	96.33%
Standard Deviation	0.4%	0.2%	0.1%	0.1%	0.2%	0.1%	0.1%	0.3%	0.3%	0.1%
Compile Bench - Compile (MB/s)	934	937	937	849	844	843	855	847	854	855
Normalized	99.68%	100%	100%	90.61%	90.07%	89.97%	91.25%	90.39%	91.14%	91.25%
Standard Deviation	5.4%	2.8%	5.6%	3.7%	5%	3.2%	3.3%	3.2%	2.6%	3.8%

Core i9 7960X Linux 5.0 Kernel Benchmarks

Compile Bench - 626	682	643	518	549	613	586	555	625	627
Initial Create (MB/s)									
Normalized	91.79%	100%	94.28%	75.95%	80.5%	89.88%	85.92%	81.38%	91.64%
Standard Deviation	9.8%	9.2%	11.2%	10.8%	8%	6.1%	6.5%	5%	2.2%
Sockperf - 774467	757001	789092	594603	643361	627930	614978	585818	464981	464915
Throughput (Messages/sec)									
Normalized	98.15%	95.93%	100%	75.35%	81.53%	79.58%	77.93%	74.24%	58.93%
Standard Deviation	1.5%	1.8%	2.5%	1.4%	3.3%	1.9%	1.7%	2.7%	2%
LuaJIT - Composite 1568	1612	1517	1544	1529	1593	1591	1592	1592	1593
(Mflops)									
Normalized	97.27%	100%	94.11%	95.78%	94.85%	98.82%	98.7%	98.76%	98.76%
Standard Deviation	0.8%	1.9%	1.6%	0.3%	0.1%	0.1%	0.1%	0.1%	0.2%
Himeno Benchmark 2859	2869	2822	2943	2924	3056	3043	3054	3043	3041
- P.P.S (MFLOPS)									
Normalized	93.55%	93.88%	92.34%	96.3%	95.68%	100%	99.57%	99.93%	99.57%
Standard Deviation	0.5%	1.9%	1%	0.2%	1.3%	0.1%	0.2%	0.4%	0.6%
LeelaChessZero - 279	284	283	269	267	273	272	272	271	273
BLAS (Nodes/s)									
Normalized	98.24%	100%	99.65%	94.72%	94.01%	96.13%	95.77%	95.77%	95.42%
Standard Deviation	0%	1.8%	0.9%	3.3%	1.1%	2%	1.8%	1%	1.4%
ebizzy (Records/s) 457858	478703	469816	470012	489375	458116	492589	479383	482232	478733
Normalized	92.95%	97.18%	95.38%	95.42%	99.35%	93%	100%	97.32%	97.9%
Standard Deviation	9%	7.3%	7.1%	5.4%	3.4%	0.7%	1.6%	2.4%	7.7%
Node.js Express 11545	11599	11761	10657	10498	10545	10624	10443	10312	10361
HTTP Load Test (Reqs/sec)									
Normalized	98.16%	98.62%	100%	90.61%	89.26%	89.66%	90.33%	88.79%	87.68%
Standard Deviation	0.6%	1.1%	1.3%	1.5%	0.9%	1.3%		0.6%	0.9%
Node.js Octane 41724	45257	39198	43277	44320	45868	45929	45808	46166	45881
Benchmark (Score)									
Normalized	90.38%	98.03%	84.91%	93.74%	96%	99.35%	99.49%	99.22%	100%
Standard Deviation	9.7%	3.1%	11.5%	3.2%	0.4%	0.5%	0.5%	0.5%	0.5%
PHPBench - P.B.S 687767	657535	648147	668188	673483	703272	702188	705017	702192	703748
(Score)									
Normalized	97.55%	93.27%	91.93%	94.78%	95.53%	99.75%	99.6%	100%	99.6%
Standard Deviation	1.7%	8.2%	7.9%	1.4%	0.4%	0.2%	0%	0.2%	0.8%
OpenSSL - R.4.b.P 4597	4609	4602	4424	4417	4401	4408	4413	4419	4404
(Signs/sec)									
Normalized	99.74%	100%	99.85%	95.99%	95.83%	95.49%	95.64%	95.75%	95.88%
Standard Deviation	0%	0.1%	0.1%	0%	0.3%	0.2%	0.2%	0.1%	0.2%
NAS Parallel 654	654	653	615	621	627	622	626	626	628
Benchmarks - EP.C (Mop/s)									
Normalized	100%	100%	99.85%	94.04%	94.95%	95.87%	95.11%	95.72%	95.72%
Standard Deviation	0.2%	0.2%	0.1%	0.2%	0.3%	0.2%	1.4%	0.2%	0.3%
NAS Parallel 6441	5404	5449	5172	5199	5311	5204	5256	5352	5181
Benchmarks - FT.A (Mop/s)									
Normalized	100%	83.9%	84.6%	80.3%	80.72%	82.46%	80.79%	81.6%	83.09%
Standard Deviation	0%	0.7%	0.2%	0.4%	0.7%	0.3%	0.6%	0.2%	1.1%

Core i9 7960X Linux 5.0 Kernel Benchmarks

NAS Parallel Benchmarks - LU.C (Mop/s)	11085	11108	11091	9912	10344	10669	10657	10655	10655	10654
Normalized	99.79%	100%	99.85%	89.23%	93.12%	96.05%	95.94%	95.92%	95.92%	95.91%
Standard Deviation	0.1%	0.1%	0.2%	0.5%	1.1%	0%	0.1%	0.1%	0.1%	0.3%
NAS Parallel Benchmarks - SP.A (Mop/s)	452	452	452	433	434	435	433	434	434	434
Normalized	100%	100%	100%	95.8%	96.02%	96.24%	95.8%	96.02%	96.02%	96.02%
Standard Deviation	0.1%	0.1%	0%	0.2%	0.1%	0.1%	0.2%	0.1%	0.1%	0.1%
PostgreSQL pgbench - Buffer Test - Normal Load - Read Only (TPS)	513316	527596	514126	483791	481499	481641	486733	484720	476537	471254
Normalized	97.29%	100%	97.45%	91.7%	91.26%	91.29%	92.25%	91.87%	90.32%	89.32%
Standard Deviation	0.5%	0.8%	0.4%	0.3%	0.7%	0.3%	0.7%	0.4%	1.6%	1.6%
BRL-CAD - V.P.M (VGR Performance Metric)	197740	195417	195636	190789	189766	191202	189662	189338	189860	191503
Normalized	100%	98.83%	98.94%	96.48%	95.97%	96.69%	95.91%	95.75%	96.01%	96.85%
ctx_clock - C.S.T (Clocks)	107	119	115	449	459	418	422	422	407	403
Normalized	100%	89.92%	93.04%	23.83%	23.31%	25.6%	25.36%	25.36%	26.29%	26.55%
Standard Deviation	3.4%	3.4%	1.7%	0.3%	0.3%				0.2%	
NAMD - ATPase Simulation - 327,506 Atoms	1.02607	1.06390	1.07717	1.06693	1.06728	1.06732	1.06739	1.06557	1.06267	1.06771
Normalized	100%	96.44%	95.26%	96.17%	96.14%	96.14%	96.13%	96.29%	96.56%	96.1%
Standard Deviation	0.3%	6.8%	7.3%	0%	0.1%	0.1%	0.2%	0.1%	0%	0.2%
PyBench - T.F.A.T.T (Milliseconds)	953	960	955	998	997	952	955	949	950	947
Normalized	99.37%	98.65%	99.16%	94.89%	94.98%	99.47%	99.16%	99.79%	99.68%	100%
Standard Deviation	0.4%	0.3%	0.4%	0.5%	0.4%	0.5%	0.3%	0.3%	0.3%	0.7%
Systemd Total Boot Time - Kernel (ms)	7554	5053	2711	2433	2298	5780	5340	5615	5330	5278
Normalized	30.42%	45.48%	84.77%	94.45%	100%	39.76%	43.03%	40.93%	43.11%	43.54%
Systemd Total Boot Time - Firmware (ms)	26400	26452	26416	26636	26383	26395	26454	26384	26381	26407
Normalized	99.93%	99.73%	99.87%	99.04%	99.99%	99.95%	99.72%	99.99%	100%	99.9%
DaCapo Benchmark - H2	3028	2901	2946	3011	3054	3090	3008	3069	2982	3136
Normalized	95.81%	100%	98.47%	96.35%	94.99%	93.88%	96.44%	94.53%	97.28%	92.51%
Standard Deviation	11.8%	2.6%	2%	2.6%	2.9%	4.3%	1.7%	2.5%	1.6%	3.1%
DaCapo Benchmark -	3257	3435	3270	3427	3427	3451	3458	3441	3422	3449
Normalized	100%	94.82%	99.6%	95.04%	95.04%	94.38%	94.19%	94.65%	95.18%	94.43%
Standard Deviation	0.5%	13.9%	1%	0.7%	1%	1.5%	0.9%	0.9%	0.8%	0.8%
DaCapo Benchmark -	3103	3170	3375	3232	3270	3272	3282	3217	3222	3235
Normalized	100%	97.89%	91.94%	96.01%	94.89%	94.83%	94.55%	96.46%	96.31%	95.92%
Standard Deviation	11.1%	10.4%	16.2%	1.3%	2.1%	2.1%	1.3%	1.9%	3.1%	3.4%

Core i9 7960X Linux 5.0 Kernel Benchmarks

DaCapo	2986	2852	2836	3004	3006	3040	3035	3065	3085	3068
Benchmark -										
Normalized	94.98%	99.44%	100%	94.41%	94.34%	93.29%	93.44%	92.53%	91.93%	92.44%
Standard Deviation	18.4%	1.3%	1.3%	1.2%	1.1%	1.8%	2.5%	1.2%	1.9%	0.3%
OSBench - Memory	67.08	65.82	65.97	72.14	72.69	71.63	71.53	72.08	71.62	71.79
Allocations										
(Ns/Event)										
Normalized	98.12%	100%	99.77%	91.24%	90.55%	91.89%	92.02%	91.32%	91.9%	91.68%
Standard Deviation	3.4%	0.3%	0.5%	0.2%	0.5%	0.5%	0.1%	0.2%	0.1%	0.1%
SQLite - T.S.I (sec)	13.95	14.00	14.26	16.00	15.77	14.75	14.72	15.06	16.61	12.51
Normalized	89.68%	89.36%	87.73%	78.19%	79.33%	84.81%	84.99%	83.07%	75.32%	100%
Standard Deviation	16.2%	19.1%	11.8%	34.7%	24.2%	30.9%	37.9%	11.9%	23.5%	21.5%
Parboil - OpenMP	70.80	71.31	71.37	71.08	71.10	71.05	71.06	70.83	70.78	70.74
LBM (sec)										
Normalized	99.92%	99.2%	99.12%	99.52%	99.49%	99.56%	99.55%	99.87%	99.94%	100%
Standard Deviation	0.1%	1.1%	1.1%	0%	0%	0%	0%	0%	0.1%	0%
Parboil - OpenMP	2.42	2.39	2.40	2.50	2.50	2.49	2.51	2.49	2.51	2.51
CUTCP (sec)										
Normalized	98.76%	100%	99.58%	95.6%	95.6%	95.98%	95.22%	95.98%	95.22%	95.22%
Standard Deviation	1.2%	0.2%	0.5%	1%	0.4%	0.4%	0.3%	0.6%	0.5%	0.8%
Parboil - OpenMP	7.28	7.76	7.11	7.47	7.45	7.43	7.41	7.80	7.74	7.86
Stencil (sec)										
Normalized	97.66%	91.62%	100%	95.18%	95.44%	95.69%	95.95%	91.15%	91.86%	90.46%
Standard Deviation	1.6%	6.9%	1.6%	0.8%	0.4%	1.2%	0.9%	1.1%	2.9%	2.4%
Rodinia - OpenMP	21.43	21.36	21.49	21.76	21.30	21.35	21.45	21.50	21.36	21.32
LavaMD (sec)										
Normalized	99.39%	99.72%	99.12%	97.89%	100%	99.77%	99.3%	99.07%	99.72%	99.91%
Standard Deviation	3.1%	3.3%	3.3%	2.2%	0.2%	0.5%	0.4%	0.9%	0.2%	0.1%
Rodinia - OpenMP	12.28	12.29	12.22	12.40	12.33	12.29	12.31	12.33	12.28	12.24
CFD Solver (sec)										
Normalized	99.51%	99.43%	100%	98.55%	99.11%	99.43%	99.27%	99.11%	99.51%	99.84%
Standard Deviation	5.9%	5.7%	5.6%	0.9%	0.2%	0.3%	0.6%	0.1%	0.6%	0.4%
Timed HMMer	4.42	4.21	4.41	4.42	4.46	4.32	4.35	4.32	4.33	4.28
Search - P.D.S (sec)										
Normalized	95.25%	100%	95.46%	95.25%	94.39%	97.45%	96.78%	97.45%	97.23%	98.36%
Standard Deviation	11.9%	0.9%	11.9%	1.6%	1.2%	1.3%	1.1%	1.1%	1.9%	1.5%
Timed MAFFT	2.11	2.07	2.37	2.20	2.20	2.17	2.21	2.29	2.22	2.21
Alignment - M.S.A										
(sec)										
Normalized	98.1%	100%	87.34%	94.09%	94.09%	95.39%	93.67%	90.39%	93.24%	93.67%
Standard Deviation	3.5%	0.2%	22.7%	0.5%	0.8%	0.4%	3.5%	7.6%	4.4%	0.2%
Timed Linux Kernel	43.41	43.95	44.17	45.05	44.66	44.83	44.94	44.91	44.80	45.27
Compilation - Time										
To Compile (sec)										
Normalized	100%	98.77%	98.28%	96.36%	97.2%	96.83%	96.6%	96.66%	96.9%	95.89%
Standard Deviation	3.6%	3.3%	3.3%	3.3%	3%	3.2%	2.6%	3%	3.1%	3.2%
Timed LLVM	246	236	233	248	240	247	249	251	252	250
Compilation - Time										
To Compile (sec)										
Normalized	94.72%	98.73%	100%	93.95%	97.08%	94.33%	93.57%	92.83%	92.46%	93.2%

Core i9 7960X Linux 5.0 Kernel Benchmarks

Rust Mandelbrot - T.T.C.S.P.M (sec)	46.20	46.66	47.14	45.84	45.74	44.08	44.14	44.15	44.27	44.12
Normalized	95.41%	94.47%	93.51%	96.16%	96.37%	100%	99.86%	99.84%	99.57%	99.91%
Standard Deviation	3.2%	1.3%	2.1%	0.2%	0%	0%	0.1%	0%	0.4%	0%
Rust Prime Benchmark - P.N.T.T.2.0.0 (sec)	6.64	6.75	6.64	6.69	6.68	6.68	6.69	6.69	6.69	6.69
Normalized	100%	98.37%	100%	99.25%	99.4%	99.4%	99.25%	99.25%	99.25%	99.25%
Standard Deviation	7.9%	9%	7.9%	0.1%	0%	0%	0%	0.2%	0%	0.1%
XZ Compression - C.u.1.0.3.s.i.i.C.L.9 (sec)	85.07	86.30	86.20	85.18	84.58	85.50	84.98	85.51	85.55	85.27
Normalized	99.42%	98.01%	98.12%	99.3%	100%	98.92%	99.53%	98.91%	98.87%	99.19%
Standard Deviation	0.6%	0.9%	1.6%	0.5%	0.5%	0.1%	0.8%	0.5%	0.1%	0.3%
Zstd Compression - C.u.1.0.3.s.i.i.C.L.1 (sec)	10.45	10.56	10.47	10.59	10.53	10.57	10.53	10.58	10.60	10.61
Normalized	100%	98.96%	99.81%	98.68%	99.24%	98.86%	99.24%	98.77%	98.58%	98.49%
Standard Deviation	5.8%	6.5%	5.6%	0.4%	0.6%	0.3%	0.8%	0.4%	0.5%	0.3%
dav1d - Summer Nature 4K (sec)	21.97	21.46	21.97	21.84	21.89	21.74	21.72	21.72	21.77	21.77
Normalized	97.68%	100%	97.68%	98.26%	98.04%	98.71%	98.8%	98.8%	98.58%	98.58%
Standard Deviation	3.4%	3.4%	3.1%	0.2%	0.4%	0.6%	0.4%	0.6%	0.6%	0.6%
dav1d - S.N.1 (sec)	7.67	7.65	7.68	7.68	7.70	7.64	7.65	7.66	7.66	7.65
Normalized	99.61%	99.87%	99.48%	99.48%	99.22%	100%	99.87%	99.74%	99.74%	99.87%
Standard Deviation	8.1%	8.2%	8.2%	1.1%	0.8%	0.9%	0.8%	1%	1.1%	0.9%
Hackbench - 32 Process (sec)	33.91	33.40	33.55	45.78	46.37	49.06	49.07	48.21	48.03	47.28
Normalized	98.5%	100%	99.55%	72.96%	72.03%	68.08%	68.07%	69.28%	69.54%	70.64%
Standard Deviation	0.3%	2.7%	0.3%	0.1%	0.3%	2.4%	2.8%	0.3%	2.7%	0.1%
Darktable - Boat CPU-only (sec)	8.18	7.76	8.20	8.08	8.07	8.07	8.05	8.05	8.05	8.05
Normalized	94.87%	100%	94.63%	96.04%	96.16%	96.16%	96.4%	96.4%	96.4%	96.4%
Standard Deviation	7.4%	0.1%	8.2%	0.1%	0.1%	0.2%	0.3%	0.2%	0.2%	0.1%
Darktable - Masskrug CPU-only (sec)	4.14	4.13	3.93	4.11	4.11	4.03	4.02	4.03	4.01	4.03
Normalized	94.93%	95.16%	100%	95.62%	95.62%	97.52%	97.76%	97.52%	98%	97.52%
Standard Deviation	12.4%	13.1%	1%	0.2%	0.3%	0.4%	0.3%	0.7%	0.5%	1%
Darktable - Server Rack - CPU-only (sec)	0.11	0.12	0.11	0.12	0.12	0.12	0.13	0.12	0.13	0.12
Normalized	100%	91.67%	100%	91.67%	91.67%	91.67%	84.62%	91.67%	84.62%	91.67%
Standard Deviation	0.5%	1%	0.5%	1.3%	0.5%	3.9%	7.1%	2%	5%	0.5%
Darktable - Server Room - CPU-only (sec)	2.73	2.54	2.54	2.64	2.64	2.64	2.62	2.63	2.63	2.63
Normalized	93.04%	100%	100%	96.21%	96.21%	96.21%	96.95%	96.58%	96.58%	96.58%
Standard Deviation	19.3%	0.2%	0.3%	0.2%	0.2%	0.3%	0.7%	0.3%	0.5%	0.2%
GIMP - resize (sec)	9.00	9.04	9.00	9.47	9.50	9.18	9.25	9.21	9.12	9.20
Normalized	100%	99.56%	100%	95.04%	94.74%	98.04%	97.3%	97.72%	98.68%	97.83%
Standard Deviation	6.6%	6.8%	6.9%	0.7%	1.6%	1.2%	1.7%	1.1%	1.1%	2%

Core i9 7960X Linux 5.0 Kernel Benchmarks


GIMP - rotate (sec)	12.55	12.98	13.06	13.64	13.60	13.60	13.61	13.62	13.57	13.62
Normalized	100%	96.69%	96.09%	92.01%	92.28%	92.28%	92.21%	92.14%	92.48%	92.14%
Standard Deviation	0.2%	4.7%	5.1%	0.2%	0.3%	0.4%	0.1%	0.3%	0.2%	0.1%
GIMP - auto-levels (sec)	14.78	14.90	14.98	15.59	15.60	15.07	15.12	15.13	15.05	15.20
Normalized	100%	99.19%	98.66%	94.8%	94.74%	98.08%	97.75%	97.69%	98.21%	97.24%
Standard Deviation	4.7%	4.7%	4.7%	0.1%	0.1%	0.1%	0.2%	0.5%	0.3%	1%
GIMP - unsharp-mask (sec)	18.81	18.89	18.77	19.70	19.73	18.92	18.96	19.13	18.92	18.96
Normalized	99.79%	99.36%	100%	95.28%	95.13%	99.21%	99%	98.12%	99.21%	99%
Standard Deviation	3.7%	3.7%	3.8%	0.2%	0.3%	0.5%	0.2%	0.3%	0.1%	0.1%
GNU Octave Benchmark (sec)	12.28	16.77	17.04	17.84	17.94	17.51	17.51	17.81	17.55	17.41
Normalized	100%	73.23%	72.07%	68.83%	68.45%	70.13%	70.13%	68.95%	69.97%	70.53%
Standard Deviation	5.5%	4.4%	4.4%	1%	0.4%	0.3%	0.1%	0.2%	0.5%	0.3%
Blender - BMW27 - CPU-Only (sec)	119	124	123	123	123	123	123	123	123	123
Normalized	100%	95.97%	96.75%	96.75%	96.75%	96.75%	96.75%	96.75%	96.75%	96.75%
Blender - Barbershop - CPU-Only (sec)	577	578	578	579	578	578	578	578	578	578
Normalized	100%	99.83%	99.83%	99.65%	99.83%	99.83%	99.83%	99.83%	99.83%	99.83%
Tesseract OCR - T.T.O.7.I (sec)	26.89	26.73	27.42	26.75	26.77	26.35	26.37	26.34	26.31	26.59
Normalized	97.84%	98.43%	95.95%	98.36%	98.28%	99.85%	99.77%	99.89%	100%	98.95%
Standard Deviation	0.7%	3.3%	1.6%	0.3%	0.3%	0.1%	0.3%	0.3%	0.2%	1.4%
OSBench - Create Files (us/Event)	10.80	10.44	10.42	12.72	12.52	12.32	12.28	12.33	12.23	12.35
Normalized	96.48%	99.81%	100%	81.92%	83.23%	84.58%	84.85%	84.51%	85.2%	84.37%
Standard Deviation	2.8%	0.7%	2.1%	0.5%	2.2%	0.4%	0.6%	0.2%	0.3%	0.8%
OSBench - Create Threads (us/Event)	10.48	9.87	11.33	15.27	15.04	16.22	16.25	13.36	13.49	13.40
Normalized	94.18%	100%	87.11%	64.64%	65.63%	60.85%	60.74%	73.88%	73.17%	73.66%
Standard Deviation	9.9%	1.1%	0.7%	2.7%	0.6%	2.5%	2.6%	0.4%	0.4%	0.8%
OSBench - Launch Programs	29.02	28.69	29.65	32.57	34.30	35.23	35.48	34.26	34.96	35.55
Normalized	98.86%	100%	96.76%	88.09%	83.64%	81.44%	80.86%	83.74%	82.07%	80.7%
Standard Deviation	1%	0.6%	0.8%	1.9%	3.3%	0.8%	0.8%	0.7%	0.4%	0.8%
OSBench - Create Processes (us/Event)	22.57	23.05	23.57	28.79	28.98	29.16	29.09	29.19	29.48	29.31
Normalized	100%	97.92%	95.76%	78.4%	77.88%	77.4%	77.59%	77.32%	76.56%	77%
Standard Deviation	2.2%	2.3%	3%	1.4%	3.4%	0.8%	0.5%	3.9%	1.4%	1.7%
Sockperf - Latency Ping Pong (usec)	3.60	3.38	3.51	4.23	4.03	4.01	4.21	4.16	3.88	3.96
Normalized	93.89%	100%	96.3%	79.91%	83.87%	84.29%	80.29%	81.25%	87.11%	85.35%
Standard Deviation	2.1%	2.1%	2.2%	1.5%	1.6%	1.1%	1.5%	1%	1.2%	1.3%
Sockperf - Latency Under Load (usec)	29.52	29.84	29.24	31.32	32.68	32.19	33.94	32.45	26.39	31.61
Normalized	89.4%	88.44%	90.25%	84.26%	80.75%	81.98%	77.75%	81.33%	100%	83.49%
Standard Deviation	32.3%	22.1%	27.4%	22.5%	19.4%	20.6%	5.8%	22%	40.4%	31.6%

Core i9 7960X Linux 5.0 Kernel Benchmarks


Schbench - 8 - 4	101	101	100	105	104	106	107	108	108	110
(usec, 99.9th Latency Percentile)										
Normalized	99.01%	99.01%	100%	95.24%	96.15%	94.34%	93.46%	92.59%	92.59%	90.91%
Standard Deviation	3.3%		4%	2%	1.9%		0.5%	1.1%	1.9%	3.5%

Stress-NG 0.07.26

Test: Forking




1. (CC) gcc options: -O2 -std=gnu99 -lm -lz -lcrypt -lrt -lpthread -laio -lc



Stress-NG 0.07.26


Test: Socket Activity




1. (CC) gcc options: -O2 -std=gnu99 -lm -lz -lcrypt -lrt -lpthread -laio -lc

Stress-NG 0.07.26

Test: Context Switching




1. (CC) gcc options: -O2 -std=gnu99 -lm -lz -lcrypt -lrt -lpthread -laio -lc



FS-Mark 3.3

Test: 5000 Files, 1MB Size, 4 Threads




1. (CC) gcc options: -static

FS-Mark 3.3

Test: 4000 Files, 32 Sub Dirs, 1MB Size


Files/s, More Is Better



1. (CC) gcc options: -static

BlogBench 1.1


Test: Read



1. (CC) gcc options: -O2 -pthread


BlogBench 1.1

Test: Write




1. (CC) gcc options: -O2 -pthread

TTSIOD 3D Renderer 2.3b Phong Rendering With Soft-Shadow Mapping



Optcarrot


Optimized Benchmark



1. ruby 2.5.1p57 (2018-03-29 revision 63029) [x86_64-linux-gnu]


Tesseract 2014-05-12

Resolution: 3840 x 2160




Xonotic 0.8.2

Resolution: 3840 x 2160 - Effects Quality: Ultimate



SVT-HEVC 2019-02-03


1080p 8-bit YUV To HEVC Video Encode



1. (CC) gcc options: -fPIE -fPIC -O2 -fno -fvisibility=hidden -march=native -pie -rdynamic -lpthread -lrt

SVT-VP9 2019-02-17

1080p 8-bit YUV To VP9 Video Encode




1. (CC) gcc options: -fPIE -fPIC -O2 -fno -fvisibility=hidden -mavx -pie -rdynamic -lpthread -lrt -lm

x264 2018-09-25

H.264 Video Encoding

► Frames Per Second, More Is Better




1. (CC) gcc options: -ldl -m64 -lm -lpthread -O3 -ffast-math -std=gnu99 -fPIC -fomit-frame-pointer -fno-tree-vectorize

x265 3.0

H.265 1080p Video Encoding


► Frames Per Second, More Is Better



1. (CXX) g++ options: -O3 -rdynamic -lpthread -lrt -ldl -lnuma


Cryptsetup 2.0.4


PBKDF2-sha512



Cryptsetup


PBKDF2-whirlpool






IndigoBench 4.0.64

Scene: Bedroom




IndigoBench 4.0.64

Scene: Supercar




Compile Bench 0.6

Test: Compile




Compile Bench 0.6

Test: Initial Create



Sockperf 3.4


Test: Throughput




1. (CXX) g++ options: -param -O3 -rdynamic -ldl -lpthread

LuajIT 2.1-git

Test: Composite




1, (CC) gcc options: -lm -ldl -O2 -fomit-frame-pointer -U_FORTIFY_SOURCE -fno-stack-protector




LeelaChessZero 0.20.1


Backend: BLAS





1. (CXX) g++ options: -lpthread



Node.js Express HTTP Load Test








OpenSSL 1.1.1


RSA 4096-bit Performance



1. (CC) gcc options: -pthread -m64 -O3 -lssl -lcrypto -ldl

NAS Parallel Benchmarks 3.3.1


Test / Class: EP.C



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

NAS Parallel Benchmarks 3.3.1


Test / Class: FT.A



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

NAS Parallel Benchmarks 3.3.1


Test / Class: LU.C




1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi


NAS Parallel Benchmarks 3.3.1

Test / Class: SP.A



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi






ctx_clock

Context Switch Time


◀ Cycles, Fewer Is Better



NAMD 2.13b1


ATPase Simulation - 327,506 Atoms

◀ days/ns, Fewer Is Better




PyBench 2018-02-16

Total For Average Test Times




Systemd Total Boot Time

Test: Kernel




Systemd Total Boot Time

Test: Firmware




DaCapo Benchmark 9.12-MR1

Java Test: H2




DaCapo Benchmark 9.12-MR1

Java Test: Jython




DaCapo Benchmark 9.12-MR1

Java Test: Tradesoap



DaCapo Benchmark 9.12-MR1


Java Test: Tradebeans




OSBench

Test: Memory Allocations

◀ Ns Per Event, Fewer Is Better




1, (CC) gcc options: -lm



Parboil 2.5

Test: OpenMP LBM

Seconds, Fewer Is Better




1. (CXX) g++ options: -lm -lpthread -lgomp -O3 -ffast-math -fopenmp

Parboil 2.5

Test: OpenMP CUTCP


Seconds, Fewer Is Better



1. (CXX) g++ options: -lm -lpthread -lgomp -O3 -ffast-math -fopenmp

Parboil 2.5

Test: OpenMP Stencil




1. (CXX) g++ options: -lm -lpthread -lgomp -O3 -ffast-math -fopenmp

Rodinia 2.4

Test: OpenMP LavaMD

Seconds, Fewer Is Better




1. (CXX) g++ options: -O2 -fOpenCL

Rodinia 2.4

Test: OpenMP CFD Solver

Seconds, Fewer Is Better




1. (CXX) g++ options: -O2 -fOpenCL

Timed HMMer Search 2.3.2

Pfam Database Search

Seconds, Fewer Is Better




1. (CC) gcc options: -O2 -pthread -lhmm -lsquid -lm

Timed MAFFT Alignment 7.392

Multiple Sequence Alignment

◀ Seconds, Fewer Is Better




1. (CC) gcc options: -std=c99 -O3 -lm -lpthread

Timed Linux Kernel Compilation 4.18

Time To Compile


Seconds, Fewer Is Better



Timed LLVM Compilation 6.0.1

Time To Compile


Seconds, Fewer Is Better



Rust Mandelbrot

Time To Complete Serial/Parallel Mandelbrot

Seconds, Fewer Is Better




1. (CC) gcc options: -m64 -pie -nodefaultlibs -lutil -ldl -lrt -lpthread -lgcc_s -lc -lm

Rust Prime Benchmark

Prime Number Test To 200,000,000


Seconds, Fewer Is Better



1. (CC) gcc options: -m64 -pie -nodefaultlibs -ldl -lrt -lpthread -lgcc_s -lc -lm -lutil

XZ Compression 5.2.4


Compressing ubuntu-16.04.3-server-i386.img, Compression Level 9



1. (CC) gcc options: -pthread -fvisibility=hidden -O2

Zstd Compression 1.3.4

Compressing ubuntu-16.04.3-server-i386.img, Compression Level 19




1. (CC) gcc options: -O3 -pthread -lz

dav1d 0.1

Video Input: Summer Nature 4K

Seconds, Fewer Is Better




1. (CC) gcc options: -pthread


dav1d 0.1

Video Input: Summer Nature 1080p

Seconds, Fewer Is Better




1. (CC) gcc options: -pthread



Darktable 2.4.4

Test: Boat - Acceleration: CPU-only


◀ Seconds, Fewer Is Better



Darktable 2.4.4


Test: Masskrug - Acceleration: CPU-only

◀ Seconds, Fewer Is Better




Darktable 2.4.4

Test: Server Rack - Acceleration: CPU-only




Darktable 2.4.4

Test: Server Room - Acceleration: CPU-only




GIMP 2.10.6

Test: resize




GIMP 2.10.6

Test: rotate




GIMP 2.10.6

Test: auto-levels




GIMP 2.10.6

Test: unsharp-mask




GNU Octave Benchmark 4.4.1



Blender 2.79a


Blend File: BMW27 - Compute: CPU-Only



Blender 2.79a

Blend File: Barbershop - Compute: CPU-Only

Seconds, Fewer Is Better





Tesseract OCR 4.0.0-beta.3-249-g607e


Time To OCR 7 Images


Seconds, Fewer Is Better
















Sockperf 3.4


Test: Latency Under Load




1. (CXX) g++ options: -param -O3 -rdynamic -ldl -lpthread




These geometric means are based upon test groupings / test suites for this result file.




Geometric mean based upon tests: pts/himeno, pts/hmmer and pts/mafft




Geometric mean based upon tests: pts/build-linux-kernel and pts/build-llvm




Geometric mean based upon tests: pts/mafft, pts/himeno, pts/hmmer, pts/build-llvm, pts/pgbench, pts/dav1d, pts/x264, pts/x265, pts/compress-xz, pts/compress-zstd, pts/openssl and pts/svt-vp9




Geometric mean based upon tests: pts/compress-zstd and pts/compress-xz




Geometric mean based upon tests: pts/blender, pts/ttsiod-renderer, pts/indigobench, system/tesseract-ocr, pts/svt-vp9, pts/svt-hevc, pts/x264, pts/x265, pts/dav1d, system/gimp, system/darktable, pts/luajit and pts/brl-cad




Geometric mean based upon tests: pts/openssl and system/cryptsetup




Geometric mean based upon tests: pts/sqlite and pts/pgbench




Geometric mean based upon tests: pts/xonotic and pts/tesseract




Geometric mean based upon tests: pts/sqlite, pts/fs-mark and pts/compilebench




Geometric mean based upon tests: pts/svt-vp9, pts/svt-hevc, pts/x264, pts/x265 and pts/dav1d




Geometric mean based upon tests: pts/luajit and pts/blender




Geometric mean based upon tests: pts/npb, pts/rodinia, pts/parboil, system/octave-benchmark, pts/namd, pts/himeno, pts/hmmer, pts/mafft and pts/lczero




Geometric mean based upon tests: system/gimp and system/darktable




Geometric mean based upon tests: pts/pgbench, pts/openssl, pts/ctx-clock, pts/hackbench, pts/schbench, pts/stress-ng and pts/osbench




Geometric mean based upon tests: pts/rodinia, pts/lczero, pts/indigobench and pts/blender




Geometric mean based upon tests: pts/rodinia, pts/parboil and system/darktable




Geometric mean based upon tests: pts/npb, pts/parboil and pts/rodinia




Geometric mean based upon tests: system/octave-benchmark and system/gimp




Geometric mean based upon tests: pts/compress-zstd, pts/pybench, system/cryptsetup, pts/build-linux-kernel and pts/build-llvm




Geometric mean based upon tests: pts/compilebench, pts/pybench, pts/systemd-boot-total, pts/parboil and pts/build-llvm




Geometric mean based upon tests: pts/blender, pts/ttsiod-renderer and pts/indigobench




Geometric mean based upon tests: pts/rust-mandel and pts/rust-prime




Geometric mean based upon tests: system/octave-benchmark, pts/namd, pts/himeno, pts/hmmer and pts/mafft




Geometric mean based upon tests: pts/blogbench, pts/ebizzy, pts/pgbench, pts/phpbench, pts/node-express-loadtest, pts/openssl and pts/sqlite



Geometric mean based upon tests: pts/luajit, pts/node-express-loadtest, pts/node-octane, pts/optcarrot, pts/pybench, pts/phpbench and system/tesseract-ocr



Geometric mean based upon tests: pts/svt-vp9, pts/svt-hevc, pts/x264, pts/x265 and pts/dav1d



Geometric mean based upon tests: pts/blender, pts/rodinia, pts/parboil, pts/himeno, pts/brl-cad and pts/x265

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 26 December 2024 22:06.