

www.phoronix-test-suite.com

cantley_v100_caffe_gpu

cantley_v100_caffe_gpu

Test Systems:

cantley_v100_caffe_gpu

Processor: 2 x Intel Xeon Gold 6148 (40 Cores / 80 Threads), Motherboard: Dell 013M88 (1.2.6 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 12 x 16384 MB DDR4-2666MHz M393A2K43BB1-CTD, Disk: 1600GB Dell Flash PM1725a 1.6TB AIC + 240GB DELLBOSS VD, Graphics: Matrox G200eW3 16GB, Network: 2 x Intel I350 + 2 x Intel X710 for 10GbE SFP+


OS: CentOS Linux 7, Kernel: 3.10.0-862.9.1.el7.x86_64 (x86_64), Display Server: X Server, Compiler: GCC 4.8.5 20150623 + CUDA 9.2, File-System: xfs, Screen Resolution: 1024x768

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcj --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-linker-hash-style=gnu --with-tune=generic
Python Notes: Python 2.7.15
Security Notes: KPTI + Load fences + IBRS (kernel)

cantley_v100_caffe_gpu

	cantley_v100_caffe_gpu
Caffe - CUDA AlexNet (ms)	5629
Standard Deviation	0.1%
Caffe - CUDA Googlenet (ms)	19702
Standard Deviation	0.1%

cantley_v100_caffe_gpu



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 16:26.