

www.phoronix-test-suite.com

klk

klk

Test Systems:

Intel Core i7-6700T

Processor: Intel Core i7-6700T @ 3.60GHz (4 Cores / 8 Threads), Motherboard: Alienware 0GWM1Y (1.0.11 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 16384MB, Disk: KXG50ZNV256G NVMe TOSHIBA 256GB + 1000GB HGST HTS721010A9, Graphics: NVIDIA GeForce GTX 960 4GB (1177/3505MHz), Audio: Realtek ALC3234, Network: Realtek RTL8111/8168/8411 + Intel 3165

OS: neon 18.04, Kernel: 4.15.0-46-generic (x86_64), Desktop: KDE Plasma 5.15.3, Display Server: X Server 1.19.6, Display Driver: NVIDIA 415.27, OpenGL: 4.6.0, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 1920x1080


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

klk

Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT vulnerable

	Intel Core i7-6700T
John The Ripper - Traditional DES (Real C/S)	16938167
Standard Deviation	11.4%

klk



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 10:32.