

www.phoronix-test-suite.com

i5-c-ray

Intel Core i5-3470 testing with a ASUS P8Z77-V LX (0610 BIOS) and Gigabyte NVIDIA GeForce GTX 750 Ti 2GB on Ubuntu 18.04 via the Phoronix Test Suite.

Test Systems:

i5Maison

Processor: Intel Core i5-3470 @ 3.60GHz (4 Cores), Motherboard: ASUS P8Z77-V LX (0610 BIOS), Chipset: Intel Xeon E3-1200 v2/3rd, Memory: 4 x 8192 MB DDR3-1333MT/s Transcend JM1333KLH-8G, Disk: 2 x 256GB SAMSUNG SSD 830 + 500GB Samsung SSD 750, Graphics: Gigabyte NVIDIA GeForce GTX 750 Ti 2GB (836/2700MHz), Audio: Realtek ALC887-VD, Monitor: IPS225, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.15.0-45-generic (x86_64), Desktop: GNOME Shell 3.28.3, Display Server: X Server 1.19.6, Display Driver: NVIDIA 390.77, Compiler: GCC 7.3.0, File-System: ext4, Screen Resolution: 6840x2160


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix

i5-c-ray

--host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + __user pointer sanitization + Full generic retpoline IBPB IBRS_FW + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT disabled

	i5Maison
C-Ray - Total Time - 4.1.R.P.P (sec)	320.02
Standard Deviation	1.8%

i5-c-ray



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 09:39.