


www.phoronix-test-suite.com

# win10-pro3_game-wkstn-bench_06May2019

Intel Xeon E3-1505M v6 testing with a Dell 06X96V and Intel HD P630 + DisplayLink USB Device + DisplayLink USB Device + NVIDIA Quadro M1200 4GB on Microsoft Windows 10 Pro Build 17134 via the Phoronix Test Suite.

## Test Systems:

### win10-pro3_game-wkstn-bench_06May2019

Processor: Intel Xeon E3-1505M v6 @ 3.00GHz (4 Cores / 8 Threads), Motherboard: Dell 06X96V, Memory: 2 x 16384 MB 2400MHz HMA82GS6AFR8N-UH, Disk: 477GB THNSN5512GPU7 NVMe TOSHIBA 512GB + 932GB ASMT 2105 + 0GB Generic MassStorageClass USB Device + 477GB ASMT 2115 + 1863GB Samsung M3 Portable + 954GB Inateck ASM1153E + 224GB Inateck + 60GB Lexar USB Flash Drive USB Device + 58GB SanDisk Ultra Fit USB Device + 233GB Inateck + 7GB Generic MassStorageClass USB Device, Graphics: Intel HD P630 + DisplayLink USB Device + DisplayLink USB Device + NVIDIA Quadro M1200 4GB (1150/2505MHz), Network: TAP-Windows V9 + Intel Dual Band Wireless-AC 8265 + USB

OS: Microsoft Windows 10 Pro Build 17134, Kernel: 10.0 (x86_64), Display Driver: 391.25 (23.20.16.4973), Vulkan: 1.0.65, Compiler: GCC 7.1.0, File-System: NTFS, Screen Resolution: 3840x2160


# win10-pro3_game-wkstn-bench_06May2019

| | win10-pro3_game-wkstn-bench_06May2019 |
|---|---|
| **Lightsmark - 1920 x 1080 (FPS)** | 246 |
| **Standard Deviation** | 14.9% |
| **Nexuiz - 1920 x 1080 - No - On (FPS)** | 39.83 |
| **Standard Deviation** | 0.2% |
| **Nexuiz - 1920 x 1080 - No - Off (FPS)** | 49.79 |
| **Standard Deviation** | 14.2% |
| **Nexuiz - 1920 x 1080 - Yes - On (FPS)** | 51.63 |
| **Standard Deviation** | 14.1% |
| **Nexuiz - 1920 x 1080 - Yes - Off (FPS)** | 69.96 |
| **Standard Deviation** | 1.3% |
| **OpenArena - 1920 x 1080 (FPS)** | 128.25 |
| **Standard Deviation** | 25.2% |
| **Xonotic - 1920 x 1080 - Ultimate (FPS)** | 49.34 |
| **Standard Deviation** | 33.3% |
| **Crafty - Elapsed Time (Nodes/s)** | 1431427 |
| **Standard Deviation** | 0.9% |
| **C-Ray - Total Time - 4.1.R.P.P (sec)** | 709.23 |
| **Standard Deviation** | 44.4% |
| **LAME MP3 Encoding - WAV To MP3 (sec)** | 20.60 |
| **Standard Deviation** | 1.5% |
| **FFmpeg - H.2.H.T.N.D (sec)** | 14.04 |
| **Standard Deviation** | 9.5% |
| **NGINX Benchmark - S.W.P.S (Reqs/sec)** | 418 |
| **Standard Deviation** | 2% |
| **PHPBench - P.B.S (Score)** | 233119 |
| **Standard Deviation** | 1.6% |

# win10-pro3_game-wkstn-bench_06May2019


## Lightsmark 2008

Resolution: 1920 x 1080





## Nexuiz 2.5.2

Resolution: 1920 x 1080 - HDR: No - Sound: On





## Nexuiz 2.5.2

Resolution: 1920 x 1080 - HDR: No - Sound: Off





## Nexuiz 2.5.2

Resolution: 1920 x 1080 - HDR: Yes - Sound: On





## Nexuiz 2.5.2

Resolution: 1920 x 1080 - HDR: Yes - Sound: Off





## OpenArena 0.8.8

Resolution: 1920 x 1080




## Xonotic 0.8.2

Resolution: 1920 x 1080 - Effects Quality: Ultimate





## Crafty 25.2

Elapsed Time





## C-Ray 1.1

Total Time - 4K, 16 Rays Per Pixel





## LAME MP3 Encoding 3.100

WAV To MP3





## FFmpeg 4.0.2

H.264 HD To NTSC DV





## NGINX Benchmark 1.9.9

Static Web Page Serving



# win10-pro3_game-wkstn-bench_06May2019




*This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 05:29.*