

www.phoronix-test-suite.com

stress_test

stress_test

Test Systems:

stress_test

Processor: 2 x Intel Xeon X5690 (12 Cores), Motherboard: HP 0AECh (786G5 v03.20 BIOS), Chipset: Intel 5520 I/O + ICH10R, Memory: 20480MB, Disk: 120GB Samsung SSD 750, Graphics: NVIDIA Quadro 600 1GB, Audio: Realtek ALC262, Monitor: HDIT22D, Network: 2 x Broadcom NetXtreme BCM5764M PCIe

OS: Ubuntu 18.04, Kernel: 5.0.0-23-generic (x86_64), Desktop: GNOME Shell 3.28.4, Display Server: X Server 1.20.4, Display Driver: nouveau 1.0.16, Compiler: GCC 7.4.0, File-System: ext4, Screen Resolution: 1680x1050


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Security Notes: l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT disabled + mds: Vulnerable: Clear buffers attempted no microcode; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of __user pointer sanitization + spectre_v2:

stress_test

Mitigation of Full generic retpoline IBPB: conditional IBRS_FW RSB filling

	stress_test
RAMspeed SMP - Copy - Integer (MB/s)	14051

stress_test



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 10:37.