www.phoronix-test-suite.com

Ubuntu 19.04 vs. Clear Linux vs. openSUSE - CompuLab

Intel Xeon E-2288G testing for a future article by Michael Larabel.

Automated Executive Summary

Clear Linux 30970 came in first place for 57% of the tests.

Based on the geometric mean of all complete results, the fastest (Clear Linux 30970) was 1.459x the speed of the slowest (openSUSE Tumbleweed). Ubuntu 19.04 was 0.72x the speed of Clear Linux 30970 and openSUSE Tumbleweed was 0.951x the speed of Ubuntu 19.04.

The results with the greatest spread from best to worst included:

Systemd Total Boot Time (Test: Loader) at 55.958x
Systemd Total Boot Time (Test: Userspace) at 43.321x
Systemd Total Boot Time (Test: Total) at 16.085x
Blender (System Power Consumption Monitor) at 8.257x
NeatBench (System Power Consumption Monitor) at 8.22x
Go Benchmarks (System Power Consumption Monitor) at 8.095x
Go Benchmarks (System Power Consumption Monitor) at 8.004x
Timed Linux Kernel Compilation (System Power Consumption Monitor) at 7.722x
dav1d (System Power Consumption Monitor) at 7.706x

Go Benchmarks (System Power Consumption Monitor) at 7.592x.

Test Systems:

Ubuntu 19.04

Processor: Intel Xeon E-2288G @ 5.00GHz (8 Cores / 16 Threads), Motherboard: Compulab SBC-ATCFL v1.2 (ATOP3.PRD.0.29.2 BIOS), Chipset: Intel Cannon Lake PCH, Memory: 64512MB, Disk: Samsung SSD 970 EVO Plus 250GB, Graphics: NVIDIA Quadro RTX 4000 8GB, Audio: Realtek ALC1150, Monitor: ASUS VP28U, Network: Intel I219-LM + Intel I210

OS: Ubuntu 19.04, Kernel: 5.0.0-27-generic (x86_64), Desktop: GNOME Shell 3.32.2, Display Server: X Server 1.20.4, Display Driver: NVIDIA 435.21, OpenGL: 4.6.0, Compiler: GCC 8.3.0, File-System: ext4, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave
OpenCL Notes: GPU Compute Cores: 2304
Java Notes: OpenJDK Runtime Environment (build 11.0.4+11-post-Ubuntu-1ubuntu219.04)
Python Notes: Python 2.7.16 + Python 3.7.3
Security Notes: l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling

Clear Linux 30970

Processor: Intel Xeon E-2288G @ 5.00GHz (8 Cores / 16 Threads), Motherboard: Compulab SBC-ATCFL v1.2 (ATOP3.PRD.0.29.2 BIOS), Chipset: Intel Device a36f, Memory: 64512MB, Disk: Samsung SSD 970 EVO Plus 250GB, Graphics: NVIDIA Quadro RTX 4000 8GB, Audio: Realtek ALC1150, Monitor: ASUS VP28U, Network: Intel I219-LM + Intel I210

OS: Clear Linux OS 30970, Kernel: 5.2.13-832.native (x86_64), Desktop: GNOME Shell 3.32.2, Display Server: X Server 1.20.5, Display Driver: NVIDIA 435.21, OpenGL: 4.6.0, OpenCL: OpenCL 1.2 CUDA 10.1.0, Vulkan: 1.1.109, Compiler: GCC 9.2.1 20190908 gcc-9-branch@275492 + Clang 8.0.0 + LLVM 8.0.0, File-System: ext4, Screen Resolution: 3840x2160

Environment Notes: CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell

Processor Notes: Scaling Governor: intel_pstate performance
OpenCL Notes: GPU Compute Cores: 2304
Java Notes: OpenJDK Runtime Environment (build 1.8.0-u222-ga-b00)
Python Notes: Python 3.7.4
Security Notes: l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling

openSUSE Tumbleweed

Processor: Intel Xeon E-2288G @ 5.00GHz (8 Cores / 16 Threads), Motherboard: Compulab SBC-ATCFL v1.2 (ATOP3.PRD.0.29.2 BIOS), Chipset: Intel Cannon Lake PCH, Memory: 64512MB, Disk: Samsung SSD 970 EVO Plus 250GB, Graphics: NVIDIA Quadro RTX 4000 8GB, Audio: Realtek ALC1150, Monitor: ASUS VP28U, Network: Intel I219-LM + Intel I210

OS: openSUSE Tumbleweed 20190909, Kernel: 5.2.11-1-default (x86_64), Desktop: KDE Plasma 5.16.5, Display Server: X Server 1.20.5, Display Driver: NVIDIA 435.21, OpenGL: 4.6.0, Compiler: GCC 9.2.1 20190820 [gcc-9-branch revision 274748], File-System: btrfs, Screen Resolution: 3840x2160

Compiler Notes: --build=x86_64-suse-linux --disable-cet --disable-libcc1 --disable-libssp --disable-libstdcxx-pch --disable-libvtv --disable-werror --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go,d --enable-libphobos --enable-libstdcxx-allocator=new --enable-link-mutex --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-plugin --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-build-config=bootstrap-lto-lean --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Processor Notes: Scaling Governor: intel_pstate powersave
OpenCL Notes: GPU Compute Cores: 2304
Java Notes: OpenJDK Runtime Environment (build 11.0.4+11-suse-1.1-x8664)
Python Notes: Python 2.7.16 + Python 3.7.3
Security Notes: l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling

	Ubuntu 19.04	Clear Linux 30970	openSUSE Tumbleweed
Appleseed - Disney Material (sec)	**270.70**	265.98	**264.76**
Normalized	98.26%	100%	100.46%
Blender - Barbershop - CPU-Only (sec)	763.70	**730.96**	**766.30**
Normalized	95.71%	100%	95.39%
Standard Deviation	0.5%	0.2%	0.7%
DaCapo Benchmark - H2 (msec)	2859	**2750**	**2875**
Normalized	96.19%	100%	95.65%
Standard Deviation	7.1%	2.9%	6.2%
DaCapo Benchmark - Jython (msec)	**3665**	**3253**	3622
Normalized	88.76%	100%	89.81%
Standard Deviation	2.3%	2.2%	3.3%
DaCapo Benchmark - Tradebeans (msec)	**2776**	**2396**	
Normalized	86.31%	100%	
Standard Deviation	5%	1.4%	
DaCapo Benchmark - Tradesoap (msec)	**4392**	**3182**	
Normalized	72.45%	100%	
Standard Deviation	2.7%	2.6%	
Darktable - Boat - CPU-only (sec)	14.04		
Standard Deviation	0.2%		
Darktable - Masskrug - CPU-only (sec)	6.29		
Standard Deviation	0.1%		
Darktable - Server Room - CPU-only (sec)	4.27		

Standard Deviation	0.1%		
Darktable - Server Rack - CPU-only (sec)	0.18		
Standard Deviation	1%		
Darktable - Boat - CPU-only (sec)			13.80
Normalized			100%
Standard Deviation			0.1%
Darktable - Masskrug - CPU-only (sec)			6.15
Normalized			100%
Standard Deviation			0.1%
Darktable - Server Room - CPU-only (sec)			4.14
Normalized			100%
Standard Deviation			0.3%
Darktable - Server Rack - CPU-only (sec)			0.17
Standard Deviation			0.6%
Darktable - Boat - CPU-only (sec)		13.69	
Normalized		100%	
Standard Deviation		0.5%	
Darktable - Masskrug - CPU-only (sec)		5.46	
Normalized		100%	
Standard Deviation		0.5%	
Darktable - Server Room - CPU-only (sec)		4.10	
Normalized		100%	
Standard Deviation		0.4%	
Darktable - Server Rack - CPU-only (sec)		0.15	
Normalized		100%	
Standard Deviation		0.4%	
dav1d - S.N.1 (sec)	8.56	8.02	7.92
Normalized	93.69%	100%	101.26%
Standard Deviation	1.6%	1.1%	0.2%
dav1d - Summer Nature 4K (sec)	28.92	27.23	28.23
Normalized	94.16%	100%	96.46%
Standard Deviation	0.4%	1.7%	1.8%
GIMP - unsharp-mask (sec)		13.24	14.05
Normalized		100%	94.23%
Standard Deviation		0.6%	0.3%
GIMP - resize (sec)		12.25	9.64
Normalized		100%	127.07%
Standard Deviation		0.7%	0.2%
GIMP - rotate (sec)		10.43	11.84
Normalized		100%	88.09%
Standard Deviation		0.6%	0.7%
GIMP - auto-levels (sec)		14.30	11.93
Normalized		100%	119.87%
Standard Deviation		0.6%	0.2%
GIMP - unsharp-mask (sec)	14.93		
Standard Deviation	0.6%		
GIMP - resize (sec)	6.84		
Standard Deviation	1.5%		
GIMP - rotate (sec)	11.35		
Standard Deviation	0.1%		
GIMP - auto-levels (sec)	12.68		
Standard Deviation	0.4%		
glibc bench - pthread_once (nanoseconds)	1.35	1.34	1.35
Normalized	99.26%	100%	99.26%
Standard Deviation	0.2%	0.1%	0.1%

glibc bench - asinh (nanoseconds)	**8.17**	**7.49**	8.09
Normalized	91.68%	100%	92.58%
Standard Deviation	0.3%	0.2%	0.1%
glibc bench - atanh (nanoseconds)	**10.01**	**8.75**	9.83
Normalized	87.41%	100%	89.01%
Standard Deviation	0.3%	0.2%	0%
glibc bench - sincos (nanoseconds)	**12.60**	**9.73**	12.55
Normalized	77.22%	100%	77.53%
Standard Deviation	0.1%	0%	1.6%
glibc bench - sinh (nanoseconds)	**6.87**	**6.18**	6.80
Normalized	89.96%	100%	90.88%
Standard Deviation	0.1%	0.1%	0%
glibc bench - modf (nanoseconds)	**1.74**	1.65	**1.58**
Normalized	94.83%	100%	104.43%
Standard Deviation	0.1%	0.8%	0.1%
glibc bench - exp (nanoseconds)	**4.39**	**4.03**	4.14
Normalized	91.8%	100%	97.34%
Standard Deviation	0.1%	0%	0.4%
glibc bench - log2 (nanoseconds)	**6.33**	**4.41**	6.18
Normalized	69.67%	100%	71.36%
Standard Deviation	0.2%	0%	0.3%
Go Benchmarks - build (ns/op)	**11283917194**	15265077035	**15270207321**
Normalized	135.28%	100%	99.97%
Standard Deviation	2.3%	1.5%	0.4%
Go Benchmarks - http (ns/op)	**4489**	**3817**	4049
Normalized	85.03%	100%	94.27%
Standard Deviation	0.1%	2.9%	3.3%
Go Benchmarks - json (ns/op)	**6256397**	**4452466**	5341135
Normalized	71.17%	100%	83.36%
Standard Deviation	0.3%	2.9%	2.8%
Go Benchmarks - garbage (ns/op)	**1272569**	**1031623**	1139098
Normalized	81.07%	100%	90.56%
Standard Deviation	0.5%	0.3%	2.9%
GROMACS - Water Benchmark (Ns/Day)	**0.84**		**0.19**
Normalized	100%		22.62%
Standard Deviation	0.2%		0%
GROMACS - Water Benchmark (Ns/Day/Watt)	**0.01**		**0.00**
Normalized	100%		0%
libjpeg-turbo tjbench - D.T (Megapixels/sec)	**236.48**	**227.95**	229.72
Normalized	103.74%	100%	100.78%
Standard Deviation	0.6%	0.1%	0.3%
libjpeg-turbo tjbench - D.T (Megapixels/sec/Watt)	5.33	**5.44**	**4.58**
Normalized	97.98%	100%	84.19%
Meta Performance Per Watt - P.P.W (Performance/Watt)		**492.4461**	**123.0273**
Normalized		100%	24.98%
NeatBench - CPU (FPS)	**10.23**	**10.82**	10.80
Normalized	94.55%	100%	99.82%
Standard Deviation	42.7%	46%	45.9%
NeatBench - CPU (FPS/Watt)	**0.10**	0.09	**0.08**
Normalized	111.11%	100%	88.89%
Perl Benchmarks - Pod2html (sec)	**0.09515564**	**0.08586473**	0.09508150
Normalized	90.24%	100%	90.31%
Standard Deviation	0.3%	0.5%	0.6%

Perl Benchmarks - Interpreter (sec)	**0.00076571**	0.00079730	**0.00085798**
Normalized	104.13%	100%	92.93%
Standard Deviation	8.5%	0.8%	50.2%
PHPBench - P.B.S (Score)	801138	**1115509**	**695398**
Normalized	71.82%	100%	62.34%
Standard Deviation	0.4%	1.3%	0.4%
PHPBench - P.B.S (Score/Watt)	13533	**22258**	**9799**
Normalized	60.8%	100%	44.02%
PyBench - T.F.A.T.T (Milliseconds)	**807**	811	**1015**
Normalized	100.5%	100%	79.9%
Standard Deviation	0.2%	0.4%	0.7%
Renaissance - A.U.C.T (ms)	**9583**	8862	**8584**
Normalized	92.48%	100%	103.24%
Standard Deviation	2%	3.4%	1.5%
Renaissance - Savina Reactors.IO (ms)	**15288**	**13054**	13521
Normalized	85.39%	100%	96.54%
Standard Deviation	3%	2.9%	1.2%
Renaissance - Apache Spark ALS (ms)	**4374**	**3653**	
Normalized	83.52%	100%	
Standard Deviation	1.8%	1.4%	
Renaissance - Apache Spark Bayes (ms)	**4620**	**8060**	
Normalized	174.45%	100%	
Standard Deviation	2.1%	1.3%	
Renaissance - A.S.P (ms)	**16449**	**18325**	
Normalized	111.4%	100%	
Standard Deviation	0.9%	1.1%	
Renaissance - I.M.D.S (ms)	**4804**	**4362**	4448
Normalized	90.79%	100%	98.06%
Standard Deviation	3%	2.3%	4.6%
Selenium - ARES-6 - Firefox (ms)	**44.98**	39.74	**38.64**
Normalized	88.35%	100%	102.85%
Standard Deviation	2.1%	0.7%	1.1%
SVT-VP9 - 1.8.b.Y.T.V.V.E (FPS)	**166.10**	**177.83**	173.95
Normalized	93.4%	100%	97.82%
Standard Deviation	1.2%	0.4%	0.1%
SVT-VP9 - 1.8.b.Y.T.V.V.E (FPS/Watt)	**2.08**	3.53	**4.35**
Normalized	58.92%	100%	123.23%
Systemd Total Boot Time - Total (ms)	**26042**	**1619**	24705
Normalized	6.22%	100%	6.55%
Systemd Total Boot Time - Userspace (ms)	21987	**510.40**	**22111**
Normalized	2.32%	100%	2.31%
Systemd Total Boot Time - Kernel (ms)	**4055**	**1109**	2594
Normalized	27.34%	100%	42.74%
Systemd Total Boot Time - Loader (ms)	844	**147.20**	**8237**
Normalized	17.44%	100%	1.79%
Systemd Total Boot Time - Firmware (ms)	**5665**	5769	**9732**
Normalized	101.83%	100%	59.27%
Timed Linux Kernel Compilation - Time To Compile (sec)	**70.63**	**70.69**	
Normalized	100.08%	100%	
Standard Deviation	1.5%	1%	
Timed LLVM Compilation - Time To Compile (sec)	**406.06**	**725.32**	408.41
Normalized	178.62%	100%	177.6%

x265 - H.2.1.V.E (FPS)	**55.33**	59.19	**60.81**
Normalized	93.48%	100%	102.74%
Standard Deviation	1.2%	1.7%	0.9%
x265 - H.2.1.V.E (FPS/Watt)	**0.58**	**0.46**	**0.58**
Normalized	126.09%	100%	126.09%


Appleseed 2.0 Beta
Scene: Disney Material
Seconds, Fewer Is Better
Ubuntu 19.04
Clear Linux 30970
openSUSE Tumbleweed
270.70
265.98
264.76
60
120
180
240
300
Appleseed 2.0 Beta
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 74.0 82.7 96.0
Clear Linux 30970 76.0 84.1 98.0
openSUSE Tumbleweed 65.0 85.0 96.0
Celsius, Fewer Is Better
100
80
60
40
20


Appleseed 2.0 Beta
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 26.1 111.9 114.3
Clear Linux 30970 26.7 112.1 190.4
openSUSE Tumbleweed 31.5 119.1 195.4
Watts, Fewer Is Better
250
200
150
100
50
Blender 2.80
Blend File: Barbershop - Compute: CPU-Only
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 2.23, N = 3
763.70
Clear Linux 30970
SE +/- 0.71, N = 3
730.96
openSUSE Tumbleweed
SE +/- 3.23, N = 3
766.30
170
340
510
680
850


Blender 2.80
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 37.0 76.3 92.0
Clear Linux 30970 50.0 79.7 98.0
openSUSE Tumbleweed 45.0 79.2 97.0
Celsius, Fewer Is Better
100
80
60
40
20
Blender 2.80
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.9 113.2 116.1
Clear Linux 30970 25.3 113.9 204.0
openSUSE Tumbleweed 29.9 120.0 205.6
Watts, Fewer Is Better
300
240
180
120
60


CPU Temperature Monitor
Phoronix Test Suite System Monitoring
Min
Avg
Max
Ubuntu 19.04 43.0 66.9 100.0
Clear Linux 30970 44.0 73.4 100.0
openSUSE Tumbleweed 36.0 75.1 100.0
Celsius
100
80
60
40
20
DaCapo Benchmark 9.12-MR1
Java Test: H2
msec, Fewer Is Better
Ubuntu 19.04
SE +/- 45.16, N = 20
2859
Clear Linux 30970
SE +/- 40.01, N = 4
2750
openSUSE Tumbleweed
SE +/- 40.02, N = 20
2875
600
1200
1800
2400
3000


DaCapo Benchmark 9.12-MR1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 59.0 66.7 87.0
Clear Linux 30970 64.0 73.6 87.0
openSUSE Tumbleweed 62.0 69.2 88.0
Celsius, Fewer Is Better
100
80
60
40
20
DaCapo Benchmark 9.12-MR1
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 25.2 66.5 127.1
Clear Linux 30970 26.0 66.7 120.6
openSUSE Tumbleweed 30.7 73.4 143.1
Watts, Fewer Is Better
200
160
120
80
40


DaCapo Benchmark 9.12-MR1
Java Test: Jython
msec, Fewer Is Better
Ubuntu 19.04
SE +/- 41.73, N = 4
3665
Clear Linux 30970
SE +/- 35.02, N = 4
3253
openSUSE Tumbleweed
SE +/- 26.81, N = 20
3622
800
1600
2400
3200
4000
DaCapo Benchmark 9.12-MR1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 58.0 65.4 84.0
Clear Linux 30970 62.0 73.0 92.0
openSUSE Tumbleweed 59.0 66.9 86.0
Celsius, Fewer Is Better
100
80
60
40
20


DaCapo Benchmark 9.12-MR1
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.3
55.1
100.3
Clear Linux 30970
25.3
65.2
143.7
openSUSE Tumbleweed
30.7
77.6
174.4
Watts, Fewer Is Better
250
200
150
100
50
DaCapo Benchmark 9.12-MR1
Java Test: Tradebeans
msec, Fewer Is Better
Ubuntu 19.04
SE +/- 30.87, N = 20
2776
Clear Linux 30970
SE +/- 16.76, N = 4
2396
600
1200
1800
2400
3000


DaCapo Benchmark 9.12-MR1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
44.0
52.0
80.0
Clear Linux 30970
61.0
74.1
86.0
Celsius, Fewer Is Better
100
80
60
40
20
DaCapo Benchmark 9.12-MR1
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
24.5
38.3
152.3
Clear Linux 30970
25.5
71.6
126.7
Watts, Fewer Is Better
200
160
120
80
40


DaCapo Benchmark 9.12-MR1
Java Test: Tradesoap
msec, Fewer Is Better
Ubuntu 19.04
SE +/- 67.82, N = 3
4392
Clear Linux 30970
SE +/- 41.65, N = 4
3182
900
1800
2700
3600
4500
DaCapo Benchmark 9.12-MR1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
43.0
46.2
63.0
Clear Linux 30970
63.0
74.4
90.0
Celsius, Fewer Is Better
100
80
60
40
20


DaCapo Benchmark 9.12-MR1
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.0
47.8
141.1
Clear Linux 30970
26.1
75.9
165.2
Watts, Fewer Is Better
250
200
150
100
50
Darktable
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
53.0
66.2
71.0
Celsius, Fewer Is Better
100
80
60
40
20


Darktable
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.5
92.3
119.1
Watts, Fewer Is Better
200
160
120
80
40
Darktable
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
51.0
63.7
75.0
Celsius, Fewer Is Better
100
80
60
40
20
Darktable 2.6.0
Test: Boat - Acceleration: CPU-only
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.01, N = 3
14.04
4
8
12
16
20


Darktable 2.6.0
Test: Masskrug - Acceleration: CPU-only
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
6.29
2
4
6
8
10
Darktable 2.6.0
Test: Server Room - Acceleration: CPU-only
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
4.27
0.9608
1.9216
2.8824
3.8432
4.804
Darktable 2.6.0
Test: Server Rack - Acceleration: CPU-only
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
0.18
0.0405
0.081
0.1215
0.162
0.2025
Darktable 2.6.0
CPU Temperature Monitor
Min
Avg
Max
Clear Linux 30970
56.0
76.9
94.0
openSUSE Tumbleweed
48.0
68.2
82.0
Celsius, Fewer Is Better
100
80
60
40
20


Darktable 2.6.0
System Power Consumption Monitor
Min
Avg
Max
Clear Linux 30970 25.6 110.4 162.8
openSUSE Tumbleweed 30.1 122.5 172.9
Watts, Fewer Is Better
250
200
150
100
50
Darktable 2.6.2
Test: Boat - Acceleration: CPU-only
Seconds, Fewer Is Better
openSUSE Tumbleweed
SE +/- 0.02, N = 3
13.83
4
8
12
16
20
Darktable 2.6.2
Test: Masskrug - Acceleration: CPU-only
Seconds, Fewer Is Better
openSUSE Tumbleweed
SE +/- 0.02, N = 3
6.19
2
4
6
8
10
Darktable 2.6.2
Test: Server Room - Acceleration: CPU-only
Seconds, Fewer Is Better
openSUSE Tumbleweed
SE +/- 0.00, N = 3
4.15
0.9338
1.8676
2.8014
3.7352
4.669


Darktable 2.6.2
Test: Server Rack - Acceleration: CPU-only
Seconds, Fewer Is Better
openSUSE Tumbleweed
SE +/- 0.00, N = 7
0.17
0.0383
0.0766
0.1149
0.1532
0.1915
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
Test: Boat - Acceleration: CPU-only
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.04, N = 3
13.69
4
8
12
16
20
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
Test: Masskrug - Acceleration: CPU-only
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.02, N = 3
5.46
1.2285
2.457
3.6855
4.914
6.1425
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
Test: Server Room - Acceleration: CPU-only
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.01, N = 3
4.10
0.9225
1.845
2.7675
3.69
4.6125
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
Test: Server Rack - Acceleration: CPU-only
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.00, N = 3
0.15
0.0338
0.0676
0.1014
0.1352
0.169


Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
CPU Temperature Monitor
Min
Avg
Max
openSUSE Tumbleweed 43.0 61.0 75.0
Celsius, Fewer Is Better
100
80
60
40
20
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
System Power Consumption Monitor
Min
Avg
Max
openSUSE Tumbleweed 29.9 108.0 157.9
Watts, Fewer Is Better
200
160
120
80
40


Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
CPU Temperature Monitor
Min
Avg
Max
openSUSE Tumbleweed 44.0 47.3 69.0
Celsius, Fewer Is Better
100
80
60
40
20
Darktable archive-c3b900172e0fe88fc6c47050983bd97bcea994a0
System Power Consumption Monitor
Min
Avg
Max
openSUSE Tumbleweed 29.9 38.1 70.3
Watts, Fewer Is Better
100
80
60
40
20


dav1d 0.3
Video Input: Summer Nature 1080p
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.08, N = 3
8.56
Clear Linux 30970
SE +/- 0.05, N = 3
-O3 -pipe -fexceptions -fstack-protector -m64 -flat-lto-objects -fno-signed-zeros -fno-trapping-math -fassociative-math -mtune=skylake
8.02
openSUSE Tumbleweed
SE +/- 0.01, N = 3
7.92
2
4
6
8
10
1. (CC) gcc options: -pthread
dav1d 0.3
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
68.0
78.6
87.0
Celsius, Fewer Is Better
100
80
60
40
20


dav1d 0.3
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
26.0
66.4
123.2
Watts, Fewer Is Better
200
160
120
80
40
dav1d 0.3
Video Input: Summer Nature 4K
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.06, N = 3
28.92
Clear Linux 30970
SE +/- 0.26, N = 3
27.23
-O3 -pipe -fexceptions -fstack-protector -m64 -flto-objects -fno-signed-zeros -fno-trapping-math -fassociative-math -mtune=skylake
openSUSE Tumbleweed
SE +/- 0.29, N = 3
28.23
7
14
21
28
35
1. (CC) gcc options: -pthread


dav1d 0.3
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 68.0 83.9 94.0
Clear Linux 30970 64.0 83.4 98.0
openSUSE Tumbleweed 67.0 85.5 98.0
Celsius, Fewer Is Better
100
80
60
40
20
dav1d 0.3
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 25.5 102.8 124.5
Clear Linux 30970 26.1 124.8 196.5
openSUSE Tumbleweed 31.1 128.4 196.1
Watts, Fewer Is Better
250
200
150
100
50


GIMP
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
52.0
58.4
75.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.3
75.0
102.3
Watts, Fewer Is Better
100
80
60
40
20


GIMP
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
51.0
58.9
75.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
50.0
55.3
58.0
Celsius, Fewer Is Better
80
64
48
32
16


GIMP
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.4
51.3
65.5
Watts, Fewer Is Better
100
80
60
40
20
GIMP
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
49.0
58.1
78.0
Celsius, Fewer Is Better
100
80
60
40
20


GIMP
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.1
71.7
97.5
Watts, Fewer Is Better
100
80
60
40
20
GIMP 2.10.12
Test: unsharp-mask
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.04, N = 3
13.24
openSUSE Tumbleweed
SE +/- 0.03, N = 3
14.05
4
8
12
16
20
GIMP 2.10.12
Test: resize
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.05, N = 3
12.25
openSUSE Tumbleweed
SE +/- 0.01, N = 3
9.64
3
6
9
12
15


GIMP 2.10.12
Test: rotate
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.04, N = 3
10.43
openSUSE Tumbleweed
SE +/- 0.05, N = 3
11.84
3
6
9
12
15
GIMP 2.10.12
Test: auto-levels
Seconds, Fewer Is Better
Clear Linux 30970
SE +/- 0.05, N = 3
14.30
openSUSE Tumbleweed
SE +/- 0.01, N = 3
11.93
4
8
12
16
20
GIMP 2.10.8
Test: unsharp-mask
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.05, N = 3
14.93
4
8
12
16
20
GIMP 2.10.8
Test: resize
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.06, N = 3
6.84
2
4
6
8
10
GIMP 2.10.8
Test: rotate
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.01, N = 3
11.35
3
6
9
12
15


GIMP 2.10.8
Test: auto-levels
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.03, N = 3
12.68
3
6
9
12
15
GIMP 2.10.8
CPU Temperature Monitor
Min
Avg
Max
Clear Linux 30970 61.0 70.7 84.0
openSUSE Tumbleweed 51.0 61.0 75.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP 2.10.8
System Power Consumption Monitor
Min
Avg
Max
Clear Linux 30970 25.7 76.1 96.5
openSUSE Tumbleweed 30.1 76.0 103.2
Watts, Fewer Is Better
100
80
60
40
20


GIMP 2.10.8
CPU Temperature Monitor
Min
Avg
Max
Clear Linux 30970 59.0 69.1 89.0
openSUSE Tumbleweed 50.0 55.1 59.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP 2.10.8
System Power Consumption Monitor
Min
Avg
Max
Clear Linux 30970 25.6 64.7 83.7
openSUSE Tumbleweed 30.3 63.7 89.2
Watts, Fewer Is Better
100
80
60
40
20


GIMP 2.10.8
CPU Temperature Monitor
Min
Avg
Max
Clear Linux 30970 58.0 68.6 90.0
openSUSE Tumbleweed 50.0 54.1 66.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP 2.10.8
System Power Consumption Monitor
Min
Avg
Max
Clear Linux 30970 25.8 55.1 66.6
openSUSE Tumbleweed 30.1 54.6 69.1
Watts, Fewer Is Better
100
80
60
40
20


GIMP 2.10.8
CPU Temperature Monitor
Min
Avg
Max
Clear Linux 30970
57.0
66.8
88.0
Celsius, Fewer Is Better
100
80
60
40
20
GIMP 2.10.8
System Power Consumption Monitor
Min
Avg
Max
Clear Linux 30970
26.9
71.4
91.4
Watts, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
Benchmark: pthread_once
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
1.35
Clear Linux 30970
SE +/- 0.00, N = 3
1.34
openSUSE Tumbleweed
SE +/- 0.00, N = 12
1.35
0.3038
0.6076
0.9114
1.2152
1.519
glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 34.0 38.1 40.0
Clear Linux 30970 49.0 51.1 53.0
openSUSE Tumbleweed 40.0 56.5 66.0
Celsius, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.7 45.6 55.9
Clear Linux 30970 25.0 49.5 59.2
openSUSE Tumbleweed 29.5 52.1 62.6
Watts, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
Benchmark: asinh
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.01, N = 3
8.17
Clear Linux 30970
SE +/- 0.01, N = 3
7.49
openSUSE Tumbleweed
SE +/- 0.00, N = 3
8.09
2
4
6
8
10


glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
34.0
37.3
40.0
Clear Linux 30970
47.0
53.3
71.0
openSUSE Tumbleweed
40.0
50.4
62.0
Celsius, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.0
45.8
54.6
Clear Linux 30970
24.9
43.7
57.9
openSUSE Tumbleweed
29.5
49.2
60.9
Watts, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
Benchmark: atanh
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.02, N = 3
10.01
Clear Linux 30970
SE +/- 0.01, N = 3
8.75
openSUSE Tumbleweed
SE +/- 0.00, N = 3
9.83
3
6
9
12
15
glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 34.0 40.1 56.0
Clear Linux 30970 46.0 49.0 51.0
openSUSE Tumbleweed 40.0 55.8 63.0
Celsius, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.9 41.9 54.8
Clear Linux 30970 24.9 45.5 57.8
openSUSE Tumbleweed 29.8 50.9 61.4
Watts, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
Benchmark: sincos
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.01, N = 3
12.60
Clear Linux 30970
SE +/- 0.00, N = 3
9.73
openSUSE Tumbleweed
SE +/- 0.12, N = 3
12.55
3
6
9
12
15


glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 35.0 37.5 40.0
Clear Linux 30970 49.0 52.1 75.0
openSUSE Tumbleweed 40.0 58.7 66.0
Celsius, Fewer Is Better
100
80
60
40
20

glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.5 47.2 54.8
Clear Linux 30970 24.7 48.3 57.7
openSUSE Tumbleweed 29.5 54.2 61.9
Watts, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
Benchmark: sinh
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
6.87
Clear Linux 30970
SE +/- 0.00, N = 3
6.18
openSUSE Tumbleweed
SE +/- 0.00, N = 3
6.80
2
4
6
8
10
glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 34.0 37.6 39.0
Clear Linux 30970 45.0 48.4 50.0
openSUSE Tumbleweed 39.0 56.4 67.0
Celsius, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.2 45.0 57.7
Clear Linux 30970 24.5 45.2 60.8
openSUSE Tumbleweed 29.6 52.4 64.0
Watts, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
Benchmark: modf
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
1.74
Clear Linux 30970
SE +/- 0.01, N = 3
1.65
openSUSE Tumbleweed
SE +/- 0.00, N = 3
1.58
0.3915
0.783
1.1745
1.566
1.9575


glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 35.0 38.9 41.0
Clear Linux 30970 45.0 48.1 50.0
openSUSE Tumbleweed 40.0 58.9 69.0
Celsius, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.7 46.9 57.8
Clear Linux 30970 24.5 46.8 60.2
openSUSE Tumbleweed 29.7 53.2 64.3
Watts, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
Benchmark: exp
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00, N = 3
4.39
Clear Linux 30970
SE +/- 0.00, N = 3
4.03
openSUSE Tumbleweed
SE +/- 0.01, N = 3
4.14
0.9878
1.9756
2.9634
3.9512
4.939
glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 35.0 40.9 43.0
Clear Linux 30970 46.0 49.7 53.0
openSUSE Tumbleweed 40.0 67.5 74.0
Celsius, Fewer Is Better
100
80
60
40
20


glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 23.9 54.2 60.5
Clear Linux 30970 24.5 58.0 63.1
openSUSE Tumbleweed 29.4 61.4 67.7
Watts, Fewer Is Better
100
80
60
40
20
glibc bench 1.0
Benchmark: log2
nanoseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.01, N = 3
6.33
Clear Linux 30970
SE +/- 0.00, N = 3
4.41
openSUSE Tumbleweed
SE +/- 0.01, N = 3
6.18
2
4
6
8
10


glibc bench 1.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 36.0 39.6 42.0
Clear Linux 30970 45.0 47.9 49.0
openSUSE Tumbleweed 41.0 45.1 47.0
Celsius, Fewer Is Better
70
56
42
28
14
glibc bench 1.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.9 45.6 56.8
Clear Linux 30970 24.5 44.6 59.5
openSUSE Tumbleweed 29.5 51.1 62.1
Watts, Fewer Is Better
100
80
60
40
20


Go Benchmarks
Test: build
Nanoseconds/Operation, Fewer Is Better
Ubuntu 19.04
SE +/- 149886129.41, N = 3
11283917194
Clear Linux 30970
SE +/- 132672911.75, N = 3
15265077035
openSUSE Tumbleweed
SE +/- 31819801.27, N = 3
15270207321
3000M
6000M
9000M
12000M
15000M
Go Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 65.0 69.9 72.0
Clear Linux 30970 64.0 70.6 88.0
openSUSE Tumbleweed 65.0 71.1 90.0
Celsius, Fewer Is Better
100
80
60
40
20


Go Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
26.0
57.7
71.7
Clear Linux 30970
26.1
62.0
69.7
openSUSE Tumbleweed
31.1
64.0
74.5
Watts, Fewer Is Better
100
80
60
40
20
Go Benchmarks
Test: http
Nanoseconds/Operation, Fewer Is Better
Ubuntu 19.04
SE +/- 3.28, N = 3
4489
Clear Linux 30970
SE +/- 32.48, N = 12
3817
openSUSE Tumbleweed
SE +/- 34.94, N = 15
4049
1000
2000
3000
4000
5000


Go Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 63.0 78.0 89.0
Clear Linux 30970 65.0 83.1 94.0
openSUSE Tumbleweed 65.0 81.7 94.0
Celsius, Fewer Is Better
100
80
60
40
20
Go Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 25.3 76.0 116.4
Clear Linux 30970 25.0 115.3 178.2
openSUSE Tumbleweed 30.9 117.2 189.8
Watts, Fewer Is Better
250
200
150
100
50


Go Benchmarks
Test: json
Nanoseconds/Operation, Fewer Is Better
Ubuntu 19.04
SE +/- 9678.89, N = 3
6256397
Clear Linux 30970
SE +/- 49521.71, N = 7
4452466
openSUSE Tumbleweed
SE +/- 53125.51, N = 8
5341135
1.3M
2.6M
3.9M
5.2M
6.5M
Go Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 63.0 76.6 83.0
Clear Linux 30970 66.0 84.9 100.0
openSUSE Tumbleweed 65.0 83.6 99.0
Celsius, Fewer Is Better
100
80
60
40
20


Go Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
26.0
110.8
146.6
Clear Linux 30970
25.2
110.3
185.5
openSUSE Tumbleweed
30.9
122.7
201.7
Watts, Fewer Is Better
250
200
150
100
50
Go Benchmarks
Test: garbage
Nanoseconds/Operation, Fewer Is Better
Ubuntu 19.04
SE +/- 3496.78, N = 3
1272569
Clear Linux 30970
SE +/- 1677.15, N = 3
1031623
openSUSE Tumbleweed
SE +/- 15016.12, N = 5
1139098
300K
600K
900K
1200K
1500K


Go Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 64.0 75.9 82.0
openSUSE Tumbleweed 65.0 86.3 98.0
Celsius, Fewer Is Better
100
80
60
40
20
Go Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 25.2 91.3 126.3
openSUSE Tumbleweed 31.0 120.7 204.0
Watts, Fewer Is Better
250
200
150
100
50


GROMACS 2018.3
Water Benchmark
Ns Per Day, More Is Better
Ubuntu 19.04
-march=core-avx2
SE +/- 0.00, N = 12
0.84
openSUSE Tumbleweed
SE +/- 0.00, N = 8
0.19
0.189
0.378
0.567
0.756
0.945
1. (CXX) g++ options: -std=c++11 -O3 -funroll-all-loops -fopenmp -lrt -lpthread -lm
GROMACS 2018.3
Water Benchmark
Ns Per Day Per Watt, More Is Better
Ubuntu 19.04
0.01
openSUSE Tumbleweed
0.0023
0.0046
0.0069
0.0092
0.0115
GROMACS 2018.3
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
60.0
83.0
100.0
openSUSE Tumbleweed
64.0
87.3
100.0
Celsius, Fewer Is Better
100
80
60
40
20

GROMACS 2018.3

System Power Consumption Monitor



libjpeg-turbo tjbench 2.0.2

Test: Decompression Throughput



1. (CC) gcc options: -O3 -rdynamic

libjpeg-turbo tjbench 2.0.2

Test: Decompression Throughput




Meta Performance Per Watt
Performance Per Watt
Performance Per Watt, More Is Better
Clear Linux 30970
492.45
openSUSE Tumbleweed
123.03
110
220
330
440
550
NeatBench 5
Acceleration: CPU
FPS, More Is Better
Ubuntu 19.04
SE +/- 1.09, N = 16
10.23
Clear Linux 30970
SE +/- 1.24, N = 16
10.82
openSUSE Tumbleweed
SE +/- 1.24, N = 16
10.80
3
6
9
12
15
NeatBench 5
Acceleration: CPU
FPS Per Watt, More Is Better
Ubuntu 19.04
0.10
Clear Linux 30970
0.09
openSUSE Tumbleweed
0.08
0.0225
0.045
0.0675
0.09
0.1125


NeatBench 5
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 62.0 71.8 92.0
Clear Linux 30970 63.0 78.3 95.0
openSUSE Tumbleweed 64.0 77.4 91.0
Celsius, Fewer Is Better
100
80
60
40
20
NeatBench 5
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 26.4 104.0 162.8
Clear Linux 30970 25.9 119.4 202.6
openSUSE Tumbleweed 31.1 143.8 212.9
Watts, Fewer Is Better
300
240
180
120
60


Perl Benchmarks
Test: Pod2html
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00017116, N = 3
0.09515564
Clear Linux 30970
SE +/- 0.00025532, N = 3
0.08586473
openSUSE Tumbleweed
SE +/- 0.00035494, N = 3
0.09508150
0.0214
0.0428
0.0642
0.0856
0.107
Perl Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 49.0 54.3 56.0
Clear Linux 30970 56.0 63.9 86.0
openSUSE Tumbleweed 48.0 53.3 54.0
Celsius, Fewer Is Better
100
80
60
40
20


Perl Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
24.5
62.8
65.0
Clear Linux 30970
25.6
64.5
67.4
openSUSE Tumbleweed
30.1
67.5
70.3
Watts, Fewer Is Better
100
80
60
40
20
Perl Benchmarks
Test: Interpreter
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.00001672, N = 15
0.00076571
Clear Linux 30970
SE +/- 0.00000173, N = 12
0.00079730
openSUSE Tumbleweed
SE +/- 0.00012432, N = 12
0.00085798
0.0002
0.0004
0.0006
0.0008
0.001


Perl Benchmarks
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 44.0 50.6 65.0
Clear Linux 30970 52.0 58.3 75.0
openSUSE Tumbleweed 43.0 49.0 61.0
Celsius, Fewer Is Better
100
80
60
40
20
Perl Benchmarks
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.2 47.9 60.6
Clear Linux 30970 24.6 59.3 62.8
openSUSE Tumbleweed 29.9 49.1 65.4
Watts, Fewer Is Better
100
80
60
40
20


PHPBench 0.8.1
PHP Benchmark Suite
Score, More Is Better
Ubuntu 19.04
SE +/- 1703.21, N = 3
801138
Clear Linux 30970
SE +/- 8094.30, N = 3
1115509
openSUSE Tumbleweed
SE +/- 1514.37, N = 3
695398
200K
400K
600K
800K
1000K
PHPBench 0.8.1
PHP Benchmark Suite
Score Per Watt, More Is Better
Ubuntu 19.04
13532.74
Clear Linux 30970
22258.24
openSUSE Tumbleweed
9798.94
5K
10K
15K
20K
25K
PHPBench 0.8.1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 65.0 69.0 72.0
Clear Linux 30970 66.0 71.1 74.0
openSUSE Tumbleweed 66.0 71.1 74.0
Celsius, Fewer Is Better
100
80
60
40
20


PHPBench 0.8.1
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
26.4
59.2
71.4
openSUSE Tumbleweed
31.2
71.0
76.9
Watts, Fewer Is Better
100
80
60
40
20
PyBench 2018-02-16
Total For Average Test Times
Milliseconds, Fewer Is Better
Ubuntu 19.04
SE +/- 1.15, N = 3
807
Clear Linux 30970
SE +/- 1.76, N = 3
811
openSUSE Tumbleweed
SE +/- 3.93, N = 3
1015
200
400
600
800
1000


PyBench 2018-02-16
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 36.0 41.2 43.0
Clear Linux 30970 45.0 48.5 50.0
openSUSE Tumbleweed 40.0 46.5 49.0
Celsius, Fewer Is Better
70
56
42
28
14
PyBench 2018-02-16
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.0 51.9 60.8
Clear Linux 30970 25.8 53.2 62.3
openSUSE Tumbleweed 29.6 60.6 67.9
Watts, Fewer Is Better
100
80
60
40
20


Renaissance 0.9.0
Test: Akka Unbalanced Cobwebbed Tree
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 66.89, N = 8
9582.69
Clear Linux 30970
SE +/- 47.89, N = 40
8861.62
openSUSE Tumbleweed
SE +/- 44.65, N = 8
8583.90
2K
4K
6K
8K
10K
Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 43.0 58.3 68.0
Clear Linux 30970 60.0 80.3 95.0
openSUSE Tumbleweed 40.0 62.2 76.0
Celsius, Fewer Is Better
100
80
60
40
20


Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
24.8
93.1
157.1
Clear Linux 30970
25.1
110.7
171.9
openSUSE Tumbleweed
30.0
115.3
179.5
Watts, Fewer Is Better
250
200
150
100
50
Renaissance 0.9.0
Test: Savina Reactors.IO
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 121.89, N = 14
15288.09
Clear Linux 30970
SE +/- 125.95, N = 9
13053.79
openSUSE Tumbleweed
SE +/- 59.56, N = 8
13521.46
3K
6K
9K
12K
15K


Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 48.0 61.4 82.0
Clear Linux 30970 65.0 76.7 97.0
openSUSE Tumbleweed 51.0 63.1 77.0
Celsius, Fewer Is Better
100
80
60
40
20
Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.5 80.2 145.8
Clear Linux 30970 25.1 94.0 174.6
openSUSE Tumbleweed 29.9 75.4 164.4
Watts, Fewer Is Better
250
200
150
100
50


Renaissance 0.9.0
Test: Apache Spark ALS
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 28.59, N = 8
4373.54
Clear Linux 30970
SE +/- 18.63, N = 8
3652.79
900
1800
2700
3600
4500
Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
50.0
61.4
79.0
Clear Linux 30970
63.0
78.1
95.0
Celsius, Fewer Is Better
100
80
60
40
20


Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.0
74.4
125.9
Clear Linux 30970
25.1
72.7
174.6
Watts, Fewer Is Better
250
200
150
100
50
Renaissance 0.9.0
Test: Apache Spark Bayes
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 34.01, N = 8
4620.20
Clear Linux 30970
SE +/- 37.28, N = 8
8059.81
2K
4K
6K
8K
10K


Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
50.0
60.7
74.0
Clear Linux 30970
63.0
80.0
97.0
Celsius, Fewer Is Better
100
80
60
40
20
Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.2
78.2
142.9
Clear Linux 30970
25.5
113.2
161.2
Watts, Fewer Is Better
250
200
150
100
50


Renaissance 0.9.0
Test: Apache Spark PageRank
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 49.77, N = 8
16449.08
Clear Linux 30970
SE +/- 70.98, N = 8
18325.03
4K
8K
12K
16K
20K
Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
53.0
68.3
82.0
Clear Linux 30970
63.0
78.3
97.0
Celsius, Fewer Is Better
100
80
60
40
20


Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
24.5
90.6
138.7
Clear Linux 30970
25.5
97.9
138.8
Watts, Fewer Is Better
200
160
120
80
40
Renaissance 0.9.0
Test: In-Memory Database Shootout
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 37.01, N = 15
4804.38
Clear Linux 30970
SE +/- 36.07, N = 8
4361.75
openSUSE Tumbleweed
SE +/- 32.64, N = 40
4448.10
1000
2000
3000
4000
5000


Renaissance 0.9.0
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 52.0 63.4 82.0
Clear Linux 30970 62.0 74.1 96.0
openSUSE Tumbleweed 44.0 59.7 81.0
Celsius, Fewer Is Better
100
80
60
40
20
Renaissance 0.9.0
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.9 73.6 133.4
Clear Linux 30970 25.5 83.8 167.7
openSUSE Tumbleweed 29.8 90.9 184.3
Watts, Fewer Is Better
250
200
150
100
50


Selenium
Benchmark: ARES-6 - Browser: Firefox
ms, Fewer Is Better
Ubuntu 19.04
SE +/- 0.56, N = 3
44.98
Clear Linux 30970
SE +/- 0.16, N = 3
39.74
openSUSE Tumbleweed
SE +/- 0.23, N = 3
38.64
10
20
30
40
50
1. Ubuntu 19.04: firefox 69.0
2. Clear Linux 30970: firefox 69.0
3. openSUSE Tumbleweed: firefox 68.1.0
Selenium
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 59.0 66.1 71.0
Clear Linux 30970 60.0 70.9 96.0
openSUSE Tumbleweed 58.0 68.1 72.0
Celsius, Fewer Is Better
100
80
60
40
20

Selenium

System Power Consumption Monitor

	Min	Avg	Max
Ubuntu 19.04	26.5	73.2	110.7
Clear Linux 30970	25.7	65.0	123.4
openSUSE Tumbleweed	30.9	66.7	88.1



SVT-VP9 2019-09-09

1080p 8-bit YUV To VP9 Video Encode



1. (CC) gcc options: -fPIE -fPIC -flto -O3 -O2 -pie -rdynamic -lpthread -lrt -lm

SVT-VP9 2019-09-09

1080p 8-bit YUV To VP9 Video Encode



System Power Consumption Monitor

Phoronix Test Suite System Monitoring

	Min	Avg	Max
Ubuntu 19.04	24.2	81.2	161.8
Clear Linux 30970	24.5	91.6	204.0
openSUSE Tumbleweed	29.4	98.9	212.9



Systemd Total Boot Time

Test: Total



Systemd Total Boot Time

Test: Userspace




Systemd Total Boot Time
Test: Kernel
ms, Fewer Is Better
Ubuntu 19.04
4055.00
Clear Linux 30970
1108.60
openSUSE Tumbleweed
2594.00
900
1800
2700
3600
4500
Systemd Total Boot Time
Test: Loader
ms, Fewer Is Better
Ubuntu 19.04
844.00
Clear Linux 30970
147.20
openSUSE Tumbleweed
8237.00
2K
4K
6K
8K
10K
Systemd Total Boot Time
Test: Firmware
ms, Fewer Is Better
Ubuntu 19.04
5665.00
Clear Linux 30970
5768.60
openSUSE Tumbleweed
9732.00
2K
4K
6K
8K
10K
Timed Linux Kernel Compilation 4.18
Time To Compile
Seconds, Fewer Is Better
Ubuntu 19.04
SE +/- 0.63, N = 3
70.63
Clear Linux 30970
SE +/- 0.39, N = 3
70.69
16
32
48
64
80


Timed Linux Kernel Compilation 4.18
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04
60.0
74.3
80.0
Clear Linux 30970
67.0
83.5
98.0
Celsius, Fewer Is Better
100
80
60
40
20
Timed Linux Kernel Compilation 4.18
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04
25.9
106.3
156.7
Clear Linux 30970
29.7
118.5
200.0
Watts, Fewer Is Better
250
200
150
100
50


Timed LLVM Compilation 6.0.1
Time To Compile
Seconds, Fewer Is Better
Ubuntu 19.04
406.06
Clear Linux 30970
725.32
openSUSE Tumbleweed
408.41
160
320
480
640
800
Timed LLVM Compilation 6.0.1
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 49.0 72.0 79.0
Clear Linux 30970 56.0 80.9 95.0
openSUSE Tumbleweed 57.0 79.4 91.0
Celsius, Fewer Is Better
100
80
60
40
20

Timed LLVM Compilation 6.0.1

System Power Consumption Monitor

	Min	Avg	Max
Ubuntu 19.04	43.3	116.6	154.7
Clear Linux 30970	66.5	119.1	186.8
openSUSE Tumbleweed	31.0	125.4	193.2

x265 3.1.2

H.265 1080p Video Encoding



1. (CXX) g++ options: -O3 -rdynamic -lpthread -lrt -ldl -pipe -fexceptions -fstack-protector -m64 -ffat-lto-objects -fno-signed-zeros -fno-trapping-math -fassociative-math -mtune=skylake -lnuma

x265 3.1.2

H.265 1080p Video Encoding




x265 3.1.2
CPU Temperature Monitor
Min
Avg
Max
Ubuntu 19.04 33.0 46.4 54.0
Clear Linux 30970 47.0 68.1 82.0
openSUSE Tumbleweed 38.0 58.7 73.0
Celsius, Fewer Is Better
100
80
60
40
20
x265 3.1.2
System Power Consumption Monitor
Min
Avg
Max
Ubuntu 19.04 24.7 95.1 139.1
Clear Linux 30970 24.9 129.7 178.2
openSUSE Tumbleweed 29.7 105.0 184.7
Watts, Fewer Is Better
250
200
150
100
50

These geometric means are based upon test groupings / test suites for this result file.



Geometric mean based upon tests: pts/build-llvm, pts/dav1d, pts/x265, pts/svt-vp9 and pts/gromacs



Geometric mean based upon tests: pts/build-llvm, pts/build-linux-kernel, pts/dacapobench, pts/dav1d, pts/svt-vp9, pts/x265, pts/glibc-bench, pts/go-benchmark, pts/phpbench, pts/blender, system/darktable, pts/tjbench and pts/renaissance



Geometric mean based upon tests: pts/blender, pts/appleseed, pts/svt-vp9, pts/x265, pts/dav1d, pts/tjbench, system/gimp, system/darktable and pts/neatbench



Geometric mean based upon tests: pts/svt-vp9, pts/x265 and pts/dav1d



Geometric mean based upon tests: pts/dacapobench and pts/renaissance



Geometric mean based upon tests: pts/blender, pts/svt-vp9, pts/x265, pts/dav1d, pts/gromacs, pts/build-linux-kernel, pts/build-llvm, pts/appleseed and pts/neatbench



Geometric mean based upon tests: pts/gromacs, pts/neatbench and pts/blender



Geometric mean based upon tests: pts/pybench, pts/build-linux-kernel and pts/build-llvm



Geometric mean based upon tests: pts/pybench, pts/systemd-boot-total and pts/build-llvm



Geometric mean based upon tests: pts/blender and pts/appleseed



Geometric mean based upon tests: pts/phpbench and pts/perl-benchmark



Geometric mean based upon tests: pts/dacapobench, pts/renaissance, pts/svt-vp9, pts/x265, pts/dav1d, pts/build-linux-kernel, pts/build-llvm, pts/glibc-bench, pts/tjbench, system/gimp, pts/blender, pts/appleseed, pts/pybench and pts/phpbench



Geometric mean based upon tests: pts/perl-benchmark, pts/glibc-bench, pts/tjbench, pts/pybench and pts/phpbench



Geometric mean based upon tests: pts/svt-vp9, pts/x265 and pts/dav1d



Geometric mean based upon tests: pts/blender and pts/x265

This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 09:50.