

www.phoronix-test-suite.com

videotest

eer

Test Systems:

tests

Processor: Intel Core 2 Duo E8400 (2 Cores), Motherboard: ASUS P5GC-MX/1333 (0413 BIOS), Chipset: Intel 82945G/GZ/P/PL + ICH7, Memory: 2 x 2048 MB DDR2, Disk: 320GB Western Digital WD3200AAJS-0, Graphics: ASUS NVIDIA NV117 2GB, Audio: Realtek ALC662 rev1, Monitor: Acer V236HL, Network: Qualcomm Atheros Attansic L2


OS: LinuxMint 19.3, Kernel: 5.0.0-32-generic (x86_64), Desktop: Cinnamon 4.4.8, Display Server: X Server 1.19.6, Display Driver: nouveau 1.0.15, OpenGL: 4.3 Mesa 19.2.8, Compiler: GCC 7.4.0, File-System: ext4, Screen Resolution: 1920x1080

Processor Notes: CPU Microcode: 0xa0b
Graphics Notes: EXA
Security Notes: l1tf: Mitigation of PTE Inversion; VMX: EPT disabled + mds: Vulnerable: Clear buffers attempted no microcode; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline STIBP: disabled RSB filling

videotest

	tests
Unigine Valley - 1920 x 1080 - Windowed - OpenGL (FPS)	11.7951
Standard Deviation	38.9%

videotest



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 09:57.