

www.phoronix-test-suite.com

talos

Intel Core i5-3470 testing with a Foxconn 2ABF v3.10 (8.14 BIOS) and MSI NVIDIA GeForce GTX 1070 Ti 8GB on Ubuntu 20.04 via the Phoronix Test Suite.

Test Systems:

i5-3470 GTX 1070 ti

Processor: Intel Core i5-3470 @ 3.60GHz (4 Cores), Motherboard: Foxconn 2ABF v3.10 (8.14 BIOS), Chipset: Intel Xeon E3-1200 v2/3rd, Memory: 8GB, Disk: 2000GB Western Digital WD20EZAZ-00G + 1000GB CT1000MX500SSD1, Graphics: MSI NVIDIA GeForce GTX 1070 Ti 8GB (1607/4006MHz), Audio: Realtek ALC656, Monitor: MSI MAG241C, Network: Realtek RTL8111/8168/8411


OS: Ubuntu 20.04, Kernel: 5.4.0-33-generic (x86_64), Desktop: GNOME Shell 3.36.2, Display Server: X Server 1.20.8, Display Driver: NVIDIA 440.64, OpenGL: 4.6.0, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x21
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT disabled + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs

barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + tsx_async_abort: Not affected

	i5-3470 GTX 1070 ti
The Talos Principle - OpenGL - 1920 x 1080 (FPS)	159.5
Standard Deviation	2.8%
The Talos Principle - Vulkan - 1920 x 1080 (FPS)	159.1
Standard Deviation	1.1%

talos



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 09:49.