

www.phoronix-test-suite.com

111

111

Test Systems:

111


Processor: Intel Xeon Platinum 8269CY (4 Cores / 8 Threads), Motherboard: Alibaba Cloud ECS (8c24b4c BIOS), Memory: 1 x 16384 MB RAM, Disk: 50GB, Graphics: cirrusdrmfb


OS: CentOS 7.2.1511, Kernel: 3.10.0-514.26.2.el7.x86_64 (x86_64), Compiler: GCC 4.8.5 20150623, File-System: ext4, Screen Resolution: 1024x768, System Layer: KVM

Compiler Notes: --build=x86_64-redhat-linux --disable-libgcj --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,objc,obj-c++,java,fortran,ada,go,lto --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-linker-hash-style=gnu --with-tune=generic
Processor Notes: CPU Microcode: 0x1

111

	111
Ethr - TCP - Connections/s - 1 (Connections/sec)	61401
Standard Deviation	320.4%
Ethr - HTTP - Bandwidth - 1 (Mbits/s)	1531
Standard Deviation	0.3%
Sockperf - Throughput (Messages/sec)	433810
Standard Deviation	4.5%
Ethr - TCP - Latency - 1 (us)	14.84
Standard Deviation	0.4%
Sockperf - Latency Ping Pong (usec)	4.909
Standard Deviation	2%
Sockperf - Latency Under Load (usec)	5.582
Standard Deviation	2.7%


Ethr 2019-01-02
Server Address: localhost - Protocol: TCP - Test: Connections/s - Threads: 1
Connections/sec, More Is Better
111
SE +/- 56785.55, N = 12
61401
13K
26K
39K
52K
65K
Ethr 2019-01-02
Server Address: localhost - Protocol: HTTP - Test: Bandwidth - Threads: 1
Mbits/sec, More Is Better
111
MIN: 1520 / MAX: 1540
SE +/- 2.37, N = 3
1530.63
300
600
900
1200
1500
Sockperf 3.4
Test: Throughput
Messages Per Second, More Is Better
111
SE +/- 3936.39, N = 25
433810
90K
180K
270K
360K
450K
1. (CXX) g++ options: -param -O3 -rdynamic -ldl -lpthread
Ethr 2019-01-02
Server Address: localhost - Protocol: TCP - Test: Latency - Threads: 1
Microseconds, Fewer Is Better
111
MIN: 12.53 / MAX: 16.24
SE +/- 0.03, N = 3
14.84
4
8
12
16
20
Sockperf 3.4
Test: Latency Ping Pong
usec, Fewer Is Better
111
SE +/- 0.044, N = 5
4.909
1.1045
2.209
3.3135
4.418
5.5225
1. (CXX) g++ options: -param -O3 -rdynamic -ldl -lpthread



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 11:01.