

www.phoronix-test-suite.com

Minerva7452Cray

2 x AMD EPYC 7452 32-Core testing with a Dell 04DK47 (1.2.7 BIOS) and Matrox G200eW3 on RedHatEnterpriseServer 7.6 via the Phoronix Test Suite.

Test Systems:

MinervaGCrayTest

Processor: 2 x AMD EPYC 7452 32-Core (64 Cores), Motherboard: Dell 04DK47 (1.2.7 BIOS), Chipset: AMD Device 1480, Memory: 252GB, Disk: 240GB DELLBOSS VD, Graphics: Matrox G200eW3, Monitor: DELL E1911, Network: Broadcom NetXtreme BCM5720 PCIe


OS: RedHatEnterpriseServer 7.6, Kernel: 3.10.0-957.27.2.el7.x86_64 (x86_64), Display Server: X Server, Compiler: GCC 8.2.0, File-System: nfs, Screen Resolution: 1280x1024

Environment Notes: SRUN_DEBUG=3
Compiler Notes: --enable-languages=c,c++,fortran --with-gmp-include=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/gmp-6.1.2 --with-gmp-lib=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/gmp-6.1.2/.libs --with-mpc-include=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/mpc-1.1.0/src --with-mpc-lib=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/mpc-1.1.0/src/.libs

Minerva7452Cray

--with-mpfr-include=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/mpfr-4.0.1/src
--with-mpfr-lib=/var/lib/jenkins/workspace/autobuild/x86_64/8.2/rhel7/x86_64/gcc-recent/tmp-build/mpfr-4.0.1/src/.libs
Processor Notes: CPU Microcode: 0x8301034

	MinervaGCrayTest
C-Ray - Total Time - 4.1.R.P.P (sec)	11.071
Standard Deviation	0.7%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 07:25.