

www.phoronix-test-suite.com

2020-10-01-0953

Intel Core i7-3820 testing with a ASUS SABERTOOTH X79 (4801 BIOS) and NVIDIA GeForce GTX 660 2GB on Microsoft Windows 10 Pro Build 19041 via the Phoronix Test Suite.

Test Systems:

Intel Core i7-3820


Processor: Intel Core i7-3820 @ 3.60GHz (4 Cores / 8 Threads), Motherboard: ASUS SABERTOOTH X79 (4801 BIOS), Memory: 4 x 8192 MB 1333MHz F3-12800CL10-8GBZ, Disk: 1863GB WDC WD2003FZEX-00Z4SA0 + 466GB Samsung SSD 850 EVO 500GB + 466GB Samsung Portable SSD T3 USB, Graphics: NVIDIA GeForce GTX 660 2GB, Network: AnchorFree TAP-Windows V9 + VirtualBox Host-Only

OS: Microsoft Windows 10 Pro Build 19041, Kernel: 10.0 (x86_64), Display Driver: 456.38 (27.21.14.5638), Compiler: GCC 8.1.0 + Clang 10.0.0, File-System: NTFS, Screen Resolution: 1920x1080

Security Notes: __user pointer sanitization: Disabled + Retpoline: Full + IBPB: Always + IBRS: Enabled + STIBP: Enabled + KPTI Enabled: Yes + PTE Inversion: Yes

2020-10-01-0953

	Intel Core i7-3820
OpenSSL - R.4.b.P (Signs/sec)	113.7
Standard Deviation	0.5%
Redis - LPOP (Reqs/sec)	710831
Standard Deviation	0.8%
Redis - SADD (Reqs/sec)	590354
Standard Deviation	0.1%
Redis - LPUSH (Reqs/sec)	487284
Standard Deviation	1.1%
Redis - GET (Reqs/sec)	725287
Standard Deviation	0.2%
Redis - SET (Reqs/sec)	558254
Standard Deviation	0%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024

12:03.