

www.phoronix-test-suite.com

OtherTestsSuvorovAlex

Okay< go!

Test Systems:

.system


Processor: Intel Pentium Dual E2220 @ 2.40GHz (2 Cores), Motherboard: Intel S3210SH (S3200X38.86B.00.00.0052.112920101508 BIOS), Chipset: Intel 3200/3210 + ICH9R, Memory: 2048MB, Disk: 2 x 320GB Hitachi HDS72103, Graphics: llvmpipe, Monitor: 23EA53, Network: Intel 82566DM-2 + Intel 82541GI

OS: Debian 10, Kernel: 4.19.0-12-686 (i686), Desktop: Cinnamon 3.8.8, Display Server: X Server 1.20.4, Display Driver: modesetting 1.20.4, OpenGL: 3.3 Mesa 18.3.6 (LLVM 7.0 128 bits), Compiler: GCC 8.3.0 + Open64 PARSE ERROR: Argument:-dumpversion Couldn t find match for argumentBrief USAGE: opencc [--noflush] [-i] [-o] [-c] [--] [--version] [-h]For complete USAGE and HELP type: opencc--help, File-System: ext4, Screen Resolution: 1280x800

Compiler Notes: --build=i686-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-plugin --enable-shared --enable-targets=all --enable-threads=posix --host=i686-linux-gnu

--program-prefix=i686-linux-gnu- --target=i686-linux-gnu --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic -v
Disk Notes: MQ-DEADLINE / errors=remount-ro,relatime,rw,stripe=256 / raid0 sdb1[1] sda1[0]
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0xa3
Security Notes: itlb_multihit: KVM: Vulnerable + l1tf: Vulnerable + mds: Vulnerable: Clear buffers attempted no microcode; SMT disabled + meltdown: Vulnerable + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	.system
IOzone - 4Kb - 512MB - Write Performance (MB/s)	105.63
Standard Deviation	3.5%
NAS Parallel Benchmarks - BT.A (Mop/s)	445.50
Standard Deviation	0.5%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 11:57.