

www.phoronix-test-suite.com

x264-blacktan-24112020

x264-silverbox-24112020

Test Systems:

Intel Pentium G4400T

Processor: Intel Pentium G4400T @ 2.90GHz (2 Cores), Motherboard: ASUS H170-PLUS D3, Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 8192MB, Disk: 240GB CT240BX200SSD1 + 240GB TOSHIBA-TL100, Graphics: Intel HD 510 3072MB (950MHz), Audio: Intel 100 /C230, Monitor: MT5531, Network: Realtek RTL8111/8168/8411

OS: openSUSE 15.2, Kernel: 5.3.18-lp152.50-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.20.3X Protocol 11 Revision 0Build Operating : openSUSE SUSE LINUXCurrent Operating : Linux blacktan 5.3.18-lp152.50-default #1 SMP Tue Nov 10 21:02:48 UTC 2020 (29ac38d) x86_64Kernel command line: BOOT_IMAGE=/boot/vmlinuz-5.3.18-lp152.50-default root=UUID=a9590482-d518-40da-ad08-83a5e0828e3f resume=/dev/disk/by-id/ata-TOSHIBA-TL100_27MB63UPKSZU-part4 splash=silent quiet showopts, Display Driver: modesetting 1.20.3, OpenGL: 4.6 Mesa 19.3.4, Compiler: GCC 7.5.0, File-System: xfs, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-suse-linux --disable-libcc1 --disable-libssp --disable-libstdcxx-pch --disable-libvtv --disable-plugin --disable-werror --enable-checking=release --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go --enable-libstdcxx-allocator=new --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Processor Notes: Scaling Governor: intel_pstate powersave

AMD Ryzen 5 2400G with Radeon Vega


Processor: AMD Ryzen 5 2400G with Radeon Vega @ 3.60GHz (4 Cores / 8 Threads), Motherboard: ASRock X370 Gaming-ITX/ac, Chipset: AMD Raven/Raven2, Memory: 15360MB, Disk: 512GB INTEL SSDPEKKF512G7, Graphics: AMD Radeon Vega / Radeon Vega Mobile 1024MB, Audio: AMD Raven/Raven2/Fenghuang, Monitor: PL2530H, Network: Intel I211 Gigabit Connection + Intel Wireless 7265

OS: openSUSE Leap 15.2, Kernel: 5.3.18-lp152.50-default (x86_64), Desktop: KDE Frameworks 5, Display Server: X Server 1.20.3X Protocol 11 Revision 0Build Operating : openSUSE SUSE LINUXCurrent Operating : Linux silverbox 5.3.18-lp152.50-default #1 SMP Tue Nov 10 21:02:48 UTC 2020 (29ac38d) x86_64Kernel command line: BOOT_IMAGE=/boot/vmlinuz-5.3.18-lp152.50-default root=UUID=36af95a9-3bfc-46f9-b79c-d70b2d696e37 resume=/dev/disk/by-id/nvme-INTEL_SSDPEKKF512G7_BTPY74040HNC512F-part2 splash=silent quiet showopts, Display Driver: amdgpu 18.1.0, OpenGL: 4.5 Mesa 19.3.4 (LLVM 9.0.1), Compiler: GCC 7.5.0, File-System: xfs, Screen Resolution: 1920x1080

Compiler Notes: --build=x86_64-suse-linux --disable-libcc1 --disable-libssp --disable-libstdcxx-pch --disable-libvtv --disable-plugin --disable-werror --enable-checking=release --enable-gnu-indirect-function --enable-languages=c,c++,objc,fortran,obj-c++,ada,go --enable-libstdcxx-allocator=new --enable-linux-futex --enable-multilib --enable-offload-targets=hsa,nvptx-none=/usr/nvptx-none, --enable-ssp --enable-version-specific-runtime-libs --host=x86_64-suse-linux --mandir=/usr/share/man --with-arch-32=x86-64 --with-gcc-major-version-only --with-slibdir=/lib64 --with-tune=generic --without-cuda-driver --without-system-libunwind
Processor Notes: Scaling Governor: acpi-cpufreq ondemand

	Intel Pentium G4400T	AMD Ryzen 5 2400G with Radeon Vega
x264 - H.2.V.E (FPS)	**13.42**	**35.07**
Normalized	38.27%	100%
Standard Deviation	0.8%	0.1%

x264-blacktan-24112020



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 05:52.