

www.phoronix-test-suite.com

e i7-4700HQ + ASUS NVIDIA GeForce GTX 770M 3GB + ASUS G750JX v1.0 (G750JX.2

Various open-source benchmarks by the Phoronix Test Suite v10.0.1 (Finnsnes).

Test Systems:

Intel Core i7-4700HQ


Processor: Intel Core i7-4700HQ @ 3.40GHz (4 Cores / 8 Threads), Motherboard: ASUS G750JX v1.0 (G750JX.206 BIOS), Chipset: Intel Xeon E3-1200 v3/4th, Memory: 16GB, Disk: 1000GB Seagate ST1000LM024 HN-M + 256GB LITEONIT LCM-256, Graphics: ASUS NVIDIA GeForce GTX 770M 3GB, Audio: Realtek ALC3229, Network: Qualcomm Atheros QCA8171 + Broadcom BCM4352 802.11ac

OS: Arch rolling, Kernel: 5.9.10-arch1-1 (x86_64), Desktop: KDE Plasma 5.20.3, Display Server: X Server 1.20.9, Display Driver: NVIDIA 455.45.01, OpenGL: 4.6.0, Compiler: GCC 10.2.0 + Clang 11.0.0Target:, File-System: btrfs, Screen Resolution: 1920x1080

Processor Notes: Scaling Governor: intel_cpufreq schedutil - CPU Microcode: 0x8
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Vulnerable: Clear buffers attempted no microcode; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swapgs barriers and

__user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline STIBP: disabled RSB filling + srbds: Vulnerable: No microcode + tsx_async_abort: Not affected

	Intel Core i7-4700HQ
OpenVKL - vklBenchmark (Items / Sec)	45.55
Standard Deviation	1.2%
asmFish - 1.H.M.2.D (Nodes/s)	8892301
Standard Deviation	0.5%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 22:38.