

www.phoronix-test-suite.com

2020-12-22uh.txt

Intel Core i5-3570K testing with a Gigabyte Z77-DS3H (F6 BIOS) and MSI AMD Radeon RX 550 640SP / 560/560X 4GB on Gentoo 2.7 via the Phoronix Test Suite.

Test Systems:


2020-12-22uh

Processor: Intel Core i5-3570K @ 3.80GHz (4 Cores), Motherboard: Gigabyte Z77-DS3H (F6 BIOS), Chipset: Intel Xeon E3-1200 v2/3rd, Memory: 16GB, Disk: 240GB Western Digital WDS240G2G0A + 4001GB Western Digital WD40EFRX-68W + 2000GB Western Digital WD20EARX-00P + 1050GB Crucial CT1050MX, Graphics: MSI AMD Radeon RX 550 640SP / 560/560X 4GB (1150MHz), Audio: Realtek ALC887-VD, Monitor: EV2455, Network: Qualcomm Atheros AR8151 v2.0

OS: Gentoo 2.7, Kernel: 5.4.66-gentoo (x86_64), Desktop: GNOME Shell 3.36.5, Display Server: X Server 1.19.5, Display Driver: modesetting 1.19.5, OpenGL: 4.6 Mesa 20.1.8 (LLVM 10.0.1), Compiler: GCC 9.3.0 + Clang 10.0.1 + LLVM 10.0.1, File-System: ext4, Screen Resolution: 1920x1200

Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x21
Graphics Notes: GLAMOR
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT disabled + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Vulnerable: No microcode + tsx_async_abort: Not affected

	2020-12-22uh
Unigine Heaven - 1920 x 1200 - Fullscreen - OpenGL (FPS)	31.2903
Standard Deviation	0.2%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 08:48.