

www.phoronix-test-suite.com

ryzen_2600_cpu_gpu_hotel

AMD Ryzen 5 2600 Six-Core testing with a Gigabyte B450 I AORUS PRO WIFI-CF (F60e BIOS) and ASUS NVIDIA GeForce GTX 1080 Ti 11GB on Pop 20.04 via the Phoronix Test Suite.

Test Systems:

AMD Ryzen 5 2600 Six-Core - ASUS NVIDIA GeForce GTX

Processor: AMD Ryzen 5 2600 Six-Core @ 3.40GHz (6 Cores / 12 Threads), Motherboard: Gigabyte B450 I AORUS PRO WIFI-CF (F60e BIOS), Chipset: AMD 17h, Memory: 32GB, Disk: 1024GB ADATA SX8200PNP + 31GB Seagate STORAGE DEVICE, Graphics: ASUS NVIDIA GeForce GTX 1080 Ti 11GB (1835/5508MHz), Audio: NVIDIA GP102 HDMI Audio, Monitor: DELL U2721DE, Network: Intel I211 + Intel-AC 9260


OS: Pop 20.04, Kernel: 5.8.0-7630-generic (x86_64), Desktop: GNOME Shell 3.36.4, Display Server: X Server 1.20.8, Display Driver: NVIDIA 460.27.04, OpenGL: 4.6.0, OpenCL: OpenCL 1.2 CUDA 11.2.66, Vulkan: 1.2.155, Compiler: GCC 9.3.0 + CUDA 11.0, File-System: ext4, Screen Resolution: 2560x1440

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch

--enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x800820d
OpenCL Notes: GPU Compute Cores: 3584
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	AMD Ryzen 5 2600 Six-Core - ASUS NVIDIA GeForce GTX
LuxMark - CPU+GPU - Hotel (Score)	5601
Standard Deviation	0.5%

ryzen_2600_cpu_gpu_hotel



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 04:50.