



## 10900K Linux 5.11

Intel Core i9-10900K testing with a Gigabyte Z490 AORUS MASTER (F3 BIOS) and Gigabyte AMD Radeon RX 5500/5500M / Pro 5500M 8GB on Ubuntu 20.10 via the Phoronix Test Suite.

### Automated Executive Summary

*5 Jan had the most wins, coming in first place for 68% of the tests.*

*Based on the geometric mean of all complete results, the fastest (5 Jan) was 1.012x the speed of the slowest (6 Jan).*

*The results with the greatest spread from best to worst included:*

*Hackbench (Count: 4 - Type: Thread) at 1.057x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 250 - Mode: Read Write) at 1.052x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 250 - Mode: Read Write - Average Latency) at 1.052x*

*Apache Siege (Concurrent Users: 10) at 1.047x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 50 - Mode: Read Write) at 1.026x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 50 - Mode: Read Write - Average Latency) at 1.026x*

*KeyDB at 1.026x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 50 - Mode: Read Only) at 1.018x*

*PostgreSQL pgbench (Scaling Factor: 1000 - Clients: 50 - Mode: Read Only - Average Latency) at 1.017x*

*Redis (Test: GET) at 1.016x.*

## Test Systems:

### 5 Jan

Processor: Intel Core i9-10900K @ 5.30GHz (10 Cores / 20 Threads), Motherboard: Gigabyte Z490 AORUS MASTER (F3 BIOS), Chipset: Intel Comet Lake PCH, Memory: 16GB, Disk: Samsung SSD 970 EVO 250GB, Graphics: Gigabyte AMD Radeon RX 5500/5500M / Pro 5500M 8GB (1900/875MHz), Audio: Realtek ALC1220, Monitor: ASUS MG28U, Network: Intel + Intel Wi-Fi 6 AX201

OS: Ubuntu 20.10, Kernel: 5.11.0-051100rc2daily20210105-generic (x86\_64) 20210104, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

```
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie
--enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug
--enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto
--enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgc-n-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/us
r,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64
--with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic
--without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xe0 - Thermald 2.3
Python Notes: Python 3.8.6
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + I1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB
disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB:
conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected
```

### 6 Jan

Processor: Intel Core i9-10900K @ 5.30GHz (10 Cores / 20 Threads), Motherboard: Gigabyte Z490 AORUS MASTER (F3 BIOS), Chipset: Intel Comet Lake PCH, Memory: 16GB, Disk: Samsung SSD 970 EVO 250GB, Graphics: Gigabyte AMD Radeon RX 5500/5500M / Pro 5500M 8GB (1900/875MHz), Audio: Realtek ALC1220, Monitor: ASUS MG28U, Network: Intel + Intel Wi-Fi 6 AX201

OS: Ubuntu 20.10, Kernel: 5.11.0-051100rc2daily20210106-generic (x86\_64) 20210105, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

```
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie
--enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug
--enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto
--enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgc-n-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/us
r,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64
--with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic
--without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xe0 - Thermald 2.3
Python Notes: Python 3.8.6
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + I1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB
disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB:
conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected
```

|  | 5 Jan        | 6 Jan        |
|--|--------------|--------------|
| <b>PostgreSQL pgbench - 1000 - 50 - Read Only - Average Latency (ms)</b> | <b>0.183</b> | <b>0.180</b> |
| Normalized   | 98.36%       | 100%         |
| Standard Deviation   | 5.6%         | 5.3%         |


|   |         |         |
|---|---------|---------|
| PostgreSQL pgbench - 1000 - 50 - Read Only (TPS)                    | 273745  | 278805  |
| Normalized  | 98.19%  | 100%    |
| Standard Deviation  | 5.1%    | 4.8%    |
| PostgreSQL pgbench - 1000 - 100 - Read Write - Average Latency (ms) | 19.764  | 19.776  |
| Normalized  | 100%    | 99.94%  |
| Standard Deviation  | 4%      | 1.8%    |
| PostgreSQL pgbench - 1000 - 100 - Read Write (TPS)                  | 5070    | 5060    |
| Normalized  | 100%    | 99.8%   |
| Standard Deviation  | 3.6%    | 1.8%    |
| Timed LLVM Compilation - Time To Compile (sec)                      | 518.229 | 514.250 |
| Normalized  | 99.23%  | 100%    |
| Standard Deviation  | 1.6%    | 0.7%    |
| PostgreSQL pgbench - 1000 - 50 - Read Write - Average Latency (ms)  | 11.200  | 11.496  |
| Normalized  | 100%    | 97.43%  |
| Standard Deviation  | 0.1%    | 1.5%    |
| PostgreSQL pgbench - 1000 - 50 - Read Write (TPS)                   | 4465    | 4350    |
| Normalized  | 100%    | 97.42%  |
| Standard Deviation  | 0.1%    | 1.5%    |
| PostgreSQL pgbench - 1000 - 250 - Read Write - Average Latency (ms) | 39.238  | 41.274  |
| Normalized  | 100%    | 95.07%  |
| Standard Deviation  | 1.5%    | 0.5%    |
| PostgreSQL pgbench - 1000 - 250 - Read Write (TPS)                  | 6376    | 6061    |
| Normalized  | 100%    | 95.06%  |
| Standard Deviation  | 1.5%    | 0.5%    |
| PostgreSQL pgbench - 1000 - 250 - Read Only - Average Latency (ms)  | 1.078   | 1.083   |
| Normalized  | 100%    | 99.54%  |
| Standard Deviation  | 0.2%    | 0.3%    |
| PostgreSQL pgbench - 1000 - 250 - Read Only (TPS)                   | 232075  | 230958  |
| Normalized  | 100%    | 99.52%  |
| Standard Deviation  | 0.3%    | 0.3%    |
| PostgreSQL pgbench - 1000 - 100 - Read Only - Average Latency (ms)  | 0.358   | 0.358   |
| Standard Deviation  | 0.3%    | 0.2%    |
| PostgreSQL pgbench - 1000 - 100 - Read Only (TPS)                   | 279627  | 279120  |
| Normalized  | 100%    | 99.82%  |
| Standard Deviation  | 0.3%    | 0.2%    |
| PostgreSQL pgbench - 100 - 50 - Read Write - Average Latency (ms)   | 5.911   | 6.639   |
| Normalized  | 100%    | 89.03%  |
| Standard Deviation  | 1.9%    | 8.1%    |
| PostgreSQL pgbench - 100 - 50 - Read Write (TPS)                    | 8462    | 7577    |
| Normalized  | 100%    | 89.54%  |
| Standard Deviation  | 1.9%    | 7.8%    |
| PostgreSQL pgbench - 100 - 100 - Read Write - Average Latency (ms)  | 10.667  | 10.887  |
| Normalized  | 100%    | 97.98%  |
| Standard Deviation  | 2.6%    | 6.3%    |
| PostgreSQL pgbench - 100 - 100 - Read Write (TPS)                   | 9384    | 9226    |
| Normalized  | 100%    | 98.32%  |
| Standard Deviation  | 2.6%    | 6.3%    |

|   |                |                |
|---|----------------|----------------|
| <b>Apache Siege - 200 (Transactions/sec)</b>                              | <b>105804</b>  | <b>106079</b>  |
| Normalized  | 99.74%         | 100%           |
| Standard Deviation  | 5.5%           | 3.2%           |
| <b>KeyDB (Ops/sec)</b>  | <b>856758</b>  | <b>834885</b>  |
| Normalized  | 100%           | 97.45%         |
| Standard Deviation  | 1.9%           | 0.4%           |
| <b>Timed Linux Kernel Compilation - Time To Compile</b>                   | <b>65.092</b>  | <b>65.423</b>  |
| Normalized  | 100%           | 99.49%         |
| Standard Deviation  | 1.6%           | 1.8%           |
| <b>InfluxDB - 4 - 10000 - 2,5000,1 - 10000 (val/sec)</b>                  | <b>1774810</b> | <b>1774977</b> |
| Normalized  | 99.99%         | 100%           |
| Standard Deviation  | 0.3%           | 0.3%           |
| <b>Hackbench - 32 - Process (sec)</b>                                     | <b>61.054</b>  | <b>61.344</b>  |
| Normalized  | 100%           | 99.53%         |
| Standard Deviation  | 0.4%           | 0.7%           |
| <b>InfluxDB - 64 - 10000 - 2,5000,1 - 10000 (val/sec)</b>                 | <b>1866312</b> | <b>1864598</b> |
| Normalized  | 100%           | 99.91%         |
| Standard Deviation  | 0.2%           | 0.5%           |
| <b>InfluxDB - 1024 - 10000 - 2,5000,1 - 10000 (val/sec)</b>               | <b>1865119</b> | <b>1871141</b> |
| Normalized  | 99.68%         | 100%           |
| Standard Deviation  | 0.3%           | 0.5%           |
| <b>Apache Siege - 500 (Transactions/sec)</b>                              | <b>100551</b>  | <b>100413</b>  |
| Normalized  | 100%           | 99.86%         |
| Standard Deviation  | 2.4%           | 3%             |
| <b>Apache Siege - 100 (Transactions/sec)</b>                              | <b>94617</b>   | <b>80232</b>   |
| Normalized  | 100%           | 84.8%          |
| Standard Deviation  | 3.1%           | 14.6%          |
| <b>Hackbench - 8 - Thread (sec)</b>                                       | <b>15.839</b>  | <b>15.590</b>  |
| Normalized  | 98.43%         | 100%           |
| Standard Deviation  | 3.5%           | 0.1%           |
| <b>PostgreSQL pgbench - 100 - 50 - Read Only - Average Latency (ms)</b>   | 0.160          | 0.16           |
| Standard Deviation  | 0.4%           | 0%             |
| <b>PostgreSQL pgbench - 100 - 50 - Read Only (TPS)</b>                    | <b>311806</b>  | <b>312458</b>  |
| Normalized  | 99.79%         | 100%           |
| Standard Deviation  | 0.1%           | 0.1%           |
| <b>PostgreSQL pgbench - 100 - 250 - Read Write - Average Latency (ms)</b> | <b>27.256</b>  | <b>27.640</b>  |
| Normalized  | 100%           | 98.61%         |
| Standard Deviation  | 3%             | 2.8%           |
| <b>PostgreSQL pgbench - 100 - 250 - Read Write (TPS)</b>                  | <b>9183</b>    | <b>9055</b>    |
| Normalized  | 100%           | 98.61%         |
| Standard Deviation  | 3%             | 2.7%           |
| <b>PostgreSQL pgbench - 100 - 250 - Read Only - Average Latency (ms)</b>  | <b>0.898</b>   | <b>0.897</b>   |
| Normalized  | 99.89%         | 100%           |
| Standard Deviation  | 0.3%           | 0.7%           |
| <b>PostgreSQL pgbench - 100 - 250 - Read Only (TPS)</b>                   | <b>278377</b>  | <b>278782</b>  |
| Normalized  | 99.85%         | 100%           |
| Standard Deviation  | 0.4%           | 0.7%           |
| <b>PostgreSQL pgbench - 100 - 100 - Read Only - Average Latency (ms)</b>  | 0.318          | 0.318          |
| Standard Deviation  | 0.3%           | 0.2%           |
| <b>PostgreSQL pgbench - 100 - 100 - Read Only (TPS)</b>                   | <b>314928</b>  | <b>314535</b>  |

|  |                    |                |                |
|--|--------------------|----------------|----------------|
|  | Normalized         | 100%           | 99.88%         |
|  | Standard Deviation | 0.4%           | 0.1%           |
| <b>Apache Siege - 50 (Transactions/sec)</b>  |                    | <b>67668</b>   | <b>70540</b>   |
|  | Normalized         | 95.93%         | 100%           |
|  | Standard Deviation | 16%            | 6.1%           |
| <b>Redis - GET (Reqs/sec)</b>                |                    | <b>3275663</b> | <b>3223547</b> |
|  | Normalized         | 100%           | 98.41%         |
|  | Standard Deviation | 0.7%           | 3.3%           |
| <b>Hackbench - 16 - Thread (sec)</b>         |                    | <b>30.928</b>  | <b>31.056</b>  |
|  | Normalized         | 100%           | 99.59%         |
|  | Standard Deviation | 0.2%           | 0.6%           |
| <b>Hackbench - 16 - Process (sec)</b>        |                    | <b>29.953</b>  | <b>30.041</b>  |
|  | Normalized         | 100%           | 99.71%         |
|  | Standard Deviation | 0.1%           | 0.2%           |
| <b>Hackbench - 4 - Thread (sec)</b>          |                    | <b>8.317</b>   | <b>8.789</b>   |
|  | Normalized         | 100%           | 94.63%         |
|  | Standard Deviation | 0.3%           | 4.5%           |
| <b>Apache Siege - 250 (Transactions/sec)</b> |                    | <b>100723</b>  | <b>101458</b>  |
|  | Normalized         | 99.28%         | 100%           |
|  | Standard Deviation | 2.4%           | 2.3%           |
| <b>Hackbench - 8 - Process (sec)</b>         |                    | <b>14.831</b>  | <b>14.914</b>  |
|  | Normalized         | 100%           | 99.44%         |
|  | Standard Deviation | 0.2%           | 0.1%           |
| <b>Redis - SET (Reqs/sec)</b>                |                    | <b>2589388</b> | <b>2573474</b> |
|  | Normalized         | 100%           | 99.39%         |
|  | Standard Deviation | 1.5%           | 1%             |
| <b>Hackbench - 4 - Process (sec)</b>         |                    | <b>7.717</b>   | <b>7.743</b>   |
|  | Normalized         | 100%           | 99.66%         |
|  | Standard Deviation | 0.1%           | 0.2%           |
| <b>Apache Siege - 10 (Transactions/sec)</b>  |                    | <b>29209</b>   | <b>30594</b>   |
|  | Normalized         | 95.47%         | 100%           |
|  | Standard Deviation | 3%             | 2.5%           |
| <b>Hackbench - 2 - Thread (sec)</b>          |                    | <b>4.731</b>   | <b>4.762</b>   |
|  | Normalized         | 100%           | 99.35%         |
|  | Standard Deviation | 0.1%           | 0.5%           |
| <b>Apache Siege - 1 (Transactions/sec)</b>   |                    | <b>11106</b>   | <b>11085</b>   |
|  | Normalized         | 100%           | 99.81%         |
|  | Standard Deviation | 5.3%           | 3.8%           |
| <b>Hackbench - 2 - Process (sec)</b>         |                    | <b>4.496</b>   | <b>4.485</b>   |
|  | Normalized         | 99.76%         | 100%           |
|  | Standard Deviation | 0%             | 0.6%           |
| <b>Hackbench - 1 - Thread (sec)</b>          |                    | <b>2.752</b>   | <b>2.743</b>   |
|  | Normalized         | 99.67%         | 100%           |
|  | Standard Deviation | 0.2%           | 0.4%           |
| <b>Hackbench - 1 - Process (sec)</b>         |                    | <b>2.588</b>   | <b>2.580</b>   |
|  | Normalized         | 99.69%         | 100%           |
|  | Standard Deviation | 0.6%           | 0.6%           |

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 50 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 50 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 100 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 100 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm


### Timed LLVM Compilation 10.0

Time To Compile



### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 50 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 50 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 250 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 250 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 250 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 250 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 100 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 1000 - Clients: 100 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 50 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 50 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 100 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 100 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm


### Apache Siege 2.4.29

Concurrent Users: 200



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto


### KeyDB 6.0.16



1. (CXX) g++ options: -O2 -levend\_openssl -levend -lcrypto -lssl -lpthread -lz -lpcr


### Timed Linux Kernel Compilation 5.4

Time To Compile




### InfluxDB 1.8.2

Concurrent Streams: 4 - Batch Size: 10000 - Tags: 2,5000,1 - Points Per Series: 10000



### Hackbench


Count: 32 - Type: Process



1. (CC) gcc options: -pthread


### InfluxDB 1.8.2

Concurrent Streams: 64 - Batch Size: 10000 - Tags: 2,5000,1 - Points Per Series: 10000




### InfluxDB 1.8.2

Concurrent Streams: 1024 - Batch Size: 10000 - Tags: 2,5000,1 - Points Per Series: 10000



### Apache Siege 2.4.29


Concurrent Users: 500



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

### Apache Siege 2.4.29


Concurrent Users: 100



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

### Hackbench


Count: 8 - Type: Thread



1. (CC) gcc options: -lpthread

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 50 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 50 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 250 - Mode: Read Write - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 250 - Mode: Read Write



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 250 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 250 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 100 - Mode: Read Only - Average Latency



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### PostgreSQL pgbench 13.0


Scaling Factor: 100 - Clients: 100 - Mode: Read Only



1. (CC) gcc options: -fno-strict-aliasing -fwrapv -O2 -lpgcommon -lpgport -lpq -lpthread -lrt -ldl -lm

### Apache Siege 2.4.29


Concurrent Users: 50



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

### Redis 6.0.9


Test: GET



1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

### Hackbench


Count: 16 - Type: Thread



1. (CC) gcc options: -lpthread

### Hackbench


Count: 16 - Type: Process



1. (CC) gcc options: -lpthread

### Hackbench


Count: 4 - Type: Thread



1. (CC) gcc options: -lpthread

## Apache Siege 2.4.29


Concurrent Users: 250



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

## Hackbench


Count: 8 - Type: Process



1. (CC) gcc options: -lpthread

## Redis 6.0.9


Test: SET



1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

## Hackbench


Count: 4 - Type: Process



1. (CC) gcc options: -lpthread

### Apache Siege 2.4.29


Concurrent Users: 10



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

### Hackbench


Count: 2 - Type: Thread



1. (CC) gcc options: -lpthread

### Apache Siege 2.4.29


Concurrent Users: 1



1. (CC) gcc options: -O2 -lpthread -ldl -lssl -lcrypto

### Hackbench


Count: 2 - Type: Process



1. (CC) gcc options: -lpthread

### Hackbench


Count: 1 - Type: Thread



1. (CC) gcc options: -pthread


### Hackbench

Count: 1 - Type: Process




1. (CC) gcc options: -pthread


These geometric means are based upon test groupings / test suites for this result file.




Geometric mean based upon tests: pts/build-linux-kernel and pts/build-llvm




Geometric mean based upon tests: pts/build-llvm, pts/pgbench and pts/keydb



Geometric mean based upon tests: pts/apache-siege, pts/build-llvm, pts/build-linux-kernel, pts/hackbench, pts/pgbench and pts/redis




Geometric mean based upon tests: pts/redis, pts/keydb, pts/pgbench and pts/influxdb




Geometric mean based upon tests: pts/pgbench and pts/hackbench




Geometric mean based upon tests: pts/build-linux-kernel, pts/build-llvm and pts/pgbench



Geometric mean based upon tests: pts/build-linux-kernel and pts/build-llvm



Geometric mean based upon tests: pts/apache-siege, pts/pgbench, pts/redis, pts/keydb and pts/influxdb



Geometric mean based upon tests: pts/build-linux-kernel, pts/build-llvm, pts/hackbench, pts/redis and pts/apache-siege

*This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 09:28.*