

www.phoronix-test-suite.com

lune

lune

Test Systems:

lune

Processor: Intel Core i3 370M @ 2.13GHz (4 Cores), Motherboard: HP 338B v08.26, Chipset: Intel Core DRAM, Memory: 4096MB, Disk: 500GB Seagate ST9500325AS, Graphics: Intel Core IGP 1024MB, Audio: IDT 92HD81B1X5, Network: Realtek RTL810xE PCI Fast + Ralink RT5390 Wireless 802.11n 1T/1R


OS: Ubuntu 18.04, Kernel: 5.4.0-60-generic (i686), Desktop: LXDE 0.9.3, Display Server: X Server vt.handoff=1, Display Driver: modesetting 1.20.8, OpenGL: 2.1 Mesa 20.0.8, File-System: ext4, Screen Resolution: 1366x768

Compiler Notes: --build=i686-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-plugin --enable-shared --enable-targets=all --enable-threads=posix --host=i686-linux-gnu --program-prefix=i686-linux-gnu- --target=i686-linux-gnu --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand

lune

	lune
QGears2 - XRender + Text (FPS)	58.96
Standard Deviation	2.9%
QGears2 - XRender + Gears (FPS)	98.24
Standard Deviation	0.6%
QGears2 - X.I.S (FPS)	308.63
Standard Deviation	2.3%
Render Bench - P.T.S.v.2.1 (sec)	31.74
Standard Deviation	0.2%

lune



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 01:10.