

www.phoronix-test-suite.com

x11perf-pixmap-to-pixmap-onboard

x11perf-hd-7950-3GB

Test Systems:

Intel HD 2000

Processor: Intel Core i7-2600 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: Dell 0D28YY (A05 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: Intel HD 2000 2GB (1350MHz), Audio: Realtek ALC269VB, Monitor: HP w2207, Network: Intel 82579LM

OS: Ubuntu 20.04, Kernel: 5.4.0-58-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: modesetting 1.20.8, OpenGL: 3.3 Mesa 20.0.8, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v

Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perf-gt210-nvidia340

Processor: Intel Core i7-2600 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: Dell 0D28YY (A05 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: ASUS NVIDIA GeForce 210 1GB (589/600MHz), Audio: Realtek ALC269VB, Monitor: HP w2207, Network: Intel 82579LM

OS: Ubuntu 20.04, Kernel: 5.4.0-58-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: NVIDIA 340.108, OpenGL: 3.3.0, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perf-engt440

Processor: Intel Core i7-2600 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: Dell 0D28YY (A05 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: ASUS NVIDIA GeForce GT 440 1GB (822/1620MHz), Audio: Realtek ALC269VB, Monitor: HP w2207, Network: Intel 82579LM

OS: Ubuntu 20.04, Kernel: 5.4.0-58-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: NVIDIA 390.138, OpenGL: 4.6.0, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perf-hd4350-512m

Processor: Intel Core i7-2600 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: Dell 0D28YY (A05 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: Sapphire AMD Radeon HD 4350/4550 512MB, Audio: Realtek ALC269VB, Monitor: HP w2207, Network: Intel 82579LM

OS: Ubuntu 20.04, Kernel: 5.4.0-58-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: modesetting 1.20.8, OpenGL: 3.3 Mesa 20.0.8 (LLVM 10.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f
Graphics Notes: GLAMOR

Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

xllperf-quadro-k600

Processor: Intel Core i7-2600 @ 3.80GHz (4 Cores / 8 Threads), Motherboard: Dell 0D28YY (A05 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: NVIDIA Quadro K600 1GB (875/891MHz), Audio: Realtek ALC269VB, Monitor: HP w2207, Network: Intel 82579LM

OS: Ubuntu 20.04, Kernel: 5.4.0-58-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: NVIDIA 455.38, OpenGL: 4.6.0, Vulkan: 1.2.142, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perf-gtx660-fx8core

Processor: AMD FX-8350 Eight-Core @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS M5A99X EVO R2.0 (1503 BIOS), Chipset: AMD RD9x0/RX980, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: NVIDIA GeForce GTX 660 2GB (823/2800MHz), Audio: Realtek ALC892, Monitor: HP w2207, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-59-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.8, Display Driver: NVIDIA 455.38, OpenGL: 4.6.0, Vulkan: 1.2.142, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x6000852
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perfmark-hd5850-1GB

Processor: AMD FX-8350 Eight-Core @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS M5A99X EVO R2.0 (1503 BIOS), Chipset: AMD RD9x0/RX980, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: Sapphire AMD Radeon HD 5850 1GB, Audio: Realtek ALC892, Monitor: HP w2207, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-59-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.3 Mesa 20.2.6 (LLVM 11.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686

--with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x6000852
Graphics Notes: GLAMOR
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perfmark-hd5770-1GB

Processor: AMD FX-8350 Eight-Core @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS M5A99X EVO R2.0 (1503 BIOS), Chipset: AMD RD9x0/RX980, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: AMD Radeon HD 5770 1GB, Audio: Realtek ALC892, Monitor: HP w2207, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-59-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 3.3 Mesa 20.2.6 (LLVM 11.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x6000852
Graphics Notes: GLAMOR
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

MSI AMD Radeon HD 7950

Processor: AMD FX-8350 Eight-Core @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS M5A99X EVO R2.0 (1503 BIOS), Chipset: AMD RD9x0/RX980, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: MSI AMD Radeon HD 7950/8950 OEM / R9 280 3GB, Audio: Realtek ALC892, Monitor: HP w2207, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-59-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.5 Mesa 20.2.6 (LLVM 11.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x6000852
Graphics Notes: GLAMOR
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

x11perf-hd-6950-2GB

Processor: AMD FX-8350 Eight-Core @ 3.80GHz (4 Cores / 8 Threads), Motherboard: ASUS M5A99X EVO R2.0 (1503 BIOS), Chipset: AMD RD9x0/RX980, Memory: 4096MB, Disk: 240GB KINGSTON SV300S3, Graphics: AMD Radeon HD 6950 2GB, Audio: Realtek ALC892, Monitor: HP w2207, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-60-generic (x86_64), Desktop: Xfce 4.14, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.3 Mesa 20.2.6 (LLVM 11.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1680x1050


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie

x11perf-pixmap-to-pixmap-onboard

--enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand - CPU Microcode: 0x6000852
Graphics Notes: GLAMOR
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	Intel HD 2000	x11perf-gt210-nvidia340	x11perf-engt440	x11perf-hd4350-512m	xllperf-quadro-k600	x11perf-gtx660-fx8core	x11perfmark-hd5850-1G	x11perfmark-hd5770-1G	MSI AMD Radeon HD 7950	x11perf-hd-6950-2GB
x11perf - C.5.F.P.T.P (Operations /	2983	4110	12500	**1137**	9860	**55233**	21133	3340	33467	18200
Normalized	5.4%	7.44%	22.63%	2.06%	17.85%	100%	38.26%	6.05%	60.59%	32.95%
Standard Deviation	0.5%			0.5%		0.4%	0.3%		0.2%	

x11perf-pixmap-to-pixmap-onboard



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 12:49.