

www.phoronix-test-suite.com

eka testi

Intel Core i5 650 testing with a Acer Aspire M5910 (P01-A3 BIOS) and ASUS AMD Radeon R9 285/380 2GB on Ubuntu 20.04 via the Phoronix Test Suite.

Test Systems:

eka testi

Processor: Intel Core i5 650 @ 3.20GHz (2 Cores / 4 Threads), Motherboard: Acer Aspire M5910 (P01-A3 BIOS), Chipset: Intel Core DRAM, Memory: 6GB, Disk: 250GB Samsung SSD 840 + 240GB Western Digital WDS240G2G0A + 1500GB Western Digital WD15EADS-22P, Graphics: ASUS AMD Radeon R9 285/380 2GB (954/1375MHz), Audio: Realtek ALC662 rev1, Monitor: LEN G24-10, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.4.0-62-generic (x86_64), Desktop: MATE 1.24.0, Display Server: X Server 1.20.9, Display Driver: modesetting 1.20.9, OpenGL: 4.6 Mesa 20.2.6 (LLVM 11.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080


Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x7
Graphics Notes: GLAMOR

eka testi

Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Vulnerable: Clear buffers attempted no microcode; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	eka testi
Unigine Heaven - 1920 x 1080 - Fullscreen - OpenGL (FPS)	50.0187
Standard Deviation	0.4%

eka testi



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 08:58.