

www.phoronix-test-suite.com

kubuntu focus jpeg xl

Intel Core i7-9750H testing with a Notebook P95_96_97Ex Rx (1.07.13MIN29 BIOS) and NVIDIA GeForce RTX 2060 6GB on Ubuntu 20.10 via the Phoronix Test Suite.

Test Systems:

1

2

3

Processor: Intel Core i7-9750H @ 4.50GHz (6 Cores / 12 Threads), Motherboard: Notebook P95_96_97Ex Rx (1.07.13MIN29 BIOS), Chipset: Intel Cannon Lake PCH, Memory: 32GB, Disk: 1000GB Samsung SSD 970 EVO Plus 1TB, Graphics: NVIDIA GeForce RTX 2060 6GB (960/7000MHz), Audio: Intel Cannon Lake PCH cAVS, Network: Realtek RTL8111/8168/8411 + Intel-AC 9560

OS: Ubuntu 20.10, Kernel: 5.8.0-41-generic (x86_64), Desktop: GNOME Shell 3.38.2, Display Server: X Server 1.20.9,


kubuntu focus jpeg xl

Display Driver: NVIDIA 460.32.03, OpenGL: 4.6.0, OpenCL: OpenCL 1.2 CUDA 11.2.109, Vulkan: 1.2.155, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xde - Thermald 2.3
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

	1	2	3
JPEG XL - 5 (MP/s)	57.34	**56.73**	**57.54**
Normalized	99.65%	98.59%	100%
Standard Deviation	0.7%	1.2%	0.3%
JPEG XL - 7 (MP/s)	56.95	**56.88**	**57.18**
Normalized	99.6%	99.48%	100%
Standard Deviation	0.6%	0.9%	0.6%
JPEG XL - 8 (MP/s)	**26.19**	**25.75**	26.01
Normalized	100%	98.32%	99.31%
Standard Deviation	0.4%	1.2%	0.6%

kubuntu focus jpeg xl



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 11:46.