

www.phoronix-test-suite.com

1300X 2021 Ryzen

AMD Ryzen 3 1300X testing with a ASRock AB350 Pro4 (P3.20 BIOS) and Sapphire AMD Radeon R7 260X/360 2GB on Ubuntu 20.04 via the Phoronix Test Suite.

Automated Executive Summary

1 had the most wins, coming in first place for 71% of the tests.

Based on the geometric mean of all complete results, the fastest (1) was 1.004x the speed of the slowest (3). 2 was 0.997x the speed of 1 and 3 was 0.999x the speed of 2.

Test Systems:

1

Processor: AMD Ryzen 3 1300X @ 3.50GHz (4 Cores), Motherboard: ASRock AB350 Pro4 (P3.20 BIOS), Chipset: AMD 17h, Memory: 2 x 4096 MB DDR4-2934MT/s, Disk: 128GB ADATA SU800, Graphics: Sapphire AMD Radeon R7 260X/360 2GB (315MHz), Audio: AMD Tobago HDMI Audio, Monitor: DELL S2409W, Network: Realtek

RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.9.0-050900daily20201021-generic (x86_64), Desktop: GNOME Shell 3.36.4, Display Server: X Server 1.20.8, OpenGL: 4.5 Mesa 20.0.8 (LLVM 10.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8001129
Python Notes: Python 3.8.5
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

2

Processor: AMD Ryzen 3 1300X @ 3.50GHz (4 Cores), Motherboard: ASRock AB350 Pro4 (P3.20 BIOS), Chipset: AMD 17h, Memory: 2 x 4096 MB DDR4-2934MT/s, Disk: 128GB ADATA SU800, Graphics: Sapphire AMD Radeon R7 260X/360 2GB (339MHz), Audio: AMD Tobago HDMI Audio, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.9.0-050900daily20201021-generic (x86_64), Desktop: GNOME Shell 3.36.4, Display Server: X Server 1.20.8, OpenGL: 4.5 Mesa 20.0.8 (LLVM 10.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8001129
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

3


Processor: AMD Ryzen 3 1300X @ 3.50GHz (4 Cores), Motherboard: ASRock AB350 Pro4 (P3.20 BIOS), Chipset: AMD 17h, Memory: 2 x 4096 MB DDR4-2934MT/s, Disk: 128GB ADATA SU800, Graphics: Sapphire AMD Radeon R7 260X/360 2GB (331MHz), Audio: AMD Tobago HDMI Audio, Monitor: DELL S2409W, Network: Realtek RTL8111/8168/8411


OS: Ubuntu 20.04, Kernel: 5.9.0-050900daily20201021-generic (x86_64), Desktop: GNOME Shell 3.36.4, Display Server: X Server 1.20.8, OpenGL: 4.5 Mesa 20.0.8 (LLVM 10.0.0), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080


Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8001129
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected


1300X 2021 Ryzen


	1	2	3
toyBrot Fractal Generator - OpenMP (ms)	**134288**	**133464**	133479
Normalized	99.39%	100%	99.99%
Standard Deviation	1.1%	0%	0%
toyBrot Fractal Generator - C++ Tasks (ms)	**133238**	133243	**133319**
Normalized	100%	100%	99.94%
Standard Deviation	0%	0%	0%
toyBrot Fractal Generator - C++ Threads	**133390**	133502	**133873**
Normalized	100%	99.92%	99.64%
Standard Deviation	0%	0%	0.6%
JPEG XL - PNG - 5 (MP/s)	32.93	**32.85**	**33.19**
Normalized	99.22%	98.98%	100%
Standard Deviation	0.1%	0.6%	1.9%
JPEG XL - PNG - 7 (MP/s)	6.80	**6.79**	**6.81**
Normalized	99.85%	99.71%	100%
Standard Deviation	0.1%	0.2%	0.1%
JPEG XL - PNG - 8 (MP/s)	0.61	0.61	0.61
Standard Deviation	0%	0%	0%
JPEG XL - JPEG - 5 (MP/s)	42.60	**42.63**	**42.23**
Normalized	99.93%	100%	99.06%
Standard Deviation	1.3%	0.9%	0.4%
JPEG XL - JPEG - 7 (MP/s)	**42.81**	42.51	**42.50**
Normalized	100%	99.3%	99.28%
Standard Deviation	1.4%	1.5%	0.1%
JPEG XL - JPEG - 8 (MP/s)	**20.07**	**19.75**	19.88
Normalized	100%	98.41%	99.05%
Standard Deviation	0.8%	0.5%	0.9%
JPEG XL Decoding - 1 (MP/s)	**27.10**	26.94	**26.76**
Normalized	100%	99.41%	98.75%
Standard Deviation	0.1%	0.3%	0.1%
JPEG XL Decoding - All (MP/s)	**81.34**	80.63	**80.10**
Normalized	100%	99.13%	98.48%
Standard Deviation	0.2%	0.1%	0.2%
Ngspice - C2670 (sec)	**208.002**	209.578	**211.552**
Normalized	100%	99.25%	98.32%
Standard Deviation	2.1%	2.1%	4.1%
Ngspice - C7552 (sec)	**340.002**	340.563	**342.673**
Normalized	100%	99.84%	99.22%
Standard Deviation	1.7%	1.4%	0.6%
GROMACS - water_GMX50_bare (Ns/Day)	0.355	0.355	0.355
Standard Deviation	0.2%	0.2%	0%


toyBrot Fractal Generator 2020-11-18
Implementation: OpenMP
ms, Fewer Is Better
3
SE +/- 6.43, N = 3
133479
2
SE +/- 25.26, N = 3
133464
1
SE +/- 862.44, N = 3
134288
30K
60K
90K
120K
150K
1. (CXX) g++ options: -O3 -lpthread
toyBrot Fractal Generator 2020-11-18
Implementation: C++ Tasks
ms, Fewer Is Better
3
SE +/- 34.04, N = 3
133319
2
SE +/- 8.97, N = 3
133243
1
SE +/- 6.69, N = 3
133238
30K
60K
90K
120K
150K
1. (CXX) g++ options: -O3 -lpthread
toyBrot Fractal Generator 2020-11-18
Implementation: C++ Threads
ms, Fewer Is Better
3
SE +/- 475.61, N = 3
133873
2
SE +/- 21.55, N = 3
133502
1
SE +/- 16.83, N = 3
133390
30K
60K
90K
120K
150K
1. (CXX) g++ options: -O3 -lpthread



JPEG XL 0.3.1
Input: PNG - Encode Speed: 5
MP/s, More Is Better
3
SE +/- 0.36, N = 3
33.19
2
SE +/- 0.11, N = 3
32.85
1
SE +/- 0.03, N = 3
32.93
8
16
24
32
40
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl
JPEG XL 0.3.1
Input: PNG - Encode Speed: 7
MP/s, More Is Better
3
SE +/- 0.01, N = 3
6.81
2
SE +/- 0.01, N = 3
6.79
1
SE +/- 0.00, N = 3
6.80
2
4
6
8
10
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl
JPEG XL 0.3.1
Input: PNG - Encode Speed: 8
MP/s, More Is Better
3
SE +/- 0.00, N = 3
0.61
2
SE +/- 0.00, N = 3
0.61
1
SE +/- 0.00, N = 3
0.61
0.1373
0.2746
0.4119
0.5492
0.6865
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl


JPEG XL 0.3.1
Input: JPEG - Encode Speed: 5
MP/s, More Is Better
3
SE +/- 0.10, N = 3
42.23
2
SE +/- 0.22, N = 3
42.63
1
SE +/- 0.31, N = 3
42.60
10
20
30
40
50
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl
JPEG XL 0.3.1
Input: JPEG - Encode Speed: 7
MP/s, More Is Better
3
SE +/- 0.03, N = 3
42.50
2
SE +/- 0.38, N = 3
42.51
1
SE +/- 0.35, N = 3
42.81
10
20
30
40
50
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl
JPEG XL 0.3.1
Input: JPEG - Encode Speed: 8
MP/s, More Is Better
3
SE +/- 0.11, N = 3
19.88
2
SE +/- 0.06, N = 3
19.75
1
SE +/- 0.09, N = 3
20.07
5
10
15
20
25
1. (CXX) g++ options: -funwind-tables -O3 -O2 -fPIE -pie -pthread -ldl


JPEG XL Decoding 0.3.1
CPU Threads: 1
MP/s, More Is Better
3
SE +/- 0.02, N = 3
26.76
2
SE +/- 0.05, N = 3
26.94
1
SE +/- 0.02, N = 3
27.10
6
12
18
24
30
JPEG XL Decoding 0.3.1
CPU Threads: All
MP/s, More Is Better
3
SE +/- 0.08, N = 3
80.10
2
SE +/- 0.06, N = 3
80.63
1
SE +/- 0.09, N = 3
81.34
20
40
60
80
100
Ngspice 34
Circuit: C2670
Seconds, Fewer Is Better
3
SE +/- 2.48, N = 12
211.55
2
SE +/- 2.57, N = 3
209.58
1
SE +/- 2.55, N = 3
208.00
50
100
150
200
250
1. (CC) gcc options: -O0 -fopenmp -lm -lstdc++ -lfftw3 -lXaw -lXmu -lXt -lXext -lX11 -lSM -lICE


Ngspice 34
Circuit: C7552
Seconds, Fewer Is Better
3
SE +/- 1.27, N = 3
342.67
2
SE +/- 2.67, N = 3
340.56
1
SE +/- 3.26, N = 3
340.00
70
140
210
280
350
1. (CC) gcc options: -O0 -fopenmp -lm -lstdc++ -lfftw3 -lXaw -lXmu -lXt -lXext -lX11 -lSM -lICE
GROMACS 2021
Input: water_GMX50_bare
Ns Per Day, More Is Better
3
SE +/- 0.000, N = 3
0.355
2
SE +/- 0.000, N = 3
0.355
1
SE +/- 0.000, N = 3
0.355
0.0799
0.1598
0.2397
0.3196
0.3995
1. (CXX) g++ options: -O3 -pthread


These geometric means are based upon test groupings / test suites for this result file.



Geometric mean based upon tests: pts/gromacs and pts/toybrot



Geometric mean based upon tests: pts/jpegxl, pts/jpegxl-decode and pts/ngspice



Geometric mean based upon tests: pts/jpegxl and pts/jpegxl-decode

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 11:38.