

www.phoronix-test-suite.com

isosisko_batch

2 x Intel Xeon E5-2640 v3 testing with a ASUS Z10PE-D16 WS and NVIDIA Quadro M4000 8192MB on Ubuntu 18.04 via the Phoronix Test Suite.

Test Systems:

Intel Xeon E5-2640 v3

Processor: 2 x Intel Xeon E5-2640 v3 @ 3.40GHz (32 Cores), Motherboard: ASUS Z10PE-D16 WS, Chipset: Intel Xeon E7 v3/Xeon, Memory: 97280MB, Disk: 1000GB Samsung SSD 850 + 2000GB Western Digital WD20EZRZ-00Z + 3001GB Seagate ST3000DM001-1ER1, Graphics: NVIDIA Quadro M4000 8192MB, Audio: Realtek ALC1150, Monitor: BenQ GL2460, Network: Intel I210 Gigabit Connection

OS: Ubuntu 18.04, Kernel: 5.4.0-66-generic (x86_64), Display Driver: modesetting 1.20.8, Compiler: Clang 6.0.0-1ubuntu2 + CUDA 10.1, File-System: ext4, Screen Resolution: 1920x1080


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix

isosisko_batch

--host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave

	Intel Xeon E5-2640 v3
Swet - Average (Operations/sec)	552619973
Standard Deviation	1.1%
C-Ray - Total Time - 4.1.R.P.P (sec)	73.48
Standard Deviation	0.1%

isosisko_batch



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 01:25.