



www.phoronix-test-suite.com

CC21Assignment2

KVM testing on Ubuntu 20.04 via the Phoronix Test Suite.

Test Systems:

M5large

Processor: Intel Xeon Platinum 8259CL (1 Core / 2 Threads), Motherboard: Amazon EC2 m5.large (1.0 BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 8GB, Disk: 9GB Amazon Elastic Block Store, Network: Amazon Elastic

OS: Ubuntu 20.04, Kernel: 5.4.0-1038-aws (x86_64), Compiler: GCC 9.3.0, File-System: ext4, System Layer: KVM

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEA/gcc-9-9.3.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: CPU Microcode: 0x5003005

Security Notes: itlb_multihit: KVM: Vulnerable + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline STIBP: disabled RSB filling + srbs: Not affected + tsx_async_abort: Not affected

M5large**OpenSSL - R.4.b.P (Signs/sec)** 235.7

Standard Deviation 0.1%

Stream - Add (MB/s) 13686

Standard Deviation 0.2%

LAME MP3 Encoding - WAV To MP3 (sec) 13.495

Standard Deviation 1.4%

Apache Benchmark - S.W.P.S (Req/s) 10883

Standard Deviation 0.2%


Loopback TCP Network Performance - T.T.T.1.V.L (sec) 15.990

Standard Deviation 1.3%

John The Ripper - Blowfish (Real C/S) 1447

OpenSSL 1.1.1

RSA 4096-bit Performance



1. (CC) gcc options: -pthread -m64 -O3 -lssl -lcrypto -ldl

Stream 2013-01-17

Type: Add



1. (CC) gcc options: -O3 -march=native -fopenmp

LAME MP3 Encoding 3.100

WAV To MP3



1. (CC) gcc options: -O3 -ffast-math -funroll-loops -fschedule-insns2 -fbranch-count-reg -fforce-addr -pipe -lm

Apache Benchmark 2.4.29

Static Web Page Serving



1. (CC) gcc options: -shared -fPIC -O2 -pthread


Loopback TCP Network Performance

Time To Transfer 10GB Via Loopback



John The Ripper 1.9.0-jumbo-1

Test: Blowfish



1. (CC) gcc options: -m64 -fopenmp

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 14:41.