

www.phoronix-test-suite.com

2021-04-15-0907

Intel Xeon E5504 testing with a (4.13 BIOS) and Microsoft Basic Display on Microsoft Windows 10 Pro Build 19042 via the Phoronix Test Suite.

Test Systems:

run5b


Processor: Intel Xeon E5504 @ 2.00GHz (2 Cores), Motherboard: (4.13 BIOS), Memory: 1 x 4088 MB 48MHz, Disk: 165GB QEMU NVMe Ctrl, Graphics: Microsoft Basic Display

OS: Microsoft Windows 10 Pro Build 19042, Kernel: 10.0 (x86_64), Display Driver: 10.0.19041.868, File-System: NTFS, Screen Resolution: 1024x768

Security Notes: __user pointer sanitization: Disabled + KPTI Enabled: Yes + PTE Inversion: Yes

2021-04-15-0907

	run5b
7-Zip Compression - C.S.T (MIPS)	3330
Standard Deviation	0.8%
Stockfish - Total Time (Nodes/s)	1824274
Standard Deviation	0.4%
asmFish - 1.H.M.2.D (Nodes/s)	1874551
Standard Deviation	1.7%
NAMD - ATPase Simulation - 327,506 Atoms (days/ns)	35.50780
Standard Deviation	0.3%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 06:10.