



www.phoronix-test-suite.com

EPYC Tyan Server

AMD EPYC 7543 32-Core testing with a TYAN S8036GM2NE-LE (V2.00.B21 BIOS) and ASPEED on Ubuntu 21.04 via the Phoronix Test Suite.

Automated Executive Summary

Clear Linux 34770 had the most wins, coming in first place for 31% of the tests.

Based on the geometric mean of all complete results, the fastest (Clear Linux 34770) was 1.085x the speed of the slowest (Fedora Server 34). Debian 10.10 was 0.973x the speed of Clear Linux 34770, Ubuntu 20.04.2 LTS was 0.992x the speed of Debian 10.10, Debian Bullseye was 0.982x the speed of Ubuntu 20.04.2 LTS, Ubuntu 21.04 was 0.986x the speed of Debian Bullseye, CentOS Stream was 0.986x the speed of Ubuntu 21.04, Fedora Server 34 was 0.999x the speed of CentOS Stream.

The results with the greatest spread from best to worst included:

NAS Parallel Benchmarks (Test / Class: BT.C) at 4.349x

NAS Parallel Benchmarks (Test / Class: SP.C) at 3.369x

NAS Parallel Benchmarks (Test / Class: EP.D) at 2.947x

NAS Parallel Benchmarks (Test / Class: FT.C) at 2.727x

NAS Parallel Benchmarks (Test / Class: CG.C) at 2.348x

NAS Parallel Benchmarks (Test / Class: IS.D) at 2.273x

VP9 libvpx Encoding (Speed: Speed 5 - Input: Bosphorus 4K) at 1.89x

SVT-AV1 (Encoder Mode: Preset 8 - Input: Bosphorus 4K) at 1.608x

Timed Wasmer Compilation (Time To Compile) at 1.522x

libavif avifenc (Encoder Speed: 10) at 1.463x.

Test Systems:

Ubuntu 20.04.2 LTS

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: ASPEED, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 2-port PCIe

OS: Ubuntu 20.04, Kernel: 5.8.0-55-generic (x86_64), Desktop: GNOME Shell 3.36.4, Display Server: X Server 1.20.9, OpenGL: 4.5 Mesa 20.2.6 (LLVM 11.0.0 256 bits), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale-gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0xa001119

Python Notes: Python 3.8.5

Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retrpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbd: Not affected + tsx_async_abort: Not affected

Fedor a Server 34

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: ASPEED, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 PCIe

OS: Fedora 34, Kernel: 5.12.11-300.fc34.x86_64 (x86_64), Compiler: GCC 11.1.1 20210531, File-System: xfs, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,fortran,objc,obj-c++,ada,go,d,lto --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=i686 --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic --without-cuda-driver
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa001119

Python Notes: Python 3.9.5

Security Notes: SELinux + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retrpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbd: Not affected + tsx_async_abort: Not affected

Debian 10.10

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: ASPEED, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 PCIe

OS: Debian 10, Kernel: 4.19.0-17-amd64 (x86_64), Desktop: GNOME Shell 3.30.2, Display Server: X Server, Compiler: GCC 8.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: always
 Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
 Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0xa001119
 Python Notes: Python 2.7.16 + Python 3.7.3
 Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbs: Not affected + tsx_async_abort: Not affected

Debian Bullseye

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: ASPEED, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 2-port PCIe

OS: Debian 11, Kernel: 5.10.0-7-amd64 (x86_64), Desktop: GNOME Shell 3.38.4, Display Server: X Server, Vulkan: 1.0.2, Compiler: GCC 10.2.1 20210110, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: always
 Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-mutex --enable-multarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
 Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa001119
 Python Notes: Python 3.9.2
 Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbs: Not affected + tsx_async_abort: Not affected

CentOS Stream

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: llvmpipe, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 2-port PCIe

OS: CentOS Stream 8, Kernel: 4.18.0-310.el8.x86_64 (x86_64), Desktop: GNOME Shell 3.32.2, Display Server: X Server + Wayland, OpenGL: 4.5 Mesa 21.1.1 (LLVM 11.0.0 256 bits), Compiler: GCC 8.5.0 20210514, File-System: xfs, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: always
 Compiler Notes: --build=x86_64-redhat-linux --disable-libmpx --disable-libunwind-exceptions --enable__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,fortran,lto --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-gcc-major-version-only --with-isl --with-linker-hash-style=gnu --with-tune=generic --without-cuda-driver
 Processor Notes: Scaling Governor: acpi-cpufreq performance (Boost: Enabled) - CPU Microcode: 0xa001119
 Python Notes: Python 3.6.8
 Security Notes: SELinux + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbs: Not affected + tsx_async_abort: Not affected

Clear Linux 34770

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850

1TB, Graphics: llvmpipe, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 2-port PCIe

OS: Clear Linux OS 34770, Kernel: 5.12.8-1045.native (x86_64), Desktop: GNOME Shell 40.2, Display Server: X Server 1.20.11, OpenGL: 4.5 Mesa 21.1.3 (LLVM 11.1.0 256 bits), Compiler: GCC 11.1.1 20210621 releases/gcc-11.1.0-335-g2348a458e1 + Clang 11.1.0 + LLVM 11.1.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: always
 Environment Notes: FFLAGS="-g -O3 -feliminate-unused-debug-types -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector -param=ssp-buffer-size=32 -m64 -fasynchronous-unwind-tables -Wp,-D_REENTRANT -ffree-loop-distribute-patterns -WI,-z -WI,now -WI,-z -WI,relo -malign-data=abi -fno-semantic-interposition -ffree-vectorize -ffree-loop-vectorize -WI,--enable-new-dtags -Wa,-mbanches-within-32B-boundaries" CXXFLAGS="-g -O3 -feliminate-unused-debug-types -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector --param=ssp-buffer-size=32 -Wformat -Wformat-security -m64 -fasynchronous-unwind-tables -Wp,-D_REENTRANT -ffree-loop-distribute-patterns -WI,-z -WI,now -WI,-z -WI,relo -fno-semantic-interposition -ffat-lto-objects -fno-trapping-math -WI,-sort-common -WI,--enable-new-dtags -mtune=skylake -Wa,-mbanches-within-32B-boundaries -fvisibility-inlines-hidden -WI,--enable-new-dtags" MESA_GLSL_CACHE_DISABLE=0 FCFLAGS="-g -O3 -feliminate-unused-debug-types -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector -param=ssp-buffer-size=32 -m64 -fasynchronous-unwind-tables -Wp,-D_REENTRANT -ffree-loop-distribute-patterns -WI,-z -WI,now -WI,-z -WI,relo -malign-data=abi -fno-semantic-interposition -ffree-vectorize -ffree-loop-vectorize -WI,--enable-new-dtags" CFLAGS="-g -O3 -feliminate-unused-debug-types -pipe -Wall -Wp,-D_FORTIFY_SOURCE=2 -fexceptions -fstack-protector --param=ssp-buffer-size=32 -Wformat -Wformat-security -m64 -fasynchronous-unwind-tables -Wp,-D_REENTRANT -ffree-loop-distribute-patterns -WI,-z -WI,now -WI,-z -WI,relo -fno-semantic-interposition -ffat-lto-objects -fno-trapping-math -WI,-sort-common -WI,--enable-new-dtags -mtune=skylake -Wa,-mbanches-within-32B-boundaries" THEANO_FLAGS="floatX=float32,openmp=true,gcc.cxxflags=-ffree-vectorize -mavx"
 Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-_cxa_atexit --enable-bootstrap --enable-cet --enable-clocale-gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=skylake-avx512

Processor Notes: Scaling Governor: acpi-cpufreq performance (Boost: Enabled) - CPU Microcode: 0xa001119

Python Notes: Python 3.9.5

Security Notes: itlb_multithit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbs: Not affected + tsx_async_abort: Not affected

Ubuntu 21.04

Processor: AMD EPYC 7543 32-Core @ 2.80GHz (32 Cores / 64 Threads), Motherboard: TYAN S8036GM2NE-LE (V2.00.B21 BIOS), Chipset: AMD Starship/Matisse, Memory: 64GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: ASPEED, Monitor: VE228, Network: 2 x Broadcom NetXtreme BCM5720 2-port PCIe

OS: Ubuntu 21.04, Kernel: 5.11.0-22-generic (x86_64), Desktop: GNOME Shell 3.38.4, Display Server: X Server + Wayland, Compiler: GCC 10.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale-gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-mutex --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc-auto --enable-offload-targets=nvptx-none=/build/gcc-10-gDeRY6/gcc-10-10.3.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-gDeRY6/gcc-10-10.3.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v

Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa001119

Python Notes: Python 3.9.5

Security Notes: itlb_multithit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbs: Not affected + tsx_async_abort: Not affected

	Ubuntu 20.04.2 LTS	Fedora Server 34	Debian 10.10	Debian Bullseye	CentOS Stream	Clear Linux 34770	Ubuntu 21.04
miniFE - Small (CG	11203	10018	10918	13355	7928	10394	11861
Normalized	83.88%	75.01%	81.75%	100%	59.36%	77.82%	88.81%
Standard Deviation	9%	7%	8.6%	9.7%	16.7%	8.2%	4.5%

OSpray - San Miguel - Path Tracer (FPS)	3.72	3.70	3.73	3.78	3.74	3.76	3.70
Normalized	98.41%	97.88%	98.68%	100%	98.94%	99.47%	97.88%
Standard Deviation	0%	0.6%	0%	0.2%	1.2%	0.2%	0%
OSpray - NASA Streamlines - Path Tracer (FPS)	12.35	12.35	12.5	12.66	12.5	12.5	12.35
Normalized	97.55%	97.55%	98.74%	100%	98.74%	98.74%	97.55%
Standard Deviation	0%	0%	0%	0%	0%	0%	0%
OSpray - M.R - Path Tracer (FPS)	500	500	444.44	422.22	500	500	500
Normalized	100%	100%	88.89%	84.44%	100%	100%	100%
Standard Deviation			18.3%	20.4%		0%	
PlaidML - No - Inference - VGG16 - CPU (FPS)	26.73	26.96	33.54	33.87	33.59	34.20	27.43
Normalized	78.16%	78.83%	98.07%	99.04%	98.22%	100%	80.2%
Standard Deviation	1.5%	1.2%	1.3%	2.4%	1.4%	1.2%	0.7%
PlaidML - No - Inference - VGG19 - CPU (FPS)	22.49	22.13	27.95	27.67	27.92	28.34	22.86
Normalized	79.36%	78.09%	98.62%	97.64%	98.52%	100%	80.66%
Standard Deviation	1.4%	2.4%	2%	1.5%	1.6%	1.6%	1.1%
PlaidML - No - Inference - ResNet 50 - CPU (FPS)	9.04	8.59	9.60	9.61	7.59	7.74	9.38
Normalized	94.07%	89.39%	99.9%	100%	78.98%	80.54%	97.61%
Standard Deviation	0.5%	0.5%	1.9%	0.4%	0.4%	1%	2.1%
Embree - Pathtracer ISPC - Crown (FPS)	33.3187	33.3893	32.5872	33.5204	33.2960	33.4857	33.2569
Normalized	99.4%	99.61%	97.22%	100%	99.33%	99.9%	99.21%
Standard Deviation	0.1%	0.3%	0.6%	0.4%	0.4%	0.2%	0.2%
Embree - Pathtracer ISPC - Asian Dragon (FPS)	37.1865	37.3838	32.4410	37.3153	37.2281	37.3454	37.0053
Normalized	99.47%	100%	86.78%	99.82%	99.58%	99.9%	98.99%
Standard Deviation	1.2%	0.7%	7.6%	1%	0.5%	1.2%	1.1%
SVT-AV1 - Preset 4 - Bosphorus 4K (FPS)	1.931	1.913	1.852	1.707	1.959	2.071	1.875
Normalized	99.47%	100%	86.78%	99.82%	99.58%	99.9%	98.99%
Standard Deviation	1.2%	0.7%	7.6%	1%	0.5%	1.2%	1.1%
SVT-AV1 - Preset 8 - Bosphorus 4K (FPS)	20.851	18.345	20.716	14.875	22.402	23.919	17.809
Normalized	93.24%	92.37%	89.43%	82.42%	94.59%	100%	90.54%
Standard Deviation	0.1%	0.3%	0.3%	0.5%	0.7%	0.4%	0.4%
SVT-HEVC - 1 - Bosphorus 1080p (FPS)	24.65	24.71	25.19	24.96	24.76	25.15	24.69
Normalized	87.17%	76.7%	86.61%	62.19%	93.66%	100%	74.46%
Standard Deviation	1%	1%	0.9%	1.4%	0.6%	0.5%	0.6%
SVT-HEVC - 7 - Bosphorus 1080p (FPS)	282.38	281.37	296.57	273.70	285.20	299.80	284.09
Normalized	97.86%	98.09%	100%	99.09%	98.29%	99.84%	98.02%
Standard Deviation	0.6%	0.7%	0.3%	0.6%	0.4%	0.2%	0.4%
SVT-HEVC - 10 - Bosphorus 1080p (FPS)	458.18	434.07	537.01	429.71	467.20	463.76	470.53
Normalized	94.19%	93.85%	98.92%	91.29%	95.13%	100%	94.76%
Standard Deviation	2.4%	1.4%	2%	2.2%	1.2%	2.3%	2.5%

SVT-VP9 - VMAF	349.16	291.76	344.93	256.35	303.33	298.74	251.54
Optimized - Bosphorus							
 1080p (FPS)							
Normalized	100%	83.56%	98.79%	73.42%	86.87%	85.56%	72.04%
Standard Deviation	4.2%	1.1%	2.9%	1.4%	4.4%	2.2%	5.1%
SVT-VP9 - P.S.O -	353.98	305.14	353.73	259.56	303.00	302.64	257.98
Bosphorus 1080p (FPS)							
Normalized	100%	86.2%	99.93%	73.33%	85.6%	85.5%	72.88%
Standard Deviation	1.1%	2.8%	0.7%	0.2%	1.4%	2.3%	12.6%
SVT-VP9 - V.Q.O -	264.89	272.55	297.41	236.32	274.02	273.38	241.51
Bosphorus 1080p (FPS)							
Normalized	89.07%	91.64%	100%	79.46%	92.14%	91.92%	81.2%
Standard Deviation	1.5%	1.4%	1.7%	2.5%	1.3%	1.7%	0.7%
VP9 libvpx Encoding -	6.16	6.89	6.05	6.52	6.48	7.25	6.23
Speed 0 - Bosphorus 4K							
 (FPS)							
Normalized	84.97%	95.03%	83.45%	89.93%	89.38%	100%	85.93%
Standard Deviation	0.2%	0.9%	0.3%	1.4%	0.9%	0.3%	0.4%
VP9 libvpx Encoding -	13.63	16.23	13.03	9.31	14.89	17.60	14.60
Speed 5 - Bosphorus 4K							
 (FPS)							
Normalized	77.44%	92.22%	74.03%	52.9%	84.6%	100%	82.95%
Standard Deviation	0.9%	1.4%	0.7%	0.8%	2.5%	1.1%	1.1%
High Performance	12.8778	11.7130		11.7941	12.4586	19.4305	12.6926
Conjugate Gradient							
 (GFLOP/s)							
Normalized	66.28%	60.28%		60.7%	64.12%	100%	65.32%
Standard Deviation	0.1%	17.8%		16.2%	3.6%	8.2%	19.5%
Xmrig - Monero - 1M (H/s)	21915		22335	23576			
Normalized	92.95%		94.73%	100%			
Standard Deviation	0.3%		0.4%	0.2%			
Xmrig - Wownero - 1M	23123		23003	24478			
Normalized	94.46%		93.97%	100%			
Standard Deviation	0.3%		0.6%	0.2%			
Intel Open Image Denoise	0.90	0.96	0.87	0.89	0.94	0.97	0.89
-	-						
RT.hdr_alb_nrm.3840x216							
Normalized	92.78%	98.97%	89.69%	91.75%	96.91%	100%	91.75%
Standard Deviation	0.6%	0.4%	1%	2.2%	0.8%	0.4%	1.3%
Intel Open Image Denoise	0.90	0.96	0.87	0.94	0.95	0.97	0.89
-	-						
RT.ldr_alb_nrm.3840x216							
Normalized	92.78%	98.97%	89.69%	96.91%	97.94%	100%	91.75%
Standard Deviation	0.7%	0.2%	0.4%	2.5%	0.8%	0.5%	0.2%
Intel Open Image Denoise	0.45	0.48	0.44	0.46	0.47	0.48	0.45
-	-						
RTLightmap.hdr.4096x409							
Normalized	93.75%	100%	91.67%	95.83%	97.92%	100%	93.75%
Standard Deviation	1.2%	0.1%	1.3%	0.5%	1%	2%	0.4%

ONNX Runtime - yolov4 -	291	277	233	282	242		257
OpenMP CPU							
(Inferences/min)							
Normalized	100%	95.19%	80.07%	96.91%	83.16%		88.32%
Standard Deviation	5.2%	1.2%	6.9%	5.1%	3.9%		5.9%
ONNX Runtime -	445	440	432	424	427		395
bertsqaud-10 - OpenMP							
CPU (Inferences/min)							
Normalized	100%	98.88%	97.08%	95.28%	95.96%		88.76%
Standard Deviation	2.9%	3.3%	5.1%	3.5%	2%		4%
ONNX Runtime -	93	84	75	73	74		90
fcn-resnet101-11 -							
OpenMP CPU							
(Inferences/min)							
Normalized	100%	90.32%	80.65%	78.49%	79.57%		96.77%
Standard Deviation	13.3%	14%	8.9%	13.9%	10.6%		14.3%
ONNX Runtime -	10866	10911	11064	11283	9699		10193
shufflenet-v2-10 -							
OpenMP CPU							
(Inferences/min)							
Normalized	96.3%	96.7%	98.06%	100%	85.96%		90.34%
Standard Deviation	0.8%	1.3%	1.7%	0.8%	2.3%		0.7%
ONNX Runtime -	4775	4884	5018	4597	4475		4684
super-resolution-10 -							
OpenMP CPU							
(Inferences/min)							
Normalized	95.16%	97.33%	100%	91.61%	89.18%		93.34%
Standard Deviation	1.3%	0.9%	6.6%	0.9%	4.3%		1%
OpenVKL - vklBenchmark	297	296	282	287	293	292	319
(Items / Sec)							
Normalized	93.1%	92.79%	88.4%	89.97%	91.85%	91.54%	100%
Standard Deviation	4.1%	0.8%	1.4%	2.1%	4.4%	2.4%	2%
LuxCoreRender - DLSC -	5.45	5.46	5.47	5.45	5.46	5.52	5.47
CPU (M samples/sec)							
Normalized	98.73%	98.91%	99.09%	98.73%	98.91%	100%	99.09%
Standard Deviation	0.3%	1.2%	0.6%	0.5%	0.3%	0.2%	0.7%
LuxCoreRender - Danish	4.32	4.39	4.36	4.42	4.40	4.47	4.30
Mood - CPU (M samples/sec)							
Normalized	96.64%	98.21%	97.54%	98.88%	98.43%	100%	96.2%
Standard Deviation	0.7%	1.6%	1%	0.3%	1.7%	0.3%	0.3%
LuxCoreRender - Orange	8.29	8.29	8.33	8.39	8.25	8.36	8.30
Juice - CPU (M samples/sec)							
Normalized	98.81%	98.81%	99.28%	100%	98.33%	99.64%	98.93%
Standard Deviation	0.1%	0.3%	0.2%	0.5%	0.5%	0.1%	0.2%
LuxCoreRender - LuxCore	4.73	4.68	4.74	4.79	4.74	4.80	4.66
Benchmark - CPU (M samples/sec)							
Normalized	98.54%	97.5%	98.75%	99.79%	98.75%	100%	97.08%
Standard Deviation	0.2%	0.3%	0.7%	0.6%	0.5%	0.3%	1%
LuxCoreRender - R.C.a.P -	16.38	16.11	17.14	16.75	17.01	17.48	16.29
CPU (M samples/sec)							
Normalized	93.71%	92.16%	98.05%	95.82%	97.31%	100%	93.19%

GROMACS - MPI CPU - water_GMX50_bare (Ns/Day)	Standard Deviation Normalized	4.4% 95.74%	1.1% 95.76%	6.9% 98.82%	5.9% 100%	6.6% 99.37%	6.9% 94.21%	4.3% 94.21%
Kripke (Throughput FoM)	Standard Deviation Normalized	0.5% 86.91%	0.4% 86.71%	0.2% 86.66%	0.1% 86.31%	0.1% 85.78%	0.2% 100%	0.3% 81.31%
NAS Parallel Benchmarks	Standard Deviation Normalized	9.5% 9.5%	11.1% 86.91%	12.5% 86.66%	5.9% 86.31%	5.9% 85.78%	1.1% 100%	9.8% 97.81%
NAS Parallel Benchmarks	Standard Deviation Normalized	87955 - BT.C (Mop/s)	29892 Normalized	78470519 98.61%	78433118 98.54%	78112133 100%	77631927 23.9%	90502153 97.57%
NAS Parallel Benchmarks	Standard Deviation Normalized	87955 - CG.C (Mop/s)	29892 Normalized	87988 98.61%	89193 100%	21314 23.9%	87029 97.57%	87240 97.81%
NAS Parallel Benchmarks	Standard Deviation Normalized	29892 - EP.D (Mop/s)	2934 Normalized	13588 98.48%	30352 100%	29640 42.58%	28970 97.65%	2930 95.45%
NAS Parallel Benchmarks	Standard Deviation Normalized	2934 - FT.C (Mop/s)	2934 Normalized	1601 98.96%	2965 100%	2844 33.93%	2930 95.93%	2930 98.8%
NAS Parallel Benchmarks	Standard Deviation Normalized	47060 - IS.D (Mop/s)	1787 Normalized	17996 95.89%	49076 100%	48460 38.45%	46811 98.74%	46811 95.38%
NAS Parallel Benchmarks	Standard Deviation Normalized	47060 - SP.C (Mop/s)	1787 Normalized	1092 0.2%	1731 0.5%	48460 0.5%	46811 1.1%	46811 2.5%
BRL-CAD - V.P.M (VGR Performance Metric)	Standard Deviation Normalized	33234 0.8%	422481 0.3%	33844 2.2%	33101 1.1%	10304 1.1%	33882 7%	32826 1.7%
Simulation - 327,506	Standard Deviation Normalized	33234 - SqueezeNet (us)	422481 Normalized	417781 99.82%	409125 99.91%	420156 100%	406823 99.58%	419835 99.64%
TensorFlow Lite - 69193	Standard Deviation Normalized	69193 - Inception V4 (us)	69193 Normalized	70454 99.88%	69846 98.94%	69107 100%	87581 99.56%	72316 99.25%
TensorFlow Lite - 936694	Standard Deviation Normalized	936694 - TensorFlow Lite - 43688	936694 Normalized	941892 0.5%	942408 98.94%	932251 0.7%	944105 78.91%	940126 95.56%
Mobilenet Float (us)	Standard Deviation Normalized	936694 - Mobilenet Float (us)	936694 Normalized	941892 0.4%	942408 1.3%	932251 0.3%	944105 0.9%	940126 0.9%
	Standard Deviation Normalized			99.55% 0.6%	98.79% 0.4%	99.95% 0.4%	95.11% 7%	99.65% 0.4%
	Standard Deviation Normalized							87.13% 5.3%


	TensorFlow Lite -	46473	46558	46650	46350	47417	46346	52962
Mobilenet Quant (us)								
Normalized	99.73%	99.54%	99.35%	99.99%	97.74%	100%	87.51%	
Standard Deviation	0.3%	0.6%	0.4%	0.1%	1.7%	0%	3.8%	
TensorFlow Lite - I.R.V	835539	837065	834724	834703	843780	837254	943408	
Normalized	99.9%	99.72%	100%	100%	98.92%	99.7%	88.48%	
Standard Deviation	0.3%	0.4%	0%	0.3%	0.6%	0.4%	6.8%	
Mobile Neural Network -	2.572	2.535	2.906	2.616	2.584	2.264	2.496	
mobilenetV3 (ms)								
Normalized	88.02%	89.31%	77.91%	86.54%	87.62%	100%	90.71%	
Standard Deviation	2.3%	4.4%	6.5%	4.9%	1.2%	3%	1.7%	
Mobile Neural Network -	4.144	4.042	4.720	4.676	4.355	4.409	4.377	
squeezezenetv1.1 (ms)								
Normalized	97.54%	100%	85.64%	86.44%	92.81%	91.68%	92.35%	
Standard Deviation	2%	3.4%	3.4%	2.4%	3.3%	4%	1.1%	
Mobile Neural Network -	21.954	18.933	23.736	22.520	22.034	22.347	21.663	
resnet-v2-50 (ms)								
Normalized	86.24%	100%	79.76%	84.07%	85.93%	84.72%	87.4%	
Standard Deviation	0.9%	5.7%	4.1%	6.6%	3.4%	4.6%	2%	
Mobile Neural Network -	6.094	5.767	6.326	6.204	6.776	6.539	6.900	
SqueezeNetV1.0 (ms)								
Normalized	94.63%	100%	91.16%	92.96%	85.11%	88.19%	83.58%	
Standard Deviation	3.5%	3.3%	5.4%	5.8%	2.2%	6.9%	0.7%	
Mobile Neural Network -	3.947	3.975	4.242	4.034	4.275	4.026	3.955	
MobileNetV2_224 (ms)								
Normalized	100%	99.3%	93.05%	97.84%	92.33%	98.04%	99.8%	
Standard Deviation	5.4%	4.3%	5.9%	10.3%	2.1%	7.5%	1.1%	
Mobile Neural Network -	2.849	2.894	3.482	3.796	2.932	2.981	2.734	
mobilenet-v1-1.0 (ms)								
Normalized	95.96%	94.47%	78.52%	72.02%	93.25%	91.71%	100%	
Standard Deviation	6%	7.7%	8.5%	8.5%	11.5%	10.6%	0.8%	
Mobile Neural Network -	24.361	22.603	26.471	27.651	27.519	23.754	24.418	
inception-v3 (ms)								
Normalized	92.78%	100%	85.39%	81.74%	82.14%	95.15%	92.57%	
Standard Deviation	2%	2.4%	3.1%	1.4%	2.1%	3.9%	1.3%	
TNN - CPU - DenseNet	2907	3043	2822	3098	2957	2895	3183	
(ms)								
Normalized	97.08%	92.75%	100%	91.09%	95.45%	97.48%	88.68%	
Standard Deviation	0%	1.2%	0.2%	0.5%	0.2%	0.2%	5.5%	
TNN - CPU - MobileNet v2	290.337	296.547	286.254	307.534	301.637	289.527	316.885	
(ms)								
Normalized	98.59%	96.53%	100%	93.08%	94.9%	98.87%	90.33%	
Standard Deviation	0.4%	1.5%	1.7%	2.3%	0.3%	0.1%	2.4%	
TNN - CPU - SqueezeNet	62.597	64.811	62.217	62.165	62.620	65.828	66.292	
v2 (ms)								
Normalized	99.31%	95.92%	99.92%	100%	99.27%	94.44%	93.77%	
Standard Deviation	0.9%	0.2%	2.4%	1.3%	0.5%	2.4%	0.3%	
TNN - CPU - SqueezeNet	269.182	271.391	268.003	269.358	269.467	270.350	277.579	
v1.1 (ms)								
Normalized	99.56%	98.75%	100%	99.5%	99.46%	99.13%	96.55%	
Standard Deviation	0.1%	0.1%	0.2%	0.4%	0.1%	0.1%	0%	

Xcompact3d Incompact3d	27.8769480	29.0366478	27.7018650	28.6477426	27.1634598	28.8079955
- i.i.1.C.P.D (sec)						
Normalized	97.44%	93.55%	98.06%	94.82%	100%	94.29%
Standard Deviation	2.5%	0.5%	2.8%	1.1%	1.3%	1.1%
libavif avifenc - 10 (sec)	3.817	3.620	2.785	2.873	2.609	3.785
Normalized	68.35%	72.07%	93.68%	90.81%	92.62%	100%
Standard Deviation	0.8%	2.5%	2.3%	2.8%	3.2%	2.3%
libavif avifenc - 6,	30.222	27.881	27.237	27.395	27.000	26.150
Lossless (sec)						
Normalized	86.53%	93.79%	96.01%	95.46%	96.85%	100%
Standard Deviation	1.2%	0.1%	2%	0.6%	0.7%	0.3%
libavif avifenc - 10,	6.287	6.185	5.323	5.298	5.188	4.915
Lossless (sec)						
Normalized	78.18%	79.47%	92.34%	92.77%	94.74%	100%
Standard Deviation	2.4%	0.2%	5.7%	0.5%	2.1%	1%
Timed Godot Game	57.907	54.948	63.293	53.426		54.630
Engine Compilation -						
Time To Compile (sec)						
Normalized	92.26%	97.23%	84.41%	100%		97.8%
Standard Deviation	0.8%	0.3%	1%	0.6%		2%
Timed Linux Kernel	35.137	34.019	29.492	32.031	31.134	31.165
Compilation - Time To						
Compile (sec)						
Normalized	83.93%	86.69%	100%	92.07%	94.73%	94.63%
Standard Deviation	2.3%	2.4%	2.4%	2.5%	2.4%	2.4%
Timed LLVM Compilation	232.758	209.690	185.201	202.013	192.197	209.931
- Ninja (sec)						
Normalized	79.57%	88.32%	100%	91.68%	96.36%	88.22%
Standard Deviation	0.6%	0.6%	0.1%	0.1%	0.6%	0.8%
Timed LLVM Compilation	286.375	257.168	223.264	250.573	227.741	250.224
- Unix Makefiles (sec)						
Normalized	77.96%	86.82%	100%	89.1%	98.03%	89.23%
Standard Deviation	0.9%	1.2%	2.5%	1.6%	0.7%	0.4%
Timed Node.js	151.647	137.588	123.139	134.407	127.498	140.352
Compilation - Time To						
Time To						
Normalized	81.2%	89.5%	100%	91.62%	96.58%	87.74%
Standard Deviation	0.1%	0.3%	0.2%	0.2%	0.2%	0.6%
Timed Wasmer	61.241	41.498		60.641	45.007	40.231
Compilation - Time To						
Time To						
Normalized	65.69%	96.95%		66.34%	89.39%	100%
Standard Deviation	1%	0.8%		1.6%	2.4%	1%
ASTC Encoder -	23.6779	23.5167		23.4605	23.9299	23.5118
Exhaustive (sec)						23.5801
Normalized	99.08%	99.76%		100%	98.04%	99.78%
Standard Deviation	0.1%	0%		0.1%	0.1%	0%
Blender - BMW27 -	52.85	53.13	52.44	52.55	52.25	52.25
CPU-Only (sec)						53.59
Normalized	98.86%	98.34%	99.64%	99.43%	100%	100%
Standard Deviation	0.2%	0.3%	0.2%	0.2%	0.2%	0.1%
Blender - Classroom -	146.51	146.65	146.09	145.38	146.29	145.82
CPU-Only (sec)						147.55
Normalized	99.23%	99.13%	99.51%	100%	99.38%	99.7%
Standard Deviation	0.2%	0.1%	0.3%	0.2%	0.2%	0.4%

Blender - Barbershop - CPU-Only (sec)	195.79	196.64	192.55	189.90	190.76	190.95	197.52
Normalized	96.99%	96.57%	98.62%	100%	99.55%	99.45%	96.14%
Standard Deviation	0%	0.3%	0.9%	0.3%	0.1%	0.1%	0.2%
Numena Anomaly	6.805		6.671		6.293	5.938	
Benchmark - Windowed Gaussian (sec)							
Normalized	87.26%		89.01%		94.36%	100%	
Standard Deviation	1.8%		0.9%		1.9%	1.9%	

miniFE 2.2


Problem Size: Small



1. (CXX) g++ options: -O3 -fopenmp -pthread -lmpi


OSPray 1.8.5

Demo: San Miguel - Renderer: Path Tracer




OSPray 1.8.5

Demo: NASA Streamlines - Renderer: Path Tracer




OSPray 1.8.5

Demo: Magnetic Reconnection - Renderer: Path Tracer




PlaidML

FP16: No - Mode: Inference - Network: VGG16 - Device: CPU




PlaidML

FP16: No - Mode: Inference - Network: VGG19 - Device: CPU




PlaidML

FP16: No - Mode: Inference - Network: ResNet 50 - Device: CPU




Embree 3.13

Binary: Pathtracer ISPC - Model: Crown




Embree 3.13

Binary: Pathtracer ISPC - Model: Asian Dragon



SVT-AV1 0.8.7


Encoder Mode: Preset 4 - Input: Bosphorus 4K



1. (CXX) g++ options: -mno-avx -mavx2 -mavx512f -mavx512bw -mavx512dq -pie

SVT-AV1 0.8.7


Encoder Mode: Preset 8 - Input: Bosphorus 4K



1. (CXX) g++ options: -mno-avx -mavx2 -mavx512f -mavx512bw -mavx512dq -pie

SVT-HEVC 1.5.0


Tuning: 1 - Input: Bosphorus 1080p



1. (CC) gcc options: -fPIE -fPIC -O3 -O2 -pie -rdynamic -lpthread -lrt

SVT-HEVC 1.5.0


Tuning: 7 - Input: Bosphorus 1080p



1. (CC) gcc options: -fPIE -fPIC -O3 -O2 -pie -rdynamic -lpthread -lrt

SVT-HEVC 1.5.0


Tuning: 10 - Input: Bosphorus 1080p



1. (CC) gcc options: -fPIE -fPIC -O3 -O2 -pie -rdynamic -lpthread -lrt

SVT-VP9 0.3


Tuning: VMAF Optimized - Input: Bosphorus 1080p



1. (CC) gcc options: -O3 -fcommon -fPIE -fPIC -fvisibility=hidden -pie -rdynamic -lpthread -lrt -lm

SVT-VP9 0.3


Tuning: PSNR/SSIM Optimized - Input: Bosphorus 1080p



1. (CC) gcc options: -O3 -fcommon -fPIE -fPIC -fvisibility=hidden -pie -rdynamic -lpthread -lrt -lm

SVT-VP9 0.3


Tuning: Visual Quality Optimized - Input: Bosphorus 1080p



1. (CC) gcc options: -O3 -fcommon -fPIE -fPIC -fvisibility=hidden -pie -rdynamic -lpthread -lrt -lm

VP9 libvpx Encoding 1.10.0


Speed: Speed 0 - Input: Bosphorus 4K



1. (CXX) g++ options: -m64 -lm -lpthread -O3 -fPIC -std=gnu++11


VP9 libvpx Encoding 1.10.0

Speed: Speed 5 - Input: Bosphorus 4K



1. (CXX) g++ options: -m64 -lpthread -O3 -fPIC -std=gnu++11


High Performance Conjugate Gradient 3.1



1. (CXX) g++ options: -O3 -ffast-math -ffree-vectorize -pthread -lmpi

Xmrig 6.12.1


Variant: Monero - Hash Count: 1M



1. (CXX) g++ options: -fexceptions -fno-rtti -maes -O3 -Ofast -static-libgcc -static-libstdc++ -rdynamic -lssl -lcrypto -luv -lpthread -lrt -ldl -lhwloc

Xmrig 6.12.1


Variant: Wownero - Hash Count: 1M




1. (CXX) g++ options: -fexceptions -fno-rtti -maes -O3 -Ofast -static-libgcc -static-libstdc++ -rdynamic -lssl -lcrypto -luv -lpthread -lrt -ldl -lhwloc

Intel Open Image Denoise 1.4.0

Run: RT.hdr_alb_nrm.3840x2160


**Intel Open Image Denoise 1.4.0**

Run: RT.Idr_alb_nrm.3840x2160




Intel Open Image Denoise 1.4.0

Run: RTLightmap.hdr.4096x4096



ONNX Runtime 1.6


Model: yolov4 - Device: OpenMP CPU



1. (CXX) g++ options: -fopenmp -ffunction-sections -fdata-sections -O3 -ldl -lrt

ONNX Runtime 1.6


Model: bertsquad-10 - Device: OpenMP CPU



1. (CXX) g++ options: -fopenmp -ffunction-sections -fdata-sections -O3 -ldl -lrt

ONNX Runtime 1.6


Model: fcn-resnet101-11 - Device: OpenMP CPU



1. (CXX) g++ options: -fopenmp -ffunction-sections -fdata-sections -O3 -ldl -lrt

ONNX Runtime 1.6


Model: shufflenet-v2-10 - Device: OpenMP CPU



1. (CXX) g++ options: -fopenmp -ffunction-sections -fdata-sections -O3 -ldl -lrt

ONNX Runtime 1.6


Model: super-resolution-10 - Device: OpenMP CPU



1. (CXX) g++ options: -fopenmp -ffunction-sections -fdata-sections -O3 -ldl -lrt


OpenVKL 0.9

Benchmark: vklBenchmark




LuxCoreRender 2.5

Scene: DLSC - Acceleration: CPU




LuxCoreRender 2.5

Scene: Danish Mood - Acceleration: CPU




LuxCoreRender 2.5

Scene: Orange Juice - Acceleration: CPU




LuxCoreRender 2.5

Scene: LuxCore Benchmark - Acceleration: CPU




LuxCoreRender 2.5

Scene: Rainbow Colors and Prism - Acceleration: CPU




GROMACS 2021.2

Implementation: MPI CPU - Input: water_GMX50_bare



1. (CXX) g++ options: -O3 -pthread


Kripke 1.2.4



1. (CXX) g++ options: -O3 -fopenmp

NAS Parallel Benchmarks 3.4

Test / Class: BT.C



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3

3. Debian 10.10: Open MPI 3.1.3


4. Debian Bullseye: Open MPI 4.1.0

5. Clear Linux 34770: 3.2

6. Ubuntu 21.04: Open MPI 4.1.0

NAS Parallel Benchmarks 3.4

Test / Class: CG.C



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3


3. Debian Bullseye: Open MPI 4.1.0

4. Clear Linux 34770: 3.2

5. Ubuntu 21.04: Open MPI 4.1.0

NAS Parallel Benchmarks 3.4

Test / Class: EP.D



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3


3. Debian Bullseye: Open MPI 4.1.0

4. Clear Linux 34770: 3.2

5. Ubuntu 21.04: Open MPI 4.1.0

NAS Parallel Benchmarks 3.4

Test / Class: FT.C



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3


3. Debian Bullseye: Open MPI 4.1.0

4. Clear Linux 34770: 3.2

5. Ubuntu 21.04: Open MPI 4.1.0

NAS Parallel Benchmarks 3.4

Test / Class: IS.D



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3


3. Debian Bullseye: Open MPI 4.1.0

4. Clear Linux 34770: 3.2

5. Ubuntu 21.04: Open MPI 4.1.0

NAS Parallel Benchmarks 3.4

Test / Class: SPC



1. (F9X) gfortran options: -O3 -march=native -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

2. Ubuntu 20.04.2 LTS: Open MPI 4.0.3

3. Debian 10.10: Open MPI 3.1.3


4. Debian Bullseye: Open MPI 4.1.0

5. Clear Linux 34770: 3.2

6. Ubuntu 21.04: Open MPI 4.1.0

BRL-CAD 7.32.2


VGR Performance Metric



1. (CXX) g++ options: -std=c++11 -pipe -fvisibility=hidden -fno-strict-aliasing -fno-common -fexceptions -ftemplate-depth=128 -m64 -ggdb3 -O3 -fipa-pt


NAMD 2.14

ATPase Simulation - 327,506 Atoms




TensorFlow Lite 2020-08-23

Model: SqueezeNet




TensorFlow Lite 2020-08-23

Model: Inception V4




TensorFlow Lite 2020-08-23

Model: Mobilenet Float




TensorFlow Lite 2020-08-23

Model: Mobilenet Quant




TensorFlow Lite 2020-08-23

Model: Inception ResNet V2




Mobile Neural Network 1.2

Model: mobilenetV3




1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -fno-exceptions -fstack-protector -m64 -ffat-lto-objects -fno-trapping-math -mtune=skylake -MIN: 2.14 / MAX: 5.27

Mobile Neural Network 1.2




1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -fno-threadsafe-statics

Mobile Neural Network 1.2



1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -fno-threadsafe-statics


Mobile Neural Network 1.2



1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -fno-threadsafe-statics


Mobile Neural Network 1.2

Model: MobileNetV2_224




1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -fno-exceptions -fstack-protector -m64 -fabi-ito-objects -fno-trapping-math -mtune=skylake -MIN: 3.61 / MAX: 7.37

Mobile Neural Network 1.2



Mobile Neural Network 1.2


Model: inception-v3



1. (CXX) g++ options: -std=c++11 -O3 -fvisibility=hidden -fomit-frame-pointer -fstrict-aliasing -ffunction-sections -fdata-sections -ffast-math -fno-rtti -frtti

TNN 0.3


Target: CPU - Model: DenseNet



1. (CXX) g++ options: -fopenmp -pthread -fvisibility=hidden -fvisibility=default -O3 -rdynamic -ldl

TNN 0.3


Target: CPU - Model: MobileNet v2



1. (CXX) g++ options: -fopenmp -pthread -fvisibility=hidden -fvisibility=default -O3 -rdynamic -ldl

TNN 0.3


Target: CPU - Model: SqueezeNet v2



1. (CXX) g++ options: -fopenmp -pthread -fvisibility=hidden -fvisibility=default -O3 -rdynamic -ldl

TNN 0.3


Target: CPU - Model: SqueezeNet v1.1



1. (CXX) g++ options: -fopenmp -pthread -fvisibility=hidden -fvisibility=default -O3 -rdynamic -ldl

Xcompact3d Incompact3d 2021-03-11


Input: input.i3d 193 Cells Per Direction



1. (F9X) gfortran options: -cpp -O2 -funroll-loops -floop-optimize -fcray-pointer -fbacktrace -pthread -lmpi_usempif08 -lmpi_mpifh -lmpi

libavif avifenc 0.9.0


Encoder Speed: 10



1. (CXX) g++ options: -O3 -fPIC -lm

libavif avifenc 0.9.0


Encoder Speed: 6, Lossless



1. (CXX) g++ options: -O3 -fPIC -lm

libavif avifenc 0.9.0


Encoder Speed: 10, Lossless



1. (CXX) g++ options: -O3 -fPIC -lm


Timed Godot Game Engine Compilation 3.2.3

Time To Compile




Timed Linux Kernel Compilation 5.10.20

Time To Compile




Timed LLVM Compilation 12.0

Build System: Ninja




Timed LLVM Compilation 12.0

Build System: Unix Makefiles




Timed Node.js Compilation 15.11

Time To Compile



Timed Wasmer Compilation 1.0.2


Time To Compile



1. (CC) gcc options: -m64 -pie -nodefaultlibs -ldl -lrt -lpthread -lgcc_s -lc -lm -util

ASTC Encoder 3.0


Preset: Exhaustive



1. (CXX) g++ options: -O3 -fno -pthread


Blender 2.92

Blend File: BMW27 - Compute: CPU-Only




Blender 2.92

Blend File: Classroom - Compute: CPU-Only




Blender 2.92

Blend File: Barbershop - Compute: CPU-Only



Numenta Anomaly Benchmark 1.1


Detector: Windowed Gaussian



These geometric means are based upon test groupings / test suites for this result file.

Geometric Mean Of AV1 Tests


Result Composite - EPYC Tyan Server




Geometric mean based upon tests: pts/svt-av1 and pts/avifenc

Geometric Mean Of C/C++ Compiler Tests

Result Composite - EPYC Tyan Server




Geometric mean based upon tests: pts/vpxenc, pts/build-llvm, pts/svt-av1, pts/svt-vp9 and pts/gromacs



Geometric mean based upon tests: pts/brl-cad, pts/build-llvm, pts/build-linux-kernel, pts/svt-av1, pts/svt-hevc, pts/svt-vp9, pts/vpxenc, pts/hpcg, pts/namd, pts/npb, pts/numENTA-nab, pts/plaidML and pts/blender

Geometric Mean Of Creator Workloads Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/ospray, pts/blender, pts/luxcorerender, pts/svt-vp9, pts/svt-hevc, pts/vpxenc, pts/svt-av1, pts/avifenc, pts/embree, pts/oidn, pts/openvkl, pts/astcenc, pts/build-godot and pts/brl-cad

Geometric Mean Of Encoding Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/svt-vp9, pts/svt-hevc, pts/vpxenc, pts/svt-av1 and pts/avifenc

Geometric Mean Of Fortran Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/hpcg, pts/npb and pts/incompact3d

Geometric Mean Of Game Development Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/astcenc, pts/build-godot, pts/blender, pts/oidn and pts/openvkl

Geometric Mean Of HPC - High Performance Computing Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/npb, pts/hpcg, pts/namd, pts/gromacs, pts/minife, pts/incompact3d, pts/kripke, pts/mnn, pts/tnn, pts/numenta-nab, pts/tensorflow-lite, pts/onnx and pts/plaidml

Geometric Mean Of Machine Learning Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/mnn, pts/tnn, pts/numenta-nab, pts/tensorflow-lite, pts/onnx and pts/plaidml

Geometric Mean Of Molecular Dynamics Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/namd, pts/gromacs, pts/minife and pts/incompact3d

Geometric Mean Of MPI Benchmarks Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/incompact3d, pts/gromacs, pts/hpcg, pts/npb and pts/minife

Geometric Mean Of NVIDIA GPU Compute Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/gromacs, pts/luxcorerender, pts/plaidml and pts/blender

Geometric Mean Of Intel oneAPI Tests

Result Composite - EPYC Tyan Server




Geometric mean based upon tests: pts/embree, pts/oidn, pts/ospray and pts/openvkl

EPYC Tyan Server

Geometric Mean Of OpenMPI Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/minife, pts/hpcg, pts/gromacs, pts/npb and pts/incompact3d

Geometric Mean Of Python Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/plaidml, pts/onnx, pts/build-godot, pts/build-llvm, pts/build-nodejs and pts/humenta-nab

Geometric Mean Of Renderers Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/ospray, pts/blender and pts/luxcorerender

Geometric Mean Of Scientific Computing Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/namd, pts/gromacs, pts/minife, pts/incompact3d and pts/kripke

Geometric Mean Of Server CPU Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/npb, pts/namd, pts/svt-av1, pts/svt-hevc, pts/svt-vp9, pts/build-linux-kernel, pts/build-llvm, pts/blender and pts/numamenta-nab

Geometric Mean Of Video Encoding Tests


Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/svt-vp9, pts/svt-hevc, pts/vpxenc, pts/svt-av1 and pts/avifenc

Geometric Mean Of Common Workstation Benchmarks Tests

Result Composite - EPYC Tyan Server



Geometric mean based upon tests: pts/blender and pts/brl-cad

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 05:06.