

www.phoronix-test-suite.com

2021-07-12-1316

AMD Phenom II X4 955 testing with a MSI GF615M-P33 (MS-7597) v1.0 (V2.7 BIOS) and MSI NVIDIA GeForce 7025 / nForce 630a 253MB on Linuxmint 20.1 via the Phoronix Test Suite.

Test Systems:

AMD Phenom II X4 955

Processor: AMD Phenom II X4 955 @ 3.20GHz (4 Cores), Motherboard: MSI GF615M-P33 (MS-7597) v1.0 (V2.7 BIOS), Chipset: NVIDIA MCP61, Memory: 1 x 4096 MB SDRAM-1600MT/s, Disk: 16GB USB Flash Drive, Graphics: MSI NVIDIA GeForce 7025 / nForce 630a 253MB, Audio: Realtek ALC887-VD, Network: Realtek RTL8111/8168/8411

OS: Linuxmint 20.1, Kernel: 5.4.0-58-generic (x86_64), Desktop: Cinnamon 4.8.5, Display Server: X Server 1.20.8, Compiler: GCC 9.3.0, File-System: overlayfs, Screen Resolution: 1920x1080


Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686

--with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq performance - CPU Microcode: 0x10000c8
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

AMD Phenom II X4 955

C-Blosc - blosclz (MB/s) 1966

Standard Deviation 0%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 04:23.