

www.phoronix-test-suite.com

luxmark_1

Prueba

Test Systems:

luxmark_test

Processor: Intel Core i5-6200U @ 2.80GHz (4 Cores), Motherboard: ASUS X541UA v1.0, Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 8192MB, Disk: 1000GB TOSHIBA MQ01ABD1, Graphics: Intel Skylake GT2 [HD 520], Audio: Realtek ALC256, Monitor: LCDTV16, Network: Realtek RTL810xE PCI Fast + Realtek RTL8723BE PCIe Wireless


OS: LinuxMint 19.3, Kernel: 5.0.0-32-generic (x86_64), Desktop: Cinnamon 4.4.5, Display Driver: modesetting 1.20.4, OpenGL: 3.3 Mesa 19.2.8, Compiler: Clang 6.0.0-1ubuntu2, File-System: ext4 (ecryptfs), Screen Resolution: 2726x768

Environment Notes: MESA_GL _OVERRIDE=3.3
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave

luxmark_1

	luxmark_test
LuxMark - CPU+GPU - Hotel (Score)	212
Standard Deviation	46%
LuxMark - CPU+GPU - Microphone (Score)	54
Standard Deviation	3.1%
LuxMark - CPU+GPU - Luxball HDR (Score)	1315
Standard Deviation	0.7%

luxmark_1



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 11:22.