

www.phoronix-test-suite.com

dota2amdtest3

AMD Ryzen 7 4700U testing with a LENOVO LNVNB161216 (E7CN36WW BIOS) and AMD Renoir 512MB on Arch rolling via the Phoronix Test Suite.

Test Systems:

mesagit

Processor: AMD Ryzen 7 4700U @ 2.00GHz (8 Cores), Motherboard: LENOVO LNVNB161216 (E7CN36WW BIOS), Chipset: AMD Renoir Root Complex, Memory: 16GB, Disk: 512GB SK hynix HFM512GDHTNI-87A0B, Graphics: AMD Renoir 512MB (1600/400MHz), Audio: AMD Device 1637, Network: Intel Wi-Fi 6 AX200

OS: Arch rolling, Kernel: 5.13.4-arch2-1 (x86_64), Desktop: KDE Plasma 5.22.3, Display Server: X Server 1.20.12 + Wayland, OpenGL: 4.6 Mesa 21.3.0-devel (git-73262d4bd4) (LLVM 12.0.1), OpenCL: OpenCL 1.1 Mesa 21.3.0-devel (git-73262d4bd4), Compiler: GCC 11.1.0 + Clang 12.0.1 + LLVM 12.0.1, File-System: ext4, Screen Resolution: 1920x1080


Kernel Notes: Transparent Huge Pages: madvise
Processor Notes: Scaling Governor: acpi-cpufreq powersave (Boost: Enabled) - CPU Microcode: 0x8600106

dota2amdtest3

Graphics Notes: GLAMOR
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	mesagit
Dota 2 - 1920 x 1080 - Vulkan (FPS)	38.5
Standard Deviation	1%

dota2amdtest3



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 05:22.