

www.phoronix-test-suite.com

gm

Intel Pentium N4200 testing with a LENOVO LNVNB161216 (1MCN50WW BIOS) and Intel Celeron N3350/Pentium N4200/Atom E3900 IGP on Ubuntu 20.04 via the Phoronix Test Suite.

Test Systems:

gm

Processor: Intel Pentium N4200 @ 2.50GHz (4 Cores), Motherboard: LENOVO LNVNB161216 (1MCN50WW BIOS), Chipset: Intel Celeron N3350/Pentium, Memory: 8GB, Disk: 128GB SK hynix HFS128G3BTND-N21, Graphics: Intel Celeron N3350/Pentium N4200/Atom E3900 IGP (750MHz), Audio: Realtek ALC236, Network: Realtek RTL8111/8168/8411 + Realtek RTL8821AE 802.11ac PCIe

OS: Ubuntu 20.04, Kernel: 5.11.0-37-generic (x86_64), Desktop: GNOME Shell 3.36.9, Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1366x768


Kernel Notes: Transparent Huge Pages: madvise
Processor Notes: Scaling Governor: intel_cpufreq ondemand - CPU Microcode: 0x44 - Thermald 1.9.1

gm

Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	gm
GravityMark - 800 x 600 - OpenGL (FPS)	0.3
Standard Deviation	0%

gm



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 06:04.